


SPEC SHEET

SAP MATERIAL No.:	0169105							
SHORT DESCRIPTION:	JOINT KIT 3C 11kV 16-35SQ XLPE D2808							
TECH. DESCRIPTION:								
JOINT KIT * 6.35/11kV XLPE INSULATED CABLE * 3 CORE * 16mm SQ. TO 35mm SQ. * KIT CONSISTS OF : INSTRUCTION SHEET, BILL OF MATERIALS, INSULATING COMPONENTS, EARTHING KIT, MECHANICAL TORQUE SHEAR CONNECTORS AND CLEANING KIT * ESKOM DRAWING No. D-DT-2808 *								
SAP MATERIAL No.:	0182555							
SHORT DESCRIPTION:	JOINT KIT 3C 22kV 25SQ XLPE D2808							
TECH. DESCRIPTION:								
JOINT KIT * 12.7/22kV XLPE INSULATED CABLE * 3 CORE * 25mm SQ. * KIT CONSISTS OF : INSTRUCTION SHEET, BILL OF MATERIALS, INSULATING COMPONENTS, EARTHING KIT, MECHANICAL TORQUE SHEAR CONNECTORS AND CLEANING KIT * ESKOM DRAWING No. D-DT-2808 *								
ITEM	:- JOINT KIT,1 + 3C 11 & 22kV XLPE							
MATERIAL SPECIFICATION	:- SANS 1332							
CORROSION SPECIFICATION	:-							
STANDARD SPECIFICATION	:- SANS 1332							
ESKOM SPECIFICATION	:- 240-56030619, DSP34-1622							
TEST & CERTIFICATION REQUIREMENTS :- SANS 1332								
INSPECTION	Yes	No	ESKOM RELEASE NOTE			Yes	No	
IDENTIFICATION:- INDELIBLE MANUFACTURES TRADEMARK & PART No. ON ALL ITEMS								
1	JOINT: TYPE: LONG ADDED		P.A.T.	Q. KHUMALO	T. DU PLESSIS	21.10.2016		
0	0169105 AND 0182555 INFORMATION TAKEN FROM D-DT-8008		P.A.T.	B. MWAREHWA	R. KELLY	24.05.2012		
REV	REVISION DESCRIPTION		BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	R. KELLY	DATE:	24.05.2012	 D-DT-2808		SAP No:		
CHKD:	B. MWAREHWA	DATE:	24.05.2012			0169105		
DRAWN:	P.A. TRUBLET	DATE:	28.02.2012			0182555		
						SET	SHEET	REV
						4	1	1

SPEC SHEET

SAP MATERIAL No.:	0624559								
SHORT DESCRIPTION:	JOINT:LONG ;50-95 MM2 ;XLPE ;11 KV								
TECH. DESCRIPTION: JOINT: TYPE: LONG; DIMENSIONS: 50-95 MM2; MATERIAL: XLPE; APPLICATION: 11 KV EXTENDED LENGTH CABLE REPAIR SOLUTION PRODUCT JOINT KIT FOR 3 CORE 6.35/11KV 50SQ - 95SQ CU/AL XLPE INSULATED CABLE; TO 3 CORE 6.35/11KV 50 SQ - 95SQ CU/AL XLPE INSULATED CABLE; MINIMUM 440MM LONG TORQUE SHEAR CONNECTOR; KIT CONSISTS OF: INSTRUCTION SHEET, BILL OF MATERIALS, INSULATING COMPONENTS, EARTHING KIT, MECHANICAL TORQUE SHEAR CONNECTORS AND CLEANING KIT; FOR CU/AL-CU/AL CABLE; ESKOM DRAWING No. D-DT-2808 *									
SAP MATERIAL No.:	0624554								
SHORT DESCRIPTION:	JOINT:LONG ;120-185 MM2 ;XLPE ;11 KV								
TECH. DESCRIPTION: JOINT: TYPE: LONG; DIMENSIONS: 120-185 MM2; MATERIAL: XLPE; APPLICATION: 11 KV; EXTENDED LENGTH CABLE REPAIR SOLUTION PRODUCT JOINT KIT FOR 3 CORE 6.35/11KV 120SQ - 185SQ CU/AL XLPE INSULATED CABLE; TO 3 CORE 6.35/11KV 120 SQ - 185SQ CU/AL XLPE INSULATED CABLE; MINIMUM 440MM LONG TORQUE SHEAR CONNECTOR; KIT CONSISTS OF: INSTRUCTION SHEET, BILL OF MATERIALS, INSULATING COMPONENTS, EARTHING KIT, MECHANICAL TORQUE SHEAR CONNECTORS AND CLEANING KIT; FOR CU/AL-CU/AL CABLE; ESKOM DRAWING No. D-DT-2808 *									
SAP MATERIAL No.:	0624555								
SHORT DESCRIPTION:	JOINT:LONG ;240-400 MM2 ;XLPE ;11 KV								
TECH. DESCRIPTION: JOINT: TYPE: LONG; DIMENSIONS: 240-400 MM2; MATERIAL: XLPE; APPLICATION: 11 KV; EXTENDED LENGTH CABLE REPAIR SOLUTION PRODUCT JOINT KIT FOR 3 CORE 6.35/11KV 240SQ - 400SQ CU/AL XLPE INSULATED CABLE; TO 3 CORE 6.35/11KV 240SQ - 400SQ CU/AL XLPE INSULATED CABLE; MINIMUM 440MM LONG TORQUE SHEAR CONNECTOR; KIT CONSISTS OF: INSTRUCTION SHEET, BILL OF MATERIALS, INSULATING COMPONENTS, EARTHING KIT, MECHANICAL TORQUE SHEAR CONNECTORS AND CLEANING KIT; FOR CU/AL-CU/AL CABLE; ESKOM DRAWING No. D-DT-2808 *									
1	JOINT: TYPE: LONG ADDED			P.A.T.	Q. KHUMALO	T. DU PLESSIS	21.10.2016		
0	0169105 AND 0182555 INFORMATION TAKEN FROM D-DT-8008			P.A.T.	B. MWAREHWA	R. KELLY	24.05.2012		
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	R. KELLY	DATE:	24.05.2012	SCALE			SAP No:		
CHKD:	B. MWAREHWA	DATE:	24.05.2012	NTS			0624559	0624555	
DRAWN:	P.A. TRUBLET	DATE:	28.02.2012	CAD REF:			SET	SHEET	REV
				SERIES 2000	D-DT-2808		4	2	
				FILE No:					1
				2808					


SPEC SHEET

SAP MATERIAL No.:		0624556							
SHORT DESCRIPTION:		JOINT:LONG ;50-95 MM2 ;XLPE ;22 KV							
TECH. DESCRIPTION:									
JOINT: TYPE: LONG; DIMENSIONS: 50-95 MM2; MATERIAL: XLPE; APPLICATION: 22 KV; EXTENDED LENGTH CABLE REPAIR SOLUTION PRODUCT JOINT KIT FOR 3 CORE 12.7/22KV 50SQ - 95SQ CU/AL XLPE INSULATED CABLE; TO 3 CORE 12.7/22KV 50 SQ - 95SQ CU/AL XLPE INSULATED CABLE; MINIMUM 440MM LONG TORQUE SHEAR CONNECTOR; KIT CONSISTS OF: INSTRUCTION SHEET, BILL OF MATERIALS, INSULATING COMPONENTS, EARTHING KIT, MECHANICAL TORQUE SHEAR CONNECTORS AND CLEANING KIT; FOR CU/AL-CU/AL CABLE; ESKOM DRAWING No. D-DT-2808 *									
SAP MATERIAL No.:		0624557							
SHORT DESCRIPTION:		JOINT:LONG ;120-185 MM2 ;XLPE ;22 KV							
TECH. DESCRIPTION:									
JOINT: TYPE: LONG; DIMENSIONS: 120-185 MM2; MATERIAL: XLPE; APPLICATION: 22 KV; EXTENDED LENGTH CABLE REPAIR SOLUTION PRODUCT JOINT KIT FOR 3 CORE 12.7/22KV 120SQ -185SQ CU/AL XLPE INSULATED CABLE; TO 3 CORE 12.7/22KV 120SQ-185SQ CU/AL XLPE INSULATED CABLE; MINIMUM 440MM LONG TORQUE SHEAR CONNECTOR; KIT CONSISTS OF: INSTRUCTION SHEET, BILL OF MATERIALS, INSULATING COMPONENTS, EARTHING KIT, MECHANICAL TORQUE SHEAR CONNECTORS AND CLEANING KIT; FOR CU/AL-CU/AL CABLE; ESKOM DRAWING No. D-DT-2808 *									
SAP MATERIAL No.:		0624558							
SHORT DESCRIPTION:		JOINT:LONG ;240-400 MM2 ;XLPE ;22 KV							
TECH. DESCRIPTION:									
JOINT: TYPE: LONG; DIMENSIONS: 240-400 MM2; MATERIAL: XLPE; APPLICATION: 22 KV; EXTENDED LENGTH CABLE REPAIR SOLUTION PRODUCT JOINT KIT FOR 3 CORE 12.7/22KV 240SQ - 400SQ CU/AL XLPE INSULATED CABLE; TO 3 CORE 12.7/22KV 240SQ - 400SQ CU/AL XLPE INSULATED CABLE; MINIMUM 440MM LONG TORQUE SHEAR CONNECTOR; KIT CONSISTS OF: INSTRUCTION SHEET, BILL OF MATERIALS, INSULATING COMPONENTS, EARTHING KIT, MECHANICAL TORQUE SHEAR CONNECTORS AND CLEANING KIT; FOR CU/AL-CU/AL CABLE; ESKOM DRAWING No. D-DT-2808 *									
1	JOINT: TYPE: LONG ADDED			P.A.T.	Q. KHUMALO	T. DU PLESSIS	21.10.2016		
0	0169105 AND 0182555 INFORMATION TAKEN FROM D-DT-8008			P.A.T.	B. MWAREHWA	R. KELLY	24.05.2012		
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	R. KELLY	DATE:	24.05.2012	SCALE NTS			SAP No:		
CHKD:	B. MWAREHWA	DATE:	24.05.2012	CAD REF:			0624556	0624558	
DRAWN:	P.A. TRUBLET	DATE:	28.02.2012	SERIES 2000	D-DT-2808		SET	SHEET	REV
				FILE No: 2808			4	3	1

Unique Identifier:204-48887441

Revision 1

SPEC SHEET

SAP MATERIAL No.:		0624553							
SHORT DESCRIPTION:		JOINT:LONG ;50-95 MM2 ;XLPE ;33 KV							
TECH. DESCRIPTION:									
JOINT: TYPE: LONG; DIMENSIONS: 50-95 MM2; MATERIAL: XLPE; APPLICATION: 33 KV; EXTENDED LENGTH CABLE REPAIR SOLUTION PRODUCT JOINT KIT FOR 3 CORE 19.1/33KV 50SQ - 95SQ CU/AL XLPE INSULATED CABLE; TO 3 CORE 19.1/33KV 50 SQ - 95SQ CU/AL XLPE INSULATED CABLE; MINIMUM 440MM LONG TORQUE SHEAR CONNECTOR; KIT CONSISTS OF: INSTRUCTION SHEET, BILL OF MATERIALS, INSULATING COMPONENTS, EARTHING KIT, MECHANICAL TORQUE SHEAR CONNECTORS AND CLEANING KIT; FOR CU/AL-CU/AL CABLE; ESKOM DRAWING No. D-DT-2808 *									
SAP MATERIAL No.:		0624560							
SHORT DESCRIPTION:		JOINT:LONG ;120-185 MM2 ;XLPE ;33 KV							
TECH. DESCRIPTION:									
JOINT: TYPE: LONG; DIMENSIONS: 120-185 MM2; MATERIAL: XLPE; APPLICATION: 33 KV; EXTENDED LENGTH CABLE REPAIR SOLUTION PRODUCT JOINT KIT FOR 3 CORE 19.1/33KV 120SQ - 185SQ CU/AL XLPE INSULATED CABLE; TO 3 CORE 19.1/33KV 120SQ - 185SQ CU/AL XLPE INSULATED CABLE; MINIMUM 440MM LONG TORQUE SHEAR CONNECTOR; KIT CONSISTS OF: INSTRUCTION SHEET, BILL OF MATERIALS, INSULATING COMPONENTS, EARTHING KIT, MECHANICAL TORQUE SHEAR CONNECTORS AND CLEANING KIT; FOR CU/AL-CU/AL CABLE ESKOM DRAWING No. D-DT-2808 *									
SAP MATERIAL No.:		0624561							
SHORT DESCRIPTION:		JOINT:LONG ;240-400 MM2 ;XLPE ;33 KV							
TECH. DESCRIPTION:									
JOINT: TYPE: LONG; DIMENSIONS: 240-400 MM2; MATERIAL: XLPE; APPLICATION: 33 KV; EXTENDED LENGTH CABLE REPAIR SOLUTION PRODUCT JOINT KIT FOR 3 CORE 19.1/33KV 240SQ - 400SQ CU/AL XLPE INSULATED CABLE; TO 3 CORE 19.1/33KV 240SQ - 400SQ CU/AL XLPE INSULATED CABLE; MINIMUM 440MM LONG TORQUE SHEAR CONNECTOR; CONSISTS OF: INSTRUCTION SHEET, BILL OF MATERIALS, INSULATING COMPONENTS, EARTHING KIT, MECHANICAL TORQUE SHEAR CONNECTORS AND CLEANING KIT; FOR CU/AL-CU/AL CABLE; ESKOM DRAWING No. D-DT-2808 *									
1	JOINT: TYPE: LONG ADDED			P.A.T.	Q. KHUMALO	T. DU PLESSIS	21.10.2016		
0	0169105 AND 0182555 INFORMATION TAKEN FROM D-DT-8008			P.A.T.	B. MWAREHWA	R. KELLY	24.05.2012		
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	R. KELLY	DATE:	24.05.2012	SCALE NTS	 D-DT-2808		SAP No:		
CHKD:	B. MWAREHWA	DATE:	24.05.2012	CAD REF:			0624553	0624561	
				SERIES 2000			SET	SHEET	REV
DRAWN:	P.A. TRUBLET	DATE:	28.02.2012	FILE No: 2808			4	4	1