

CAPE TOWN: PARLIAMENTARY PRECINCT UPGRADING AND CONFIGURATION OF VARIOUS KITCHENS

TO THE PARTY OF TH	COMING	MAIION OF	ANIOUS KIICHEN
Section No. 3	j		1
Bill No. 1			
Alterations			0.00
COLLECTION			
Total Brought Forward from Page No.	Page No		Amount
	37		
	38		
	39		
	40		
	41		
Carried Forward to Summary of Section No. 2 Alterations		R	



CAPE TOWN: PARLIAMENTARY PRECINCT

ltem No		Unit	Quantity	Rate	Amount	
	SECTION 2 - BUILDER'S WORK					
	BILL No. 2					
	CONCRETE, FORMWORK AND REINFORCEMENT					
	NOTE: Tenderers are advised to study the Model Preambles for Trades (2008) before pricing this bill					
	Tenderers are advised to study the Department of Public Works - Construction Works: General Specification (PW 371-A) and Construction Works: Particular Specification (PW371-B) before pricing this document					
	SUPPLEMENTARY PREAMBLES					
	<u>Trade names</u>			,		•
	Items, materials or methods to be used specified by trade names or catalogue numbers are only an indication of the quality required. Items, materials or methods of similar quality may be used with prior written approval from the Principal Agent					
or comment	Proof as to the suitability of the alternate product/s offered shall rest with the tenderer					
	CONCRETE SUNDRIES					
	PVC sieeves					
]	50mm Diameter sleeves through not exceeding 300mm concrete wall	No	2			
	Carried to Collection Concrete, Formwork & Reinforcement			R		=



CAPETOWN: PARLIAMENTARY PRECINCT

1	125mi 300mi	m Diameter sleeves through not exceeding m slab	N	lo	2	2			
	CORE	DRILLING PROCEDURE							
	1. Exis	ting Downstand Beams or Suspended Slabs							
	The fo	llowing procedure must be adopted for all drilling :							
	a)	The proposed positions to be agreed with the Engineer in writing.						111111111111111111111111111111111111111	
	b)	The position of the core is to be marked by the contractor.							
	c)	The beam/slab is to be scanned on both faces to determine the position of any embedded reinforcement (stirrups, spanning steel)	- Table 1					171101111	
	d)	A pilot hole is to be drilled using an 8mm bit.							Ė
	e)	The Engineer is to inspect and adjust the position of the pilot hole accordingly.				,	,		
2	Core E	Orill Through 225mm thick Reinforced ete slab, beam, wall, etc.	No	0	10				
		Carried to Collection					R		_
	Concre	ete, Formwork & Reinforcement					ĸ		
I		l					Í		



CAPE TOWN: PARLIAMENTARY PRECINCT

Section No. 3	1	l	1		
Bill No. 2					
Concrete, Formwork & Reinforcement				100	
COLLECTION					
Total Brought Forward from Page No.		Page No 43		Amount	
•	•		•		
		i			
		:			
Carried Forward to Summary of Section No. 2 Concrete, Formwork & Reinforcement			R		_



CAPE TOWN : PARLIAMENTARY PRECINCT

ltem No		Unit	Quantity	Rate	Amount	
	SECTION 2 - BUILDER'S WORK					
	BILL No. 3	!				
	MASONRY					
	NOTE: Tenderers are advised to study the Model Preambles for Trades (2008) before pricing this bill					
	Tenderers are advised to study the Department of Public Works - Construction Works: General Specification (PW 371-A) and Construction Works: Particular Specification (PW371-B) before pricing this document					
	SUPPLEMENTARY PREAMBLES					
	Sizes in descriptions					
	Where sizes in descriptions are given in brick units, "one brick" shall represent the length and "half brick" the width of a brick	•	·	,		
	<u>Samples</u>					
	Samples of all masonry building units, except those for walls described as "load bearing", shall consist of a minimum of six units. Samples of building units to be used in walls described as "load bearing" shall consist of thirty units from every thirty thousand units delivered to site					
				The state of the s		
						_
	Carried to Collection Masonry			R		=



TENDER NO : CPT 1007/23 CAPE TOWN : PARLIAMENTARY PRECINCT

UPGRADING AND CONFIGURATION OF VARIOUS KITCHENS

				-,10
Building in of conduits				
Tenderers are to note that all conduiting must be built-in, and that no chasing for conduits will be accepted unless authorised in writing by the Project Manager on behalf of the Client. Hence, it is the responsibility of the tenderer to allow for the sequencing of work so that the building in of conduiting can be achieved				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
<u>Trade names</u>				
Items, materials or methods to be used specified by trade names or catalogue numbers are only an indication of the quality required. Items, materials or methods of similar quality may be used with prior written approval from the Principal Agent				
Proof as to the suitability of the alternate product/s offered shall rest with the tenderer				
SUPERSTRUCTURE			•	
Brickwork of NFP burnt clay bricks (14-20 MPa nominal compressive strength) in Class II mortar				
Half brick walls	m²	20	j	
One brick walls	m²	107		
Brickwork reinforcement				
75mm Wide reinforcement built in horizontally	m	57		
150mm Wide reinforcement built in horizontally	m	314		
Prestressed concrete lintels				
110 x 70mm Lintels in lengths not exceeding 3m	m	3		
150 x 70mm Lintels in lengths not exceeding 3m	m	3		
Carried to Collection			R	
Masonry	;			



CAPETOWN: PARLIAMENTARY PRECINCT

Section No. 3			
Bill No. 3			
Masonry			
COLLECTION			
Total Brought Forward from Page No.	Page No 46 47		Amount
Carried Forward to Summary of Section No. 2 Masonry		R	



CAPE TOWN: PARLIAMENTARY PRECINCT UPGRADING AND CONFIGURATION OF VARIOUS KITCHENS

ltem No		Unit	Quantity	Rate	Amount	
	SECTION 2 - BUILDER'S WORK					
	BILL No. 4					
	WATERPROOFING					
	NOTE: Tenderers are advised to study the Model Preambles for Trades (2008) before pricing this bill					
	Tenderers are advised to study the Department of Public Works - Construction Works: General Specification (PW 371-A) and Construction Works: Particular Specification (PW371-B) before pricing this document					
:	SUPPLEMENTARY PREAMBLES					
	Waterproofing					
	Waterproofing of roofs, basements, etc shall be laid under a tén year guarantee. Waterproofing to roofs shall be laid to even falls to outlets, etc with necessary ridges, hips and valleys. Descriptions of sheet or membrane waterproofing shall be deemed to include additional labour to turn-ups and turn-downs	•				
	<u>Trade names</u>					
	Items, materials or methods to be used specified by trade names or catalogue numbers are only an indication of the quality required. Items, materials or methods of similar quality may be used with prior written approval from the Principal Agent					
	Proof as to the suitability of the alternate product/s offered shall rest with the tenderer					
	Carried to Collection Waterproofing			R		=



CAPE TOWN: PARLIAMENTARY PRECINCT

	One layer of 375 micron embossed damp proof course well lapped at joints and intersections bedded and joined in cement mortar				
1	In walls	m²	11		
	Materproofing system strictly in accordance with the manufacturer's specification				
2	Shower walls	m²	156		
3	On floors to falls and currents	m²	85		
4	Shower floors to falls and currents	m²	2		
5	Turn-ups 150mm high	m	8		
6	Sealing edges to brickwork or concrete, including trowelled mastic bead	m	8		
7	Flashing strips 200mm girth at turn-ups, including sealing top edges into grooves (grooves elsewhere measured) with mastic	m	8	•	
	JOINT SEALANTS, ETC.				
	Approved silicone pointing, etc.				
8	5 x 5mm Fillet joints	m	396		
	Carried to Collection Waterproofing			R	\perp
			E		



CAPETOWN: PARLIAMENTARY PRECINCT

la management	_			AMOUS KITCHE	143
Section No. 3					
Bill No. 4					
Waterproofing				A. B.	
COLLECTION					
Total Brought Forward from Page No.		Page No 49 50		Amount	
		·	,		
Carried Forward to Summary of Section No. 2 Waterproofing			R		_



CAPETOWN: PARLIAMENTARY PRECINCT

ltem No		Unit	Quantity	Rate	Amount	
	SECTION 2 - BUILDER'S WORK					
	BILL No. 5					
	CEILINGS, PARTITIONS AND ACCESS FLOORING					
ļ	NOTE: Tenderers are advised to study the Model Preambles for Trades (2008) before pricing this bill					
	Tenderers are advised to study the Department of Public Works - Construction Works: General Specification (PW 371-A) and Construction Works: Particular Specification (PW371-B) before pricing this document					
:	SUPPLEMENTARY PREAMBLES				1	
	<u>Descriptions</u>					
	Items described as "nailed" shall be deemed to be fixed with hardened steel nails or pins or shot pinned to brickwork or concrete			•		•
	Items described as "plugged" shall be deemed to include screwing to fibre, plastic or metal plugs at not exceeding 600mm centres, and where described as "bolted" the bolts have been given elsewhere					
	Proprietary suspended ceilings					
	Electric light fittings, diffusers, panels, etc generally are "lay in" units of the same dimensions as the suspension grid described and allowance shall be made accordingly for their support, inclusive of any flexibility in setting out that may be required (ceiling panels have not been deducted and pricing shall take cognizance thereof)					
	Carried to Collection Ceilings, Partitions and Access Flooring			R		



CAPE TOWN: PARLIAMENTARY PRECINCT

UPGRADING AND CONFIGURATION OF VARIOUS KITCHENS

	<u>Bulkheads</u>					
	Bulkheads are those areas of the ceiling which are at a level differing from the general ceiling in a particular room or area and which generally occur along the perimeter of the room or area. Their purpose is either to conceal services or to create an architectural feature by changing levels.					
	<u>Trade names</u>					
	Items, materials or methods to be used specified by trade names or catalogue numbers are only an indication of the quality required. Items, materials or methods of similar quality may be used with prior written approval from the Principal Agent					
	Proof as to the suitability of the alternate product/s offered shall rest with the tenderer					
	SUSPENDED CEILINGS	,				
	Combination of 600 x 600 x 15mm and 1200 x 600 x 15mm acoustic pre-painted revealed edge-lay-in acoustic ceiling tiles on pre-painted exposed tee suspension system, including main and cross tees, necessary hangers, grids, etc., all in strict accordance with the manufacturer's specifications and recommendations	•				*
	Horizontal ceilings suspended not exceeding 1000mm below concrete soffits	m²	622			
	Extra over ceiling for marking and forming holes for down lighters, sprinkler heads, fire detector unit etc. not exceeding 150mm diameter	No	42			
	Extra over ceilings for opening 600 x 600mm for light fittings including additional supports	No	42			
	Carried to Collection Ceilings, Partitions and Access Flooring			R		
•			1	l	ii .	

1

2

3



CAPE TOWN: PARLIAMENTARY PRECINCT

	9,5mm Rhino gypsum plasterboard ceilings with 63mm wide strips of mesh scrim nailed over joints and the whole finished with gypsum skim plaster trowelled to a smooth polished surface on patent concealed suspension system, all in strict accordance with the manufacturer's specifications and recommendations				
1	Vertical bulkheads	m²	37		
	Cornices to suspended ceilings				
	Cornices to include approved silicone joint sealant at junction of ceiling cornice with plastered wall				
2	Aluminium pre-painted cornices, plugged	m	348		
3	Pre-painted corner trims, plugged	m	30		
4	45 x 35mm Plaster trim, plugged	m	30		
	Carried to Collection Ceilings, Partitions and Access Flooring			R	



CAPE TOWN: PARLIAMENTARY PRECINCT

Section No. 3			-		
Bill No. 5					
Ceilings, Partitions and Access Flooring					
COLLECTION					
Total Brought Forward from Page No.		Page No 52 53 54		Amount	
	•		•		
4					
Carried Forward to Summary of Section No. 2 Ceilings, Partitions and Access Flooring			R		



CAPE TOWN: PARLIAMENTARY PRECINCT

R



CAPE TOWN: PARLIAMENTARY PRECINCT

UPGRADING AND CONFIGURATION OF VARIOUS KITCHENS

<u>Trade names</u>				
Items, materials or methods to be used, specified by trade names or catalogue numbers are only an indication of the quality required. Items, materials or methods of similar quality may be used with prior written approval from the Principal Agent				
Proof as to the suitability of the alternate product/s offered shall rest with the tenderer				
DOORS, ETC.				
Fire doors				
<u>User note</u>				
Fire doors are to be in accordance with SANS 1253				
Doors as per the door schedule referred to, in the Architect's drawings no. WC015 - 700 issued with the bills of quantities				
Solid core flush panel doors with concealed hardwood edges all round, with 3,2mm timber veneer (wood type) covering to both sides	•			,
44mm Thick double door 813 x 2032mm high (Type D01 T4-001)	No	1		
Approved fire doors with commercial veneer on both sides				
Class B fire door 900 x 2032m high, including pressed steel frame for one brick wall and preparing frame for door closer and lock (Closer and Lock Elsewhere				
measured)	No	2	2	
Class B fire door 1500 x 2032m high, including pressed steel frame for one brick wall and preparing frame for door closer and lock (Closer and Lock Elsewhere measured)	No	1		
 y		'		t i
Carried to Collection Carpentry and Joinery			R	

1

2

3



CAPE TOWN: PARLIAMENTARY PRECINCT

Carpentry and Joinery	Carried to Collection		R	



CAPE TOWN: PARLIAMENTARY PRECINCT

<u>FITTINGS</u>					1
<u>General</u>					
The following cupboard fittings are measured as complete units, ie., the components of the units are not separately measured. The descriptions, therefore, of such units shall be deemed to include all components, assembling, housing, notching, glueing, nailing, screwing with sunk screws, edge strips, decorative laminates, glass, ironmongery, metalwork, paint or varnish finish, etc., and silicone sealant against all wall and floor surfaces					
The descriptions of all fittings contain a reference to the applicable Architect's drawing and tenderers are referred to these drawings for the full specification and detailing of the various fittings					
Prices will be deemed to include for everything necessary to complete the installation of the fittings as depicted on the drawings and no extras in this regard will be entertained					
Joinery to Coffee Area - Mark's Kitchen	,	·	•		,
Floor unit, size 1936 x 992 x 900mm high overall with cut out for and including reusing existing 1500 x 20mm drain channel complete as drawing (Dwg Ref. WC015-500)	No	1			
Floor unit, size 1953 x 992 x 900mm high overall, complete as drawing (Dwg Ref. WC015-500)	No	1		Visit de la constant	
COLD ROOMS					
The following cold rooms are measured as complete units, ie., the components of the units are not separately measured. The descriptions, therefore, of such units shall be deemed to include all components, assembling, housing, doors, ironmongery, metalwork, panel finish, floors, ceilings, light fittings, control panels, etc., and sealant against all wall and floor surfaces					
Carried to Collection Carpentry and Joinery			R		



CAPE TOWN: PARLIAMENTARY PRECINCT UPGRADING AND CONFIGURATION OF VARIOUS KITCHENS

	Prices will be deemed to include for everything necessary to complete the installation of the fittings as depicted on the drawings and no extras in this regard will be entertained					
1	Cold room size 4590 x 5670 x 2400mm high, as per Architect's drawing no. WC015 - 501	No		1		
2	Cold room size 4790 x 2060 x 2400mm high, as per Architect's drawing no. WC015 - 507	No				
3	Cold rooms 01, 02 and 03 all with total size 6595 x 2235 x 2400mm high, as per Architect's drawing no. WC015 - 510	No	1			
4	Freezer room size 2300 x 2106 x 2400mm high, irregular shaped, as per Architect's drawing no. WC015 - 500	No	1			
5	Freezer room size 2780 x 3060 x 2400mm high, irregular shaped, as per Architect's drawing no. WC015 - 500	No	1			
6	Freezer room size 5800 x 3580 x 2400mm high, irregular shaped, as per Architect's drawing no. WC015 - 500	No	1			•
					The second secon	
	Carried to Collection Carpentry and Joinery			R		



CAPETOWN: PARLIAMENTARY PRECINCT

Section No. 3	•				
Bill No. 6					
Carpentry and Joinery					
COLLECTION					
Total Brought Forward from Page No.		Page No		Amount	
		57			
		58			
		59			
		60			
,			•		
Carried Forward to Summary of Section No. 2 Carpentry and Joinery			R		_
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					



CAPE TOWN : PARLIAMENTARY PRECINCT

ltem No		Unit	Quantity	Rate	Amount	
	SECTION 2 - BUILDER'S WORK					
	BILL No. 7					
	IRONMONGERY				-	
	NOTE: Tenderers are advised to study the Model Preambles for Trades (2008) before pricing this bill					
	Tenderers are advised to study the Department of Public Works - Construction Works: General Specification (PW 371-A) and Construction Works: Particular Specification (PW371-B) before pricing this document					
	SUPPLEMENTARY PREAMBLES					
	<u>Finishes to ironmongery</u>					
	Where applicable finishes to ironmongery are indicated by suffixes in accordance with the following list:	•	·		,	
	BS - Satin bronze lacquered CH - Chromium plated SC - Satin chromium plated SE - Silver enamelled GE - Grey enamelled AS - Anodized silver AB - Anodized bronze AG - Anodized gold ABL - Anodized black PB - Polished brass PL - Polished and lacquered PT - Epoxy coated SD - Sanded					
	Carried to Collection Ironmongery			R		-



CAPETOWN: PARLIAMENTARY PRECINCT

	Items, materials or methods to be used specified by trade names or catalogue numbers are only an indication of the quality required. Items, materials or methods of similar quality may be used with prior written approval from the Principal Agent Proof as to the suitability of the alternate product/s offered shall rest with the tenderer				
	LOCKS				
1	Multi-lever sash lock with lock case, stainless steel for end	No	9		
2	Keyhole escutcheon	Pairs	9		
	HANDLES				
3	Square satin finish solid stainless steel spring loaded lever handles	Pairs	9	•	•
	PUSH AND KICKING PLATES				
4	250mm Wide x 1200mm high x 1,2mm thick stainless steel plate 304 grade, fixed to face of door. Plate to have no sharp edges or corners. As per door type D22 DOOR CLOSERS	No	4		
5	Overhead door closer non-hold open multi-strength	No	3		
	SUNDRIES	110			
6	Stainless steel door stop	No	4		
	Carried to Collection Ironmongery			R	



CAPE TOWN: PARLIAMENTARY PRECINCT

	BATHROOM FITTINGS					1
	<u>Approved</u>					
1	500ml Stainless steel soap dispenser, plugged	No	3			
2	Auto-towel paper dispenser manufactured from 0.7 clear coat enamel finish stainless steel wall-mounted automatic system lockable dispenser for added security	No	3		a de la constante de la consta	
3	Toilet roll holder with metal chrome plated frame and timber roll fixed to wall with screws	No	5			
4	372 x 169 x 690mm High Stainless steel waste container, plugged	No	3			
5	200 x 100 x 35mm Wall-mounted rectangular soap basket, material 304-grade stainless steel	No	2			
6	Standard stainless steel towel hook	No	2			
	<u>Approved</u>					
7	450 x 750mm High Urinal dividers urinal screens (colour: standard) manufactured using 12mm compact high-pressure laminate, fixed to wall with aluminium extrusion	, No	2			
	Carried to Collection			R		



CAPE TOWN: PARLIAMENTARY PRECINCT

			1
Carried to Collection Ironmongery		R	



CAPE TOWN: PARLIAMENTARY PRECINCT

Section No. 3		1	1
Bill No. 7			
Ironmongery			
COLLECTION			
Total Brought Forward from Page No.	Page No 62 63 64 65		Amount
Carried Forward to Summary of Section No. 2 Ironmongery		R	



CAPETOWN: PARLIAMENTARY PRECINCT

ltem No		Unit	Quantity	Rate	Amount	
	SECTION 2 - BUILDER'S WORK					
	BILL No. 8					
	<u>METALWORK</u>					
	NOTE: Tenderers are advised to study the Model Preambles for Trades (2008) before pricing this bill					
	Tenderers are advised to study the Department of Public Works - Construction Works: General Specification (PW 371-A) and Construction Works: Particular Specification (PW371-B) before pricing this document					
	SUPPLEMENTARY PREAMBLES					
	<u>Descriptions</u>					
	Descriptions of bolts shall be deemed to include nuts and washers		-			•
	Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete	:				
	Metalwork described as "holed for bolt(s)" shall be deemed to exclude the bolts unless otherwise described					
	Descriptions of galvanised mild steel shall be deemed to mean hot dipped galvanised after fabrication					
	Carried to Collection Metalwork			R		_



CAPE TOWN : PARLIAMENTARY PRECINCT

UPGRADING AND CONFIGURATION OF VARIOUS KITCHENS

	Items, materials or methods to be used specified by trade names or catalogue numbers are only an indication of the quality required. Items, materials or methods of similar quality may be used with prior				
	written approval from the Principal Agent Proof as to the suitability of the alternate product/s offered shall rest with the tenderer				
	GALVANIZED PRESSED STEEL DOOR FRAMES				
	1.2mm Single rebated frames suitable for 230mm cavity wall brick walls				
	Frame for door 813 x 2032mm high	No	2		
	ALUMINIUM LOUVRE UNITS				
	Scope of work				
	The work under the heading "ALUMINIUM LOUVRES, ETC." includes for the supply, setting up, building in, protection, cleaning, sub-frames and/or lugs, polychord and polyurethane sealant all round on both sides, fixing in position and ironmongery to louvres	•	·	. •	,
	Aluminium louvres as per the aluminium specification referred to in the Architects' drawing no. WC015 - 700				
	Approved powder coated gloss white perforated aluminium louvre units, bolted to and including aluminium sub-frames				
-	1146 x 1331mm High louvre screen	No	1		
	Carried to Collection			R	
	Metalwork				

1

2



CAPE TOWN: PARLIAMENTARY PRECINCT

	ALUMINIUM SHOWER SCREENS AND DOORS				
	Approved framed shower doors and screens with swing doors, cleats, stops, etc. and toughened frosted safety glass, fixed to tiled walls				
1	Corner unit 900 x 1200 x 1800mm high	No	2		
	ALUMINIUM WINDOWS, DOORS, ETC.			:	
	The work under the heading "ALUMINIUM WINDOWS, DOORS, SHOPFRONTS, ETC" includes for the supply, setting up, building in, protection, cleaning, sub-frames and/or lugs, polychord and polyurethane sealant all round on both sides, fixing in position, ironmongery and glazing of windows				
	Aluminium windows, ironmongery and glazing as per the aluminium specification referred to in the Architect's drawings no. WC015 - 700 issued with the bills of quantities				
	Approved top-hung casement aluminium windows (Colour : White) with 6.38mm clear laminated safety glass, plugged to brickwork or concrete				•
2	Window 610 x 1336mm (Type W01)	No	1		
3	Window 981 x 2595mm including louvre panel, complete (Type W03)	No	1		: :
4	Window 1300 x 2607mm high (Type W02)	No	2		
5	Window 1700 x 2595mm including louvre panel, complete (Type W04)	No	1		
	Carried to Collection Metalwork			R	



CAPETOWN: PARLIAMENTARY PRECINCT

Section No. 3			
Bill No. 8			
Metalwork			·
COLLECTION			
Total Brought Forward from Page No.	Page No 67 68 69		Amount
Carried Forward to Summary of Section No. 2 Metalwork		R	



CAPE TOWN: PARLIAMENTARY PRECINCT

ltem No		Unit	Quantity	Rate	Amount	
	SECTION 2 - BUILDER'S WORK	·				
	BILL No. 9					
	PLASTERING					
	NOTE: Tenderers are advised to study the Model Preambles for Trades (2008) before pricing this bill					
	Tenderers are advised to study the Department of Public Works - Construction Works: General Specification (PW 371-A) and Construction Works: Particular Specification (PW371-B) before pricing this document					
	TRADE NAMES					
	Items, materials or methods to be used specified by trade names or catalogue numbers are only an indication of the quality required. Items, materials or methods of similar quality may be used with prior written approval from the Principal Agent		·		·	
	Proof as to the suitability of the alternate product/s offered shall rest with the tenderer					
	<u>SCREEDS</u>					
	Screeds on concrete					
1	25mm Thick on floors and landings	m²	707			
	Screeds wood floated on concrete					
2	Average 60mm thick on floors to falls and currents	m²	85			
	Carried to Collection Plastering			R		



CAPE TOWN: PARLIAMENTARY PRECINCT

	INTERNAL PLASTER					
	Cement plaster on brickwork				! !	
1	On walls	m²	88			
2	On narrow widths	m²	27			
	Gypsum skim plaster on concrete					
3	On ceilings	m²	24			
	EXTERNAL PLASTER					
	Cement plaster on concrete					
4	On narrow widths	m²	6	:		
	CORNER PROTECTORS, DIVIDING STRIPS, ETC					
5	30 x 3mm Flat section brass dividing strips between different floor finishes	m	3			
		•				
				_		
	Carried to Collection Plastering			R		



CAPE TOWN: PARLIAMENTARY PRECINCT

Section No. 3	[1	l	
Bill No. 9	1			
Plastering				
COLLECTION				
Total Brought Forward from Page No.		Page No 71 72		Amount
			. •	
Carried Forward to Summary of Section No. 2 Plastering			R	



CAPE TOWN: PARLIAMENTARY PRECINCT

ltem No		Unit	Quantity	Rate	Amount	
	SECTION 2 - BUILDER'S WORK					
	BILL No. 10					ı
	TILING					ı
	NOTE: Tenderers are advised to study the Model Preambles for Trades (2008) before pricing this bill					
	Tenderers are advised to study the Department of Public Works - Construction Works: General Specification (PW 371-A) and Construction Works: Particular Specification (PW371-B) before pricing this document					
	SUPPLEMENTARY PREAMBLES					
	All tiles to be supplied as per manufacturer's sizes (no cutting to size allowed). Should cutting be unavoidable the Principal Agent's approval is required	•				,
	<u>Descriptions</u>					
	Unless described as "fixed with adhesive to plaster (plaster elsewhere) or screeds (screeds elsewhere)" descriptions of tiling on brick or concrete walls, columns, etc shall be deemed to include 1:4 cement plaster backing and descriptions of tiling on concrete floors etc shall be deemed to include 1:3 cement plaster bedding					
	Descriptions of all tiling are deemed to include for all straight cutting and circular cutting around all sanitary ware and pipes not exceeding 150mm diameter					
	Carried to Collection Tiling			R		



CAPE TOWN: PARLIAMENTARY PRECINCT

<u>Trade names</u>	I	ŀ		
Items, materials or methods to be used specified by trade names or catalogue numbers are only an indication of the quality required. Items, materials or methods of similar quality may be used with prior written approval from the Principal Agent				
Proof as to the suitability of the alternate product/s offered shall rest with the tenderer		:		
				,

Carried to Collection	ו		R	
Tiling				



CAPE TOWN: PARLIAMENTARY PRECINCT

	WALL TILING					
	100 x 200mm White ceramic tiles (Prime Cost Amount of R250/m² delivered to site, excluding VAT) fixed with approved adhesive to plaster (plaster elsewhere measured) and 2-4mm continuous joints in both directions and rubbed with white epoxy grout					
1	On walls	m²	592			
2	On walls in narrow widths	m²	2			
	200 x 200mm White ceramic tiles (Prime Cost Amount of R200/m² delivered to site, excluding VAT) fixed with approved adhesive to plaster (plaster elsewhere measured) and 2-4mm continuous joints in both directions and rubbed with white epoxy grout					
3	On walls	m²	156			
4	On walls in narrow widths	m²	2			
	FLOOR TILING			. •	-	. ,
	600 x 600mm Ceramic tiles (Prime Cost Amount of R400/m² delivered to site, excluding VAT) fixed with approved adhesive to wood floated screeds (screeds elsewhere measured) and flush pointed with waterproof tinted jointing compound					:
5	On floors and landings	m²	60			
6	Skirting 100mm high	m	396		!	
						_
	Carried to Collection			R		
	Tiling					



CAPE TOWN: PARLIAMENTARY PRECINCT

	SUNDRIES				
	Approved aluminium				
1	Straight edge trim	m	456		
	Stainless steel or any equal approved				
2	30 x 10mm Tile-in external corner protector	m	82		
	Attic Stock				
	The tenderer must allow for the supply, off-load and hand over of attic stock to the client				
3	100 x 200mm Ceramic tiles	m²	59		
4	200 x 200mm Ceramic tiles	m²	16		
5	600 x 600mm Ceramic tiles	m²	12		
	•	•		•	
	Carried to Collection			R	
	Tilling				+
-					1



CAPETOWN: PARLIAMENTARY PRECINCT

Section No. 3				
Bill No. 10				
Tiling				
COLLECTION				
Total Brought Forward from Page No.		Page No 74 75 76 77		Amount
	•			
Carried Forward to Summary of Section No. 2 Tiling			R	



CAPE TOWN: PARLIAMENTARY PRECINCT

ltem No		Unit	Quantity	Rate	Amount	
110	SECTION 2 - BUILDER'S WORK					
	BILL No. 11					
	PLUMBING AND DRAINAGE (PROVISIONAL)					
	NOTE: Tenderers are advised to study the Model Preambles for Trades (2008) before pricing this bill					
	Tenderers are advised to study the Department of Public Works - Construction Works: General Specification (PW 371-A) and Construction Works: Particular Specification (PW371-B) before pricing this document					
	SUPPLEMENTARY PREAMBLES					
	uPVC pipes and fittings					
•	Sewer and drainage pipes and fittings shall be jointed and sealed with butyl rubbet rings	, \$		•		•
	Soil, waste and vent pipes and fittings shall be solvent weld jointed or sealed with butyl rubber rings					
	<u>Gratings, covers, etc</u>					
	Gratings, covers, etc shall be as manufactured by "Besaans du Plessis Foundries", unless otherwise described					
	Stainless steel basins, sinks, wash troughs, urinals, etc					
	Stainless steel for economy basins, domestic sinks, worktops and wash troughs shall be type 430 (17/0)					
	Stainless steel for urinals, basins, quality sinks, wash troughs, institutional equipment, etc shall be type 304 (18/8)					
	Carried to Collection Plumbing and Drainage			R		



CAPE TOWN: PARLIAMENTARY PRECINCT

-	Stainless steel for laboratory sinks, photographic equipment, etc shall be type 316 (18/8)			
	Units shall have standard aprons on all exposed edges and tiling keys against walls where applicable			
	Flush pans			
	Flush pans shall have straight or side outlets and "P" or "S" traps as necessary			
	Lead pipes and traps		!	
	All soldered joints shall be wiped and brass unions shall be used for jointing lead to steel		;	
	uPVC pressure pipes and fittings			
	Pipes for water supply shall be of the class described			
	Pipes of 40mm diameter and smaller shall be plain ended with solvent welded uPVC loose sockets and fittings			 •
	Pipes of 50mm diameter and greater shall have sockets and spigots with push-in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast iron, all with similar push-in type joints			
				:
	Carried to Collection Plumbing and Drainage		R	—
	Tiernollig and Didilituge			
				I



CAPE TOWN: PARLIAMENTARY PRECINCT

"Polycop" polypropylene pipes	1		
Polypropylene pipes 54mm diameter and under shall be seamless copper coloured class 16 pipes jointed with "Fast-fuse" heat welded thermoplastic or brass compression fittings as designed for use with copper pipes, as described			
Pipes shall be firmly fixed to walls etc with coloured nylon snap-in pipe clips with provision for accommodating thermal movement and jointed and fixed strictly in accordance with the manufacturer's instructions			
All pipe diameters are nominal external			
Copper pipes			
Pipes shall be hard drawn and half-hard pipes of the class described. Class 0 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be "Cobra Watertech" type. Capillary solder fittings shall comply with ISO 2016			
Reducing fittings			
Where fittings have reducing ends or branches they are described as "reducing". In the case of pipes with diameters not exceeding 60mm, only the largest end or branch size is given. Should the contractor wish to use other fittings and bushes or reducers he may do so on the understanding that no claim in this regard will be entertained. In the case of pipes with diameters exceeding 60mm, all sizes are given and no claim for extra bushes, reducers, etc will be entertained			
Carried to Collection Plumbing and Drainage		R	



CAPE TOWN: PARLIAMENTARY PRECINCT

Chasing		
Descriptions of pipes are deemed to include for chasing		
"Densyl" petrolatum anti-corrosion tape as manufactured by Denso SA (Pty) Ltd		
Pipes to be taped shall be coated with the appropriate primer and the tape shall be applied in the appropriate widths and with relevant overlaps for specific diameters of pipes		
Couplings and fittings to pipes shall be taped in strict accordance with the manufacturer's instructions including all mastic, tape, "Layflat" sheeting, securing of same, etc		
Prices for wrapping of pipes shall include for all work as described to couplings in the length		
General		
Descriptions of wc pans, slop hoppers, etc shall be deemed to include for joints to soil pipes (pan connectors separately measured)		
Descriptions of all sanitary fittings shall be deemed to include for silicone sealant pointing between the fittings and finished wall surfaces		
Descriptions of copper service pipes and flexible connecting pipes shall be deemed to include connections to taps, cisterns, etc and to steel pipes		
Descriptions of overflow pipes where measured number, shall be deemed to include joints to cisterns and splay cut ends		
Carried to Collection		
Plumbing and Drainage	R	_



CAPE TOWN: PARLIAMENTARY PRECINCT

	Items, materials or methods to be used specified by trade names or catalogue numbers are only an indication of the quality required. Items, materials or methods of similar quality may be used with prior written approval from the Principal Agent Proof as to the suitability of the alternate product/s offered shall rest with the tenderer				
	SANITARY FITTINGS				
	Approved stainless steel				
1	Double bowl vegetable sink size 1850 x 650 x 910mm with PVC grease type waste	No	1		
	<u>Approved</u>				
2	510 x 405mm "Hibiscus" (code 702303)or similar approved white basin with one taphole, bolted to wall with two 10mm bolts with and including 685mm	•		•	•
	high pedestal	No	3		
3	Low level wc suite comprising "Aquasave" pan with double flap heavy duty plastic seat and cistern with flush pipe, complete	No	5		
4	Alpine white vitreous china wall hung back inlet bowl urinal as size 305 x 290mm with chromium plated domical grating and fixed to tiled wall with and including two approved hanger brackets.	No	2		
5	Shower tray and support frame	No	2		
	Carried to Collection Plumbing and Drainage			R	



CAPE TOWN: PARLIAMENTARY PRECINCT

WASTE UNIONS ETC.					
Approved chromium plated		a de muse de muse			
62mm Diameter slotted basin waste with backnut, plug and stay, complete	No	4			
TRAPS, ETC.					
Approved cast brass					
40mm 373 Shower trap with 75mm grating	No	2			
TAPS, VALVES, ETC.					
<u>Approved</u>					
15mm Stopcock	No	56			
15mm Pillar cock	No	71			
Shower set with undertile stop taps with 15mm copper inlets, set includes two stella taps with flanged shower arm and shower head	No	70	•		
Overhead pre-rinse spray unit with c/w bracket on 15mm taps	No	69		i.	
SANITARY PLUMBING					
Supply and Install HDPE pipe including couplers in the running length, installed in accordance with SANS 10400 and SANS 10252-2: 2004					
56mm Pipes	m	100			
Extra over HDPE soil and vent pipes for fittings					
56mm 90° Elbow	No	136			
56mm 45° Elbow	No	136			
56mm 90° Equal T-piece	No	136			
Carried to Collection Plumbing and Drainage			R		
	62mm Diameter slotted basin waste with backnut, plug and stay, complete TRAPS, ETC. Approved cast brass 40mm 373 Shower trap with 75mm grating TAPS, VALVES, ETC. Approved 15mm Stopcock 15mm Pillar cock Shower set with undertile stop taps with 15mm copper inlets, set includes two stella taps with flanged shower arm and shower head Overhead pre-rinse spray unit with c/w bracket on 15mm taps SANITARY PLUMBING Supply and Install HDPE pipe including couplers in the running length, installed in accordance with SANS 10400 and SANS 10252-2: 2004 56mm Pipes Extra over HDPE soil and vent pipes for fittings 56mm 90° Elbow 56mm 45° Elbow 56mm 90° Equal T-piece	62mm Diameter slotted basin waste with backnut, plug and stay, complete TRAPS, ETC. Approved cast brass 40mm 373 Shower trap with 75mm grating No TAPS, VALVES, ETC. Approved 15mm Stopcock No Shower set with undertile stop taps with 15mm copper inlets, set includes two stella taps with flanged shower arm and shower head Overhead pre-rinse spray unit with c/w bracket on 15mm taps SANITARY PLUMBING Supply and Install HDPE pipe including couplers in the running length, installed in accordance with SANS 10400 and SANS 10252-2: 2004 56mm Pipes Extra over HDPE soil and vent pipes for fittings 56mm 90° Elbow No Carried to Collection	62mm Diameter slotted basin waste with backnut, plug and stay, complete IRAPS, ETC. Approved cast brass 40mm 373 Shower trap with 75mm grating No 2 IAPS, VALVES, ETC. Approved 15mm Stopcock No 56 15mm Pillar cock Shower set with undertile stop taps with 15mm copper inlets, set includes two stella taps with flanged shower arm and shower head No Overhead pre-rinse spray unit with c/w bracket on 15mm taps SANITARY PLUMBING Supply and Install HDPE pipe including couplers in the running length, installed in accordance with SANS 10400 and SANS 10252-2: 2004 56mm Pipes m 100 Extra over HDPE soil and vent pipes for fittings 56mm 90° Elbow No 136 Carried to Collection	62mm Diameter slotted basin waste with backnut, plug and stay, complete TRAPS, ETC. Approved cast brass 40mm 373 Shower trap with 75mm grating No 2 TAPS, VALVES, ETC. Approved 15mm Stopcock No 56 15mm Pillar cock Shower set with undertile stop taps with 15mm copper inlets, set includes two stella taps with flanged shower arm and shower head No Overhead pre-rinse spray unit with c/w bracket on 15mm taps SANITARY PLUMBING Supply and Install HDPE pipe including couplers in the running length, installed in accordance with SANS 10400 and SANS 10252-2: 2004 56mm Pipes m 100 Extra over HDPE soil and vent pipes for fittings 56mm 45° Elbow No 136 Carried to Collection R	62mm Diameter slotted basin waste with backnut, plug and stay, complete IRAPS, ETC. Approved cast brass 40mm 373 Shower trap with 75mm grating No 2 IAPS, VALVES, ETC. Approved 15mm Stopcock No 56 15mm Pillar cock No 71 Shower set with undertile stop taps with 15mm copper inlets, set includes two stella taps with flanged shower arm and shower head No Overhead pre-rinse spray unit with c/w bracket on 15mm taps SANITARY PLUMBING Supply and Install HDPE pipe including couplers in the running length, installed in accordance with SANS 10400 and SANS 10252-2: 2004 56mm Pipes m 100 Extra over HDPE soil and vent pipes for fittings 56mm 90° Elbow No 136 Carried to Collection R



CAPE TOWN: PARLIAMENTARY PRECINCT

1	56mm Electro-fussion joint	No	136			
2	56mm Electro-fussion butt welded joint	m	136			
3	56mm "P" trap complete with coupling clamps.	No	55			
	FLOOR DRAINS & WASTE TRAPS					
4	Supply and Install Herbish HB200H Floor Drain	No	8			
5	Supply and Install Herbish HB200V Floor Drain	No	6			
	WATER SUPPLIES					
	Note: The rates for taps, valves, fittings, etc., are to include for all connections to the piping, including any necessary adapters, special jointing, etc. Class II Copper Pipes with Brass Compression					
6	fittings 15mm Pipe in chase	m	10			
0	Extra over Class II copper pipes for Conex	•			·	•
	Compression fiffings					
7	15mm Fittings	No	10			
					5 m	
	Carried to Collection			R	. ,	
	Plumbing and Drainage			K		



CAPE TOWN: PARLIAMENTARY PRECINCT

Section No. 3				
Bill No. 11				
Plumbing and Drainage				
COLLECTION				
Total Brought Forward from Page No.		Page No		Amount
		80		
		81		
		82		
		83		
		84		
		85		
•	•			
:				
				:
Carried Forward to Summary of Section No. 2			R	
Plumbing and Drainage				



CAPETOWN: PARLIAMENTARY PRECINCT

ltem No		Quantity	Rate	Amount	
	SECTION 2 - BUILDER'S WORK				
	BILL No. 12				
	KITCHEN EQUIPMENT				
	NOTE: Tenderers are advised to study the Model Preambles for Trades (2008) before pricing this bill				
	Tenderers are advised to study the Department of Public Works - Construction Works: General Specification (PW 371-A) and Construction Works: Particular Specification (PW371-B) before pricing this document				
	<u>Trade names</u>				
•	Items, materials or methods to be used specified by trade names or catalogue numbers are only an indication of the quality required. Items, materials or methods of similar quality may be used with prior written approval from the Principal Agent	·			
	Proof as to the suitability of the alternate product/s offered shall rest with the tenderer				
	<u>General</u>				
	The following equipments are measured as complete units, ie., the components of the units are not separately measured. The descriptions, therefore, of such units shall be deemed to include all supply, delivery, installation of components, assembling, housing, notching, glueing, nailing, screwing, edge strips, ironmongery, metalwork, testing and commissioning, etc., and silicone sealant against all wall and floor surfaces				
	Carried to Collection Kitchen Equipment		R		_



CAPE TOWN: PARLIAMENTARY PRECINCT

1	The positions of all equipment are indicated to the Architect's drawing no. WC 15-103 D and tenderers are referred to this drawing Prices will be deemed to include for everything necessary to complete the installation of the equipment as depicted on the drawings and no extras in this regard will be entertained DEMOLITIONS Carefully take out and hand over to Client existing kitchen equipment, complete and replace with the below measured equipment MARKS KITCHEN Kitchen Area		Item		
2	2.5mm Glass door underbar	No	4		
3	10 Pan combi steamer with and including stacking kit	No	1		
4	6x1/2 Pan capacity steamer with and including stacking kit	No	1		
5	iCombi Classic 102 steamer with and including stacking kit	No	1		
6	Approved rack advancing dishwasher	No	1		
7	Left-entry facing hood type dishwashing machine	No	1		
8	Waste disposal unit	No	1		
9	600 Piece mobile crockery rack	No	2		
10	2 x 20 Litres fryer	No	1		
11	8 Burner char-griller	No	1	į.	
12	4-Burner gas range with oven	No	2		
	Carried to Collection Kitchen Equipment			R	



CAPE TOWN: PARLIAMENTARY PRECINCT

1	Electric heavy duty salamander with lever adjustable level grid	No			
2	12kg Potato peeler with timer	No	1		
3	20 Litre planetary mixer	No	1		
:	Breakfast Area				
4	4-Burner gas boiling stainless steel table, fitted with a stainless steel full-width crumb tray on four levelling device legs	No	1		:
5	2400mm Long stainless steel filler table with splashback	No	1		
6	1200mm Wide 5-burner gas flat top half-ribbed griller on counter stand	No]		
7	iCombi compact and including stand	No	1		
8	Wall-mounted Hydroboil drip tray including stainless steel drain	No.	1		
	90 PLEIN STREET	•	į		
9	10 Pan combi steamer with and including stacking kit	No	1		
10	iCombi Classic 202 steamer with and including stacking kit	No	1		
11	1780 x 650mm Long 2.5 door underbar fridge	No	2		
12	Approved rack conveyor dishwasher	No	1		
13	90 Degrees size 1300mm long x 1300mm high roller outlet table	No	1		
14	620 x 1650mm Long roller outlet table	No	1		
15	600 x 1200 x 1450mm High 4-tier stainless steel shelving	No	3		
	Carried to Collection Kitchen Equipment			R	



CAPE TOWN: PARLIAMENTARY PRECINCT

1	12kg Potato peeler with timer	No	1		
2	6-Open burner gas range c/w oven	No	1		
3	20 Litre planetary mixer	No	1		
	NCOP				
	Ground Floor				
4	Stainless steel 4.5-door underbar fridge	No	1		
5	Service existing bain maries	No	3		
	<u>First Floor</u>				
6	1200 Hood type dishwasher	No	2		
7	145 Litre three solid tops stove	No	2		
8	Pedestal stainless steel band saw mark 7HQ 1.5kw 380v 3ph	No	1		
9	6x1/2 Pan capacity steamer with and including stacking kit	No	2		
10	iCombi Classic 102 steamer with and including stacking kit	No	2		
11	Repairs to "Rational iCombi Classic 101" or equal approved 10 pan combi steamer with and including stacking kit	No	2		
					THE PROPERTY OF THE PROPERTY O
	Carried to Collection Kitchen Equipment			R	



CAPETOWN: PARLIAMENTARY PRECINCT

Section No. 3			
Bill No. 12			
Kitchen Equipment			
COLLECTION			
Total Brought Forward from Page No.	Page No 87 88 89 90		Amount
Carried Forward to Summary of Section No. 2 Kitchen Equipment		R	



CAPE TOWN: PARLIAMENTARY PRECINCT

ltem No		Unit	Quantity	Rate	Amount
	SECTION 2 - BUILDER'S WORK				
	BILL No. 13				
	GLAZING				
	NOTE: Tenderers are advised to study the Model Preambles for Trades (2008) before pricing this bill				
	Tenderers are advised to study the Department of Public Works - Construction Works: General Specification (PW 371-A) and Construction Works: Particular Specification (PW371-B) before pricing this document				
	SUPPLEMENTARY PREAMBLES				
	NOTE: Glass to be installed according to the requirements of SABS Code 0137				
	<u>Trade names</u>				
	Items, materials or methods to be used specified by trade names or catalogue numbers are only an indication of the quality required. Items, materials or methods of similar quality may be used with prior written approval from the Principal Agent				
	Proof as to the suitability of the alternate product/s offered shall rest with the tenderer				
	Carried to Collection Glazing			R	



CAPE TOWN: PARLIAMENTARY PRECINCT

	MIRRORS, ETC. 4mm Silvered float glass copper backed mirrors with 4mm bevelled edges, fixed with chromium plated dome headed mirror screws with rubber buffers to plugs				
1	Mirror size 500 x 700mm high	No	3		
	Carried to Collection Glazing			R	



CAPE TOWN: PARLIAMENTARY PRECINCT

Section No. 3				
Bill No. 13				
Glazing				
COLLECTION				
Total Brought Forward from Page No.		Page No 92 93		Amount
	,			
Carried Forward to Summary of Section No. 2 Glazing			R	



CAPE TOWN: PARLIAMENTARY PRECINCT

ltem No		Unit	Quantity	Rate	Amount
	SECTION 2 - BUILDER'S WORK				
	BILL No. 14				
	<u>PAINTWORK</u>				
	NOTE: Tenderers are advised to study the Model Preambles for Trades (2008) before pricing this bill				
	Tenderers are advised to study the Department of Public Works - Construction Works: General Specification (PW 371-A) and Construction Works: Particular Specification (PW371-B) before pricing this document				
	SUPPLEMENTARY PREAMBLES				
	<u>Descriptions</u>				
•	Descriptions of paintwork shall be deemed to include for all cutting in				
	Specialist floor coverings				
	All specialist floor coverings shall be executed in strict accordance with the manufacturer's instructions				
	Paint specifications				
	All painting shall be done in accordance with supplier's specifications				
	<u>Trade names</u>				
	Items, materials or methods to be used specified by trade names or catalogue numbers are only an indication of the quality required. Items, materials or methods of similar quality may be used with prior written approval from the Principal Agent				
	Carried to Collection Paintwork			R	



CAPE TOWN: PARLIAMENTARY PRECINCT

	Proof as to the suitability of the alternate product/s offered shall rest with the tenderer				
:	PAINTWORK, ETC. TO NEW WORK ON				
	One coat plaster primer and two coats low sheen acrylic paint on				
]	On internal walls	m²	42		
2	On ceilings and beams	m²	24		
	SKIMMED PLASTER BOARD SURFACES WITH				
	One coat plaster primer and two coats low sheen acrylic paint on				
3	On ceilings, bulkheads and cornices	m²	37		
	FLOOR COATING				
	Approved food safe fast-curing resin system floor coating (Colour: Dusty Grey) spread rate 4-5m² to a minimum of 0.5mm thickness, applied as to manufacturer's instructions	. 1		, ,	
4	On screeded floor	m²	646		
	Carried to Collection Paintwork			R	



CAPE TOWN: PARLIAMENTARY PRECINCT

	PAINTWORK, ETC. TO PREVIOUSLY PAINTED WORK ON					
İ	FLOATED PLASTER SURFACES WITH					
	Prepare and apply one coat hi-cover primer and two coats wallbrite low sheen acrylic coating to approved colour					
1	On internal walls	m²	136			
	Paint to match existing					
2	On external walls	m²	15			
	METAL SURFACES WITH					
	One coat metal primer, one coat universal undercoat and two coats satin paint on galvanized steel					
3	On door frames	m²	52			
	WOOD SURFACES WITH					
	One coat white woodprime, one coat universal undercoat and two coats "Midacoat Satin" paint	· 11144				
4	On doors	m²	143			
						_
	Carried to Collection			R		···
	Paintwork					
İ	l		l		A I	



CAPE TOWN: PARLIAMENTARY PRECINCT

Section No. 3	1		
Bill No. 14			
Paintwork			
COLLECTION			
Total Brought Forward from Page No.	Page No 95 96 97		Amount
		•	
Carried Forward to Summary of Section No. 2		R	
Paintwork		,	



CAPETOWN: PARLIAMENTARY PRECINCT

Bill No	SECTION SUMMARY - Section 2: Builder's Work	Page No		Amount	
1	Alterations	42			
2	Concrete, Formwork & Reinforcement	45			
3	Masonry	48	A Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Comp		
4	Waterproofing	51			
5	Ceilings, Partitions and Access Flooring	55			
6	Carpentry and Joinery	61			
7	Ironmongery	66			
8	Metalwork	70			
9	Plastering	73			
10	Tiling	78			
• 11	Plumbing and Drainage	86			
12	Kitchen Equipment	91			
13	Glazing	94			
14	Paintwork	98			
	CARRIED TO FINAL TENDER SUMMARY		R		_
	CARRIED TO FINAL TENDER SUMMART		K		=



CAPE TOWN: PARLIAMENTARY PRECINCT

ltem No		Quantity	Rate	Amount
	SECTION 3 - PROVISIONAL SUMS			
	BILL NO. 1			
	PROVISIONAL SUMS			
	The Tenderer is referred to the relevant Clauses in the Model Preambles for Trades (2008) and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	SELECTED SUB-CONTRACT AMOUNTS			
	The following amounts are for goods and services, etc., supplied erected, fixed and installed complete. The following amounts are for tenders for various nominated/selected contractors and the contractor must price the appropriate profit and attendance on all items accordingly.			
•	<u>Alterations</u>			·
1	Allow the amount of R 60 000.00 (Sixty Thousand Rands) for alterations and demolitions to later detail to be spent in whole or in part or omitted from the contract	ltem		60 000 00
2	Profit on above item	Item		
3	Attendance on above item	ltem		
	Asbestos Removal			
4	Allow the amount of R 30 000.00 (Thirty Thousand Rands) for the removal of asbestos by an authorised asbestos removal contractor, to be spent in whole or in part or omitted from the contract	ltem		30 000 00
5	Profit on above item	ltem		
6	Attendance on above item	ltem		
	Carried to Collection Provisional Sums		R	



CAPETOWN: PARLIAMENTARY PRECINCT

	Joinery Fittings and Steel Shelving			1
1	Allow the Amount of R 100 000.00 (One Hundred Thousand Rand) for supply and installation of additional joinery fittings and steel shelving to later detail to be spent in whole or in part or omitted from the contract	ltem		100 000 000
2	Profit on above item	ltem		
3	Attendance on above item	Item		
	<u>Signage</u>			
4	Allow the amount of R 50 000(Fifty Thousand Rands) for Signage Installation	ltem		50 000 00
5	Profit on above item	Item		
6	Attendance on above item	Item		
	Builders work in connection with services			
7	Allow the Amount of R 50 000.00 (Fifty Thousand Rand) for builders work in connection with plumbing, Electrical, Electronic, Mechanical and Fire services to later detail to be spent in whole or in part or omitted from the contract.	ltem	,	50 000.00
8	Profit on above item	ltem		
9	Attendance on above item	Item		
	Lift Installation			
10	Allow the Amount of R 200 000.00 (Two Hundred Thousand Rand) for Dumb Waiter Installation	Item	:	200 000 00
11	Profit on above item	Item		
12	Attendance on above item	Item		
	Carried to Collection Provisional Sums		R	



CAPE TOWN: PARLIAMENTARY PRECINCT

	<u>Gas Installation</u>			
1	Allow the Amount of R150 000.00 (One Hundred and Fifty Thousand Rand) for Gas Installation	Item		150 000 00
2	Profit on above item	Item		
3	Attendance on above item	Item		
	Steel Stairs and Balustrades			
4	Allow the Amount of R50 000.00 (Fifty Thousand Rand) for the supply and installation of steel stairs and balustrades (including minor alterations to concrete) to later detail to be spent in whole or in part or omitted from the contract	ltem		50 000.00
5	Profit on above item	Item		
6	Attendance on above item	Item		
	Carried to Collection Provisional Sums		R	



CAPE TOWN: PARLIAMENTARY PRECINCT

Section No. 4			
Bill No. 1			
Provisional Sums			
COLLECTION			
Total Brought Forward from Page No.	Page No 100 101 102		Amount
· · · · · · · · · · · · · · · · · · ·			
CARRIED TO FINAL TENDER SUMMARY Provisional Sums		R	



CAPE TOWN: PARLIAMENTARY PRECINCT

Item No			Quantity	Rate	Amount	
	SECTION 4 - ELECTRICAL WORK					
	BILL NO. 1					
	LOW VOLTAGE RETICULATION					
	DISTRIBUTION					
	Supply, Install and connect distribution board complete with all switchgear, accessories, all fitted in the factory and tested, including delivery to site and off-loading					
1	Distribution board SB-K (See Drawing No. 33547.00/312-03 REV TO)	No	1			
2	Distribution board SB-K2 (See Drawing No. 33547.00/312-03 REV TO)	No	1			
3	Distribution board SB-K1 (See Drawing No. 33547.00/312-02 REV TO)	No	1		·	
4	Distribution board MDB (See Drawing No. 33547.00/312-02 REV TO)	No	1		Ì	
	CABLES AND TERMINATIONS					
	Supply and install multi-core PVC/PVC/SWA/PVC, copper conductor cable including terminations and all accessories. Cables laid in ducts or trenches, horizontal racks, cable tray or sleeves and fixing support. Cable trenches, ducts, sleeves measured elsewhere					
	From Utility to SDB-K					
5	2x185mm2 4 core cable	m	150			
6	150mm2 ICEW	m	150			
	Carried to Collection Low Voltage Reticulation			R		



CAPETOWN: PARLIAMENTARY PRECINCT

1	2x185mm2 4 core cable terminations	No	4		
2	150mm2 ICEW terminations	No	4		
	From Utility to MBD-K				
3	70mm2 4 core cable	m	50		
4	50mm2 ICEW	m	50		
5	70mm2 4 core cable terminations	No	2		
6	50mm2 ICEW terminations	No	2		
	From Utility to SBD-K1				
7	150mm2 4 core cable	m	100		
8	120mm2 ICEW	m	100		
9	150mm2 4 core cable terminations	No	2		
10	120mm2 ICEW terminations	No	2		
	From SBD-K1 to SBD-K2	,			
11	35mm2 4 core cable	m	30		
12	25mm2 ICEW	m	30		
13	35mm2 4 core cable terminations	No	2		
14	25mm2 ICEW terminations	No	2		
	TRUNKING				
	Supply and install cable ladder complete with all accessories and steel covers				
15	300mm Cable Ladder	No	280		
16	Horizontal/Vertical Elbow	No	2		
	Carried to Collection Low Voltage Reticulation			R	



CAPE TOWN: PARLIAMENTARY PRECINCT

1	Tee		No	1			
	,						
							ĺ
		•				·	
				i			
					•		
							_
		Carried to Collection			R		L
	Low Voltage Reticulation						
							l



CAPETOWN: PARLIAMENTARY PRECINCT

Section No. 5	-		
Bill No. 1			
Low Voltage Reticulation			
COLLECTION			
Total Brought Forward from Page No.	Page No 104 105 106		Amount
	•		
Carried Forward to Summary of Section No. 2 Low Voltage Reticulation		R	



CAPE TOWN: PARLIAMENTARY PRECINCT

ltem No			Quantity	Rate	Amount	
	SECTION 4 - ELECTRICAL WORK					
	BILL NO. 2					
	GENERAL PURPOSE OUTLETS AND LIGHTING					
	CONDUIT					
	Supply and install PVC conduit complete with all accessories including couplings, bending and fixings as specified					
1	25mm - cast in concrete, built in partition, brickwork or ceiling void	m	2 430			
2	32mm - cast in concrete, built in partition, brickwork or ceiling void	m	150			
3	35mm - cast in concrete, built in partition, brickwork or ceiling void	m	330		·	
4	40mm - cast in concrete, built in partition, brickwork or ceiling void	m	500			
	CONDUIT BOXES					
	Supply and install conduit boxes complete with all accessories including conduit terminations					
5	60mm round, 25mm deep for 25mm PVC conduit mounted flush in wall or fixed to surface	No	109			
6	100 x 50 x 50mm steel conduit box excluding covers	No	48			
7	100 x 100 x 50mm steel conduit box excluding covers	No	132			
	Carried to Collection General Purpose Outlets and Lighting			R		



CAPETOWN: PARLIAMENTARY PRECINCT

	WIRING AND CONDUCTORS					
	Supply and install PVC insulated copper conductors in required colours, drawn into conduit or trunking					
1	2.5mm² Insulated Wire	m	2 440			
2	4mm² Insulated Wire	m	1 400			
3	1.5mm² B.C.E.W.	m	740			
4	2.5mm² B.C.E.W.	m	1 500			
5	2.5mm² Insulated earth wire	m	80			
	CABLES AND TERMINATIONS					
	Supply and install multi-core PVC/PVC/SWA/PVC, copper conductor cable including terminations and all accessories. Cables laid in ducts or trenches, horizontal racks, cable tray or sleeves and fixing support. Cable trenches, ducts, sleeves measured elsewhere					
	From SBD-K to 3PH isolator					
6	16mm2 4 core cable	No	320			
7	10mm2 ICEW	No	320			
8	16mm2 4 core cable terminations	No	24			
9	10mm2 ICEW terminations	No	24			
	From SBD-K to 3PH Isolator					
10	10mm2 4 core cable	m	460		ļ	
11	6mm2 ICEW	m	460			
12	10mm2 4 core cable terminations	No	40			
13	6mm2 ICEW terminations	No	40			
	Carried to Collection General Purpose Outlets and Lighting			R		



CAPE TOWN: PARLIAMENTARY PRECINCT

	From SBD-K to 3PH Isolator					
1	4mm2 4 core cable	m	100			
2	2,5mm2 ICEW	m	100			
3	4mm2 4 core cable terminations	No	8			
4	2,5mm2 ICEW terminations	No	8			
	From SBD-K to 1PH isolator					
5	6mm2 4 core cable	No	50			
6	4mm2 ICEW	No	50			
7	6mm2 4 core cable terminations	No	4			
8	4mm2 ICEW terminations	No	4			
	LIGHT SWITCHES					
	Supply, install and connect flush mounted light switch complete with cover plate and all accessories	,				
9	16A 1 lever 1 way	No	26			
10	16A 2 lever 1 way	No	8			
11	16A 1 lever 2 way	No	13			
12	360 degree on/off presence detector	No	3			
						_
	Carried to Collection			R		
	General Purpose Outlets and Lighting	•				
					:	



CAPE TOWN: PARLIAMENTARY PRECINCT

	<u>LUMINARIES</u>				
	Supply, Install and connect luminaries mounted as specified, complete with lamps, control gear and all accessories				
1	Type C1, 600x600mm 30W LED, 4000K 3245LM recessed white powder coated seamless aluminium extruded frame luminary complete with low glare prismatic diffuser, 3m cabtyre and 6A pulgtop (Similar to regent lighting Luxon Prism)	No	44		
2	Type C3, 600x600mm 30W LED, 4000K 3245LM recessed white powder coated seamless aluminium extruded frame luminaire complete with low glare prismatic diffuser, 3m cabtyre, 6A pulgtop and 60 minutes emergency battery backup power, (Similar to regent lighting Luxon Prism)	No :	29		
3	Type F1, 1278x112mm 33W LED 4000K 4883LM Surface mounted vapour proof luminaire abs base with stainless steel non corrosive clips, uv stabilised polycarbonate diffuser and 3m cabtyre. (Similar to Regent Lighting Nimbus)	No	23		
4	Type F2, 1278x112mm 33W LED 4000K 4883LM Surface mounted vapour proof luminaire abs base with stainless steel non corrosive clips, uv stabilised polycarbonate diffuser and 3m cabtyre. Complete with 60 minutes emergency battery backup power (Similar to Regent Lighting Nimbus)				
	RATE ONLY	No	2		
5	Type I1, 16W LED 4000K, 2098LM Round ceiling mounted, black powder coated die cast aluminium body, IP66 bulkhead luminaire complete with UV stabilized high impact opal diffuser. (Similar to				
	regent lighting solo)	No	15		
	Carried to Collection			R	
	General Purpose Outlets and Lighting				



CAPE TOWN: PARLIAMENTARY PRECINCT

1	Type I2, 16W LED 4000K, 2098LM Round wall mounted, black powder coated die cast aluminium body, IP66 bulkhead luminaire complete with UV stabilized high impact opal diffuser. (Similar to regent lighting solo)	No	7		
2	Type EXIT, 310x310x65mm 14W LED 4000K 2584LM, wall mount exit signage luminaire with fibreglass frame, toughened glass lens green on white labelling and cut out at the bottom with perspex cover for threshold lighting and 60 minutes battery backup (Similar to voltex E10-14WLED EMG)				
	RATE ONLY	No	2		
	SWITCHED AND UNSWITCHED SOCKET OUTLETS				
	Supply, install and connect socket outlets mounted flush in wall or as specified, complete with cover plates and all accessories				
3	16A 3-pin normal single switched socket and 16A 164-2 (2P+E) socket outlet combination	No	80		
4	16A 3-pin normal single switched socket and 16A 164-2 (2P+E) socket outlet combination IP65 (in yorkbox)	No	1		
5	16A 3-pin double dedicated switch socket outlet (Red)	No	2		
6	16A 3-pin dedicated single switch socket outlet (Red) on power skirting	No	3		
7	16A 3-pin normal single switch socket outlet (white) on power skirting	No	3		
8	16A 3-pin normal single switched socket with 2 x euro socket outlet combination	No	22		
9	5A unswitched socket outlet	No	51		
	Carried to Collection			R	
	General Purpose Outlets and Lighting				



CAPETOWN: PARLIAMENTARY PRECINCT

	ISOLATORS				
	Supply and install Isolators mounted flush or surface on wall complete with cover plate, steel conduit box and all accessories.(similar or equal to Cabtree)				
1	Three phase isolator surface mounted against soffit or wall	No	2		
2	Single phase isolator surface mounted against soffit or wall	No	19		
3	Single phase isolator recessed in wall	No	5		
4	Three phase isolator recessed in wall	No	18		
5	63A (3P+N+E 5 PIN) Three phase electrical outlet point IP44 for inside and IP65 for outside	No	18		
6	32A (2P+E) Single phase electrical outlet point IP44 for inside and IP65 for outside	No	2		
•	TRUNKING				
	Supply and install wiring trunking complete with all accessories and steel covers				
7	P9000 Trunking	m	410		
8	P8000 Trunking	m	240		
	Extra on P9000 trunking for				
9	Horizontal/Vertical Elbow	No	14		-
10	Tee	No	14		
11	4 Way	No	18		
12	End Cap	No	28		
	Carried to Collection General Purpose Outlets and Lighting			R	



CAPE TOWN: PARLIAMENTARY PRECINCT

1	DB-Entry	No	4		
	Extra on P8000 trunking for				
2	Horizontal/Vertical Elbow	No	9		
3	Tee	No	6		
4	4 Way	No	13		
5	End Cap	No	14		
6	DB-Entry	No	2		
	ELECTRONIC CONDUIT INSTALLATION				
	Supply and install PVC/ Galvanised conduit complete with all accessories including couplings, bending and fixings as specified				
7	25mm - PVC cast in concrete, built in partition, brickwork or ceiling void	m	500		
8	25mm - Galvanised surface mounted or in ceiling void	m	100		
9	60mm round, 25mm deep for 25mm PVC conduit mounted flush in wall or fixed to surface	No	8		
			:		
			:		
			-		
					+
	Carried to Collection General Purpose Outlets and Lighting			R	+
	Contain dipose Colleis and Eighning				
İ					



CAPE TOWN: PARLIAMENTARY PRECINCT

Section No. 5			
Bill No. 2			
General Purpose Outlets and Lighting			
COLLECTION			
Total Brought Forward from Page No.	Page No		Amount
Total Brooght Total and Hollin age 110.	109		
	110		
	111		
	112		
	113		
	114		
•		. ,	
			•
			·
Carried Forward to Summary of Section No. 2		R	
General Purpose Outlets and Lighting		. •	



CAPE TOWN: PARLIAMENTARY PRECINCT

	SECTION SUMMARY - Section 4 - Electrical Work		
Bill No		Page No	Amount
1	Low Voltage Reticulation	107	
2	General Purpose Outlets and Lighting	115	
ı			
	CARRIED TO FINAL TENDER SUMMARY		R



CAPE TOWN: PARLIAMENTARY PRECINCT

ltem No		Quantity	Rate	Amount
	SECTION 5 - MECHANICAL WORK			
	BILL NO 1			
	MECHANICAL WORK			
	GROUND & FIRST FLOOR: KITCHEN EXTRACT AIR & MAKE-UP FRESH AIR SUPPLY SYSTEMS			
	All rates supplied in this Bill of Quantities will be deemed to include scaffolding to any height and fixing of mechanical ventilation ductwork, piping and wiring, up to and including roof height. All ducts and pipes suspended from concrete slabs, roof, ceiling, etc. shall be deemed to include in the rates all necessary hanger brackets, threaded rod (irrespective of the suspension length), nuts, washers, anchors and drilling of holes in the concrete slab.			
•	KITCHEN EXTRACTION CANOPY	·		
	Supply and install, Canopies & Axial Fan, uninsulated round and rectangular sheet metal ductwork including transformation pieces, bends, tees, spigots, etc, installed on roof, manufactured in accordance with SANS 1238:2005 and SANS 10173:2003, as amended, including all necessary supports, fixing, brackets, flexible connections, etc.			
1	C-1:& C-2:(6200L x 1600W X 600(H))@ 4960L/s, Supply and install a wall mounted Grade 304 stainless steel push-pull type kitchen extraction canopy complete with electrical connections, light fittings, flashing, removable filters and drip tray, electrical wiring and connections, on/off switch and other auxiliaries as per SANS requirements) 4		
	Carried to Collection Air Conditioning		R	



CAPETOWN: PARLIAMENTARY PRECINCT

						_
1	C-3:(2800L x 1300W X 600(H))@ 1274L/s, Supply and install a wall mounted Grade 304 stainless steel push-pull type kitchen extraction canopy complete with electrical connections, light fittings, flashing, removable filters and drip tray, electrical wiring and connections, on/off switch and other auxiliaries as per SANS requirements	No	2			**************************************
2	C-4:(2900L x 1200W X 600(H))@ 1740L/s, Supply and install a wall mounted Grade 304 stainless steel push-pull type kitchen extraction canopy complete with electrical connections, light fittings, flashing, removable filters and drip tray, electrical wiring and connections, on/off switch and other auxiliaries as per SANS requirements	No	2			
3	C-5:(2650L x 1200W X 600(H))@ 740L/s, Supply and install a wall mounted Grade 304 stainless steel push-pull type kitchen extraction canopy complete with electrical connections, light fittings, flashing, removable filters and drip tray, electrical wiring and connections, on/off switch and other auxiliaries as per SANS requirements	No	2			THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY O
4	Supply and install, EAF - MB: 01 - 13,73m ³ /s @ 320Pa; Extract Air- Axia fan c/w with duct transformation fittings ,sound attenuator, air filters, burglar bars, external louvre and accessories	No	2		·	
	DUCTING & FITTINGS					
5	348 x 300 Duct	m	6			
6	350 x 300 Duct	m	10			
7	450 x 500 Duct	m	8			
8	500 x 600 Duct	m	6			
9	600 x 400 Duct	m	30			
10	1200 x 550 Duct	m	12			
	Carried to Collection Air Conditioning			R		



CAPE TOWN: PARLIAMENTARY PRECINCT

1	1200 x 1200 Duct	m	12		
2	1500 x 1100 Duct	No	12		
3	1500 X 1100 TO 1200 X 1200 Duct Reducer Piece	No	2	-	
4	1200 X 1200 TO 500 x 650 Duct Reducer Piece	No	2	:	
5	900mm Diameter x 1500 X 1100 Duct Transformation Piece	No	2		
6	350 X 300 Elbow Band Piece	No	2		
7	600 X 400 Elbow Band Piece	No	2		
8	400 X 500 Elbow Band Piece	No	6		
9	600 X 400 45deg. Band Piece	No	4		
10	600 X 400 Shoe Take Off Piece	No	2		
11	450 X 500 Shoe Take Off Piece	No	2		
12	350 X 300 Shoe Take Off Piece	No	2		
13	500 x 600 Duct Stop End	No	2		
14	Hangers and consumables			sum	
	KITCHEN MAKE-UP FRESH AIR SUPPLY				
	Supply and install, Axial Fan, uninsulated round and rectangular sheet metal ductwork including transformation pieces, bends, tees, spigots, etc, installed on roof, manufactured in accordance with SANS 1238:2005 and SANS 10173:2003, as amended, including all necessary supports, fixing, brackets, flexible connections, etc.				
15	OAF: 01 - 10,98m3/s Fresh air supply Axial fan c/w with, transformation pieces sound attenuator, air filters, burglar bars, external louvre and accessories	No	2		
	Carried to Collection Air Conditioning			R	



CAPE TOWN: PARLIAMENTARY PRECINCT

	DUCTING & FITTINGS				
]	1000 x 1300 Duct	m	20	***	
2	1000 x 800 Duct	m	12		
3	900 x 600 Duct	m	10		
4	700 x 800 Duct	m	16	:	
5	1200 x 300 Duct	No	6		
6	400 x 500 Duct	No	2		
7	200mm Diameter duct	No	12		
8	300mm Diameter take off	m	32		
9	300mm Diameter flexible duct	m	24		
10	1200 x 600 Supply Air Grille	No	18		
11	1700 x 2900 Weather Louvre Complete with filters for 10,98m3/s	No	. 2		
12	150mm Diameter take off	No	2		
13	600 x 500 Take Off	No	2		
14	450 x 500 Take Off	No	2		
15	1000 x 800 Take Off	No	2		
16	200mm Diameter duct elbow bend	No	2		
17	600 x 600 Supply Air Grille	No	4		
18	400 x 500 Duct Elbow Bend	No	2		
19	900 x 600 Duct Elbow Bend	No	2		
20	1000 x 1300 Duct Elbow Bend	No	4		
	Carried to Collection Air Conditioning			R	



CAPE TOWN: PARLIAMENTARY PRECINCT

1	1000 x 1300 Duct Elbow Bend	No	4		
2	1700 x 2900 To 1000 x 1300 Duct Transformation Piece	No	2		
3	1000 x 1300 To 700 x 1800 Duct Transformation Piece	No	2		
4	1000 x 800 To 900 x 600 Duct Transformation Piece	No	2		
5	700 x 800 to 200mm Diameter duct transformation piece	No	2		
6	1700 x 2900 Weather Louvre Complete with filters for 10,98m3/s	No	2		
					:
	Carried to Collection Air Conditioning			R	
	All Conditioning				



CAPE TOWN: PARLIAMENTARY PRECINCT

Section No. 6			
Bill No. 1			
Air Conditioning			
COLLECTION			
Total Brought Forward from Page No.	Page No 117 118 119 120 121		Amount
Carried Forward to Summary of Section No. 2		R	
Air Conditioning			



CAPE TOWN: PARLIAMENTARY PRECINCT

ltem No			Quantity	Rate	Amount	
	SECTION 5 - MECHANICAL WORK	:				
	BILL NO 2					
	FIRE PROTECTION INSTALLATION These bills of quantities form part of and must be read in conjunction with the Technical Specifications and Drawings, which contain the full descriptions of the work to be done and material and equipment to be used. Unless otherwise described in these bills of quantities, reference should be made to the Technical Specifications for the full meaning of descriptions of work to be done and materials and equipment to be used in this service. All materials, equipment, fixings, brackets, etc, are to be supplied by the Contractor unless otherwise stated.					
,	FIRE AND DIRECTIONAL SIGNAGE Photo luminescent fire and directional signage in multiples of 190 x 190mm as SANS 1186 - 1&5 photo luminescent, installed in accordance with SANS 10400 and framed with standard aluminium moulding and mounted with concealed screws to brickwork or concrete.	·	·			
1	Directional signage type E3.	No	4			
2	Fire signage type F13.	No	14			
3	Fire signage type F35.	No	8			
4	FIRE EXTINGUISHERS 4,5kg Dry Chemical Powder (DCP) type fire extinguisher with bracket fixed to and including single cabinet mounted on the brick wall.	No	14			
5	Kitchen Fire Blanket Supply 1,8m x 1,8m fire Blanket	No	8			
	Carried Forward to Summary of Section No. 2 Fire Protection			R		



CAPE TOWN: PARLIAMENTARY PRECINCT

item No			Quantity	Rate	Amount
:	SECTION 5 - MECHANICAL WORK				
	BILL NO 3				
	SMOKE DETECTION SYSTEM - GROUND FLOOR All rates supplied in these bills of quantities will be deemed to include scaffolding to any height and fixing of the smoke detection system, and wiring, up to and including roof height. All installations suspended from concrete slabs, roof, ceiling, etc. shall be deemed to include in the rates all necessary hanger brackets, threaded rod (irrespective of the suspension length), nuts, washers, anchors and drilling of holes in the concrete slab.				
	SMOKE DETECTION INSTALLATION				
. ,	Smoke Detection Control Panel Supply & install a 2-loop analogue Addressable Smoke Detection Control Panel, including all related accessories. The panel shall be similar or equal to the Ziton ZP3 2 Loop Panel.	No	2		
2	Optical Smoke Detectors	No	19		
3	Optical Heat Detectors	No	13		
4	Ceiling Void Detectors	No	19		
5	Detector labels	No	94		
6	Network communication card to mimic panel	No	2	·	
7	Sounders/Beacons	No	16		
8	Break Glass Units For Addressable Manual Call Point	No	8		
	Carried to Collection Smoke Detection Installation			R	



CAPETOWN: PARLIAMENTARY PRECINCT

	Note: Conduits and connections to be done by electrical installer				
1	Base sounder/strobes	No	16		
2	Fire Resistant Cables, PH30 In Accordance with SANS 10139	m	300		
3	Galvanised Conduit - 25mm with steel saddles	m	300		
4	I/O units for shut down of mechanical installations Fresh air fan shut down points	No	10		
		·		·	
					
	Carried to Collectic Smoke Detection Installation	on		R	-



CAPE TOWN: PARLIAMENTARY PRECINCT

Section No. 6			
Bill No. 3			
Smoke Detection Installation			
COLLECTION			
Total Brought Forward from Page No.	Page No 124 125		Amount
Carried Forward to Summary of Section No. 2		R	
Smoke Detection Installation			



CAPETOWN: PARLIAMENTARY PRECINCT

	SECTION SUMMARY - Section 5 : Mechanical Work				
Bill No		Page No		Amount	
]	Air Conditioning	122			
2	Fire Protection	123			
3	Smoke Detection Installation	126			
•	. •	•			
	CARRIED TO FINAL TENDER SUMMARY		R		
į					



CAPE TOWN: PARLIAMENTARY PRECINCT

ltem No		Quantity	Rate	Amount
	SECTION 6 - EXPANDED PUBLIC WORKS PROGRAMME			
	BILL No. 1			
	INFRASTRUCTURE PROJECTS			
	NOTE: Tenderers are advised to study the Model Preambles for Trades (2008) before pricing this bill			
	PREAMBLES			
1	Tenderers are advised to study the Additional Specification SL: Employment and Training of Labour on the Expanded Public Works Programme (EPWP) Infrastructure Projects: National Youth Service, as bound elsewhere in the Bills of Quantities, and then price this Bill accordingly			
,	TRAINING OF YOUTH WORKERS			
	TARGET 18 YOUTH WORKERS			
	Orientation, Life skills development and technical training:			
2	Orientation and Life skills development training for youth workers for an average of 10 days per youth worker (ref. SL 09.01.01)	ltem		26 380 36
3	Technical skills training for youth workers for an average of 81 days per youth worker (ref. SL 09.01.02)	Item		332 392 48
4	Provide Medical Surveillance	ltem		11 431 49
	Carried to Collection Expanded Public Works Programme		R	



CAPETOWN: PARLIAMENTARY PRECINCT

	The above items are only applicable if NYDA do not			
1	fund the specific training.			
1	Payment Reduction due to not meeting the training target (ref. SL 010) (Youth Worker)			
_		Item		RATE ONLY
2	Profit and attendance on condition that services and cost has been incurred (ref. SL 08; SL 011)	%		
	TRAVELING DURING ON-SITE TRAINING:			
	Practical Work based Experiential training for 10 days each (ref. SL 11.02.01)			
3	01. Traveling (based on R63 per day return trip/youth worker) (ref. SL 012)	ltem		125 746.36
4	02. Profit and attendance on condition that services and cost has been incurred (ref. SL 08; SL 011)	%		
	EMPLOYMENT OF YOUTH WORKERS			
5	Employment of youth workers (ref. SL 013)	ltem		433 341 31
6	The unit of measurement shall be the number of youth workers at the labour rate of R 112.00 per day on Training as per EPWP Ministerial Determination multiplied by the period employed in months and the rate tendered shall include full compensation for all costs associated with the employment of youth workers and for complying with the conditions of contract. The cost for the training shall be excluded from this item. This item is based on 10 months appointment for youth workers Profit and attendance on condition that services and cost has been incurred (ref. SL 08; SL 011)	%		
	Carried to Collection Expanded Public Works Programme		R	



CAPE TOWN: PARLIAMENTARY PRECINCT

	PROVISION OF EPWP DESIGNED OVERALLS AND HARD HATS TO YOUTH WORKERS				
1	Supply EPWP branded 2 x overalls, safety boots and 1 x to youth workers (ref. SL 014)		į		
	' 		Item		21 104 28
2	Profit and attendance on condition that services and cost has been incurred (ref. SL 08; SL 011)		%		
	PROVISION OF BASIC TOOLS FOR YOUTH WORKERS				
3	Provide all youth workers with prescribed tools for their respective trades. Specification for the mentioned tools to be provided by the Service Provider. These tools will become the property of the youth workers after the completion of the				
	programme (ref. SL 015)		ltem		26 380.36
4	Profit and attendance on condition that services and cost has been incurred (ref. SL 08; SL 011)		%		
	APPOINTMENT OF YOUTH TRAINING COORDINATOR (TRAINING OFFICER/S)	-			
5	Appointment of Youth Training Coordinator/s for the duration of the contract (ref. SL 016)		Item		90 000 00
6	Profit and attendance on condition that services and cost has been incurred (ref. SL 08; SL 011)		%		
	LIAISON WITH SERVICE PROVIDER (ref. SL 17)				
7	Liason with service providers	Hrs	100.00		
	LOGISTICS FOR EXIT WORKSHOPS				
8	Provide logistic items for exit workshop (Catering, Orange Golf T-Shirts, Venue Hire and Sound System). (ref. SL 018)		ltem		35 173 81
			77		
	Carried to Collection Expanded Public Works Programme			R	



CAPE TOWN: PARLIAMENTARY PRECINCT

Section No. 7	İ			
Bill No. 1				
Expanded Public Works Programme				
COLLECTION				
Total Brought Forward from Page No.	Page No 128 129 130		Amount	
CARRIED TO FINAL TENDER SUMMARY Expanded Public Works Programme		R		_



CAPE TOWN: PARLIAMENTARY PRECINCT

	FINAL SUMMARY			
Section No		Page No		Amount
2	Section 1: Preliminaries	35		
3	Section 2: Builder's Work	99		
4	Section 3: Provisional Sums	103		
5	Section 4 - Electrical Work	116		
6	Section 5 : Mechanical Work	127		
7	Section 6: Expanded Pubic Works	131		
	Sub-total		R	
	Allow Fifteen per cent (15%) of the above sub-total for Value Added Tax		R	
	•	•		,
7717				
	TOTAL CARRIED FORWARD TO FORM OF TENDER (EXCLUDING VAT)		R	

Final Summary



Tender no.: CPT1007/23

WCS no.: 054967

PART C2.2 PRICED DOCUMENT comprising BILLS OF QUANTITIES

FINAL TENDER S	UMMARY CARRIED TO FORM OF OFFER	Amount
Setion No. 1	Preliminaries	
Section No. 2	Builder's Work	
Section No. 3	Provisional Sums	
Section No. 4	Electrical Work	
Section No. 5	Mechanical Work	
Section 6	Expanded Public Works proigramme (EPWP)	
	Sub-total	
	•	•
	Add: VAT @ 15%	
	TOTAL (CARIED TO FORM OF OFFER (DPW 07 EC)) R	