Item No		Quantity	Rate	Amount
	SECTION 1			
	BILL NO. 1			
	PRELIMINARIES			
	BUILDING AGREEMENT AND PRELIMINARIES			
	MEANING OF TERMS "TENDER / TENDERER"			
	Any reference to the words "Tender" or "Tenderer" herein and/or in any other documentation shall be construed to have the same meaning as the words "Bid" or "Bidder"			
	PRELIMINARIES			
	The JBCC Preliminaries Code 2103, May 2005 edition for use with the JBCC Principal Building Agreement Edition 4.1 Code 2101, March 2005 is taken to be incorporated herein. The tenderer is deemed to have referred to these documents for the full intent and meaning of each clause. These clauses are referred to by number and heading only. Where standard clauses or options are not applicable to the contract such modifications or corrections as are necessary are given under each relevant clause. Where an item is not relevant to this specific contract such item is marked "N/A" signifying "Not Applicable"			
	PRICING OF PRELIMINARIES			
	Should Option A, as set out in clause B10.3.1 hereinafter be used for the adjustment of preliminaries then each item priced is to be allocated to one or more of the three categories Fixed, Value Related or Time Related and the respective amounts entered in the spaces provided under each item			
	Items not priced in these Preliminaries shall be deemed to be included elsewhere in these Bills of Quantities			
	Carried Forward Section No. 1		R	
	PRELIMINARIES AND GENERAL Bill No. 1			

	Brought Forward	R	
SECTION A: JBCC PRINCIPAL BUAGREEMENT	JILDING .		
<u>DEFINITIONS</u>			
A1.0 DEFINITIONS AND INTERPRE	ETATION		
Clause 1.0			
Clause 1.1 Definition of "Commenceme added:	ent Date" is		
"COMMENCEMENT DATE" means the working days after site hand over.	date that is 5		
Clause 1.1 Definition of "Construction amended by replacing it with the following it will be a followed in the following it will be a followed in the following it will be a followed in the followed in the followed in the followed in the following it will be a followed in the followed in th			
"CONSTRUCTION GUARANTEE" mea at call obtained by the contractor from approved by the employer in terms of t construction guarantee form as selected schedule	an institution he <b>employer's</b>		
Clause 1.1 Definition of "Construction amended by replacing it with the following it will be a followed in the following it will be a followed in the following it will be a followed in the followed in the followed in the followed in the following it will be a followed in the followed in th			
"CONSTRUCTION PERIOD" means the commencing on the commencement of on the date of practical completion			
Clause 1.1 Definition of "Corrupt Pract	ice" is added:		
"CORRUPT PRACTICE" means the off receiving or soliciting of anything of valuate action of a public official in the procor in contract execution	ue to influence		
Clause 1.1 Definition of "Fraudulent Pr	ractice" is added:		
Section No. 1	Carried Forward	R	
PRELIMINARIES AND GENERAL Bill No. 1			

Brought Forward	R	
"FRAUDULENT PRACTICE" means a mispresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any tenderer and includes collusive practice among tenderers (prior to or after the tender submission) designed to establish tender prices at artificial noncompetitive levels and to deprive the tenderer of the benefits of free and open competition		
Clause 1.1 Definition of "Interest" is amended by replacing it with the following:		
"INTEREST" means the interest rates applicable on this contract, whether specifically indicated in the relevant clauses or not, will be in terms of the legislation of the Republic of South Africa, and in particular:		
(a) in respect of interest owed by the employer, the interest rate as determined by the Minister of Justice and Constitutional Development from time to time, in terms of section 1(2) of the Prescribed Rate of Interest Act, 1975 (Act No. 55 of 1975), will apply;		
and		
(b) in respect of interest owed to the employer, the interest rate as determined by the Minister of Finance, from time to time, in terms of section 80(1)(b) of the Public Finance Management Act, 1999 (Act No. 1 of 1999), will apply		
Clause 1.1 Definition of "Principal Agent" is amended by replacing it with the following:		
"PRINCIPAL AGENT" means the person or entity appointed by the employer and named in the schedule. In the event of a principal agent not being appointed, then all the duties and obligations of a principal agent as detailed in the agreement shall be fulfilled by a representative of the employer as named in the schedule		
Clause 1.1 Definition of " <b>Security</b> " is amended by replacing it with the following:		
Carried Forward  Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1	R	

	Brought Forward		R		
1	"SECURITY" means the form of security provided by the employer or contractor, as stated in the schedule, from which the contractor or employer may recover expense or loss				
	Clause 1.6 is amended by replacing the words "prepaid registered post, telefax or e-mail" with "prepaid registered post or telefax"				
	Clause 1.6.4 is amended by replacing it with the following:				
	No clause				
	Fixed: Value related: Time related:	Item			
	OBJECTIVE AND PREPARATION				
2	A2.0 OFFER, ACCEPTANCE AND PERFORMANCE				
	Clause 2.0				
	Fixed: Value related: Time related:	Item			
3	A3.0 DOCUMENTS				
	Clause 3.0				
	Clause 3.2.1 is amended by replacing "14.1" with "14.0"				
	Clause 3.7 is amended by the addition of the following:				
	The <b>contractor</b> shall supply and keep a copy of the <b>JBCC</b> Series 2000 Principal Building Agreement and Preliminaries applicable to this contract on the <b>site</b> , to which the <b>employer</b> , <b>principal agent</b> and <b>agents</b> shall have access at all times				
	Clause 3.10 is amended by replacing the second reference to "principal agent" with the word "employer"				
	Fixed: Value related: Time related:	Item			
	Carried Forward		R		
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1				
				i	

4 A4.0 DESIGN RESPONSIBILITY  Clause 4.0  Clause 4.3 is amended by replacing it with the following the company of the company			
Clause 4.3 is amended by replacing it with the follo			
No clause	Time		
	Time		
Fixed:Value related:related:	lioni		
5 A5.0 EMPLOYER'S AGENTS			
Clause 5.0			
Clause 5.1.2 is amended to include clauses 32.6.3 and 34.4 in terms of which the employer has retain authority and has not given a mandate to the princ agent and in terms of which the employer shall sig documents.	ed its pal		
Fixed:Value related:related:	Time Item		
6 A6.0 SITE REPRESENTATIVE			
Clause 6.0			
Fixed:Value related:related:	Time		
7 A7.0 COMPLIANCE WITH REGULATIONS	ileni		
Clause 7.0			
Fixed:Value related:related:	Time Item		
8 A8.0 WORKS RISK			
Clause 8.0			
Fixed:Value related:related:	Time Item		
Carried F	orward	R	
Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

	Brought Forward		R	
9	A9.0 INDEMNITIES			
	Clause 9.0			
	Fixed: Value related: Time related:	Item		
10	A10.0 WORKS INSURANCES			
	Clause 10.0			
	Clause 10.0 is amended by the addition of the following clauses:			
	10.5 Damage to the Works			
	(a) Without in any way limiting the <b>contractor's</b> obligations in terms of the contract, the <b>contractor</b> shall bear the full risk of damage to and/or destruction of the <b>works</b> by whatever cause during construction of the <b>works</b> and hereby indemnifies and holds harmless the <b>employer</b> against any such damage. The <b>contractor</b> shall take such precautions and security measures and other steps for the protection and security of the <b>works</b> as the <b>contractor</b> may deem necessary			
	(b) The <b>contractor</b> shall at all times proceed immediately to remove or dispose of any debris arising from damage to or destruction of the <b>works</b> and to rebuild, restore, replace and/or repair the <b>works</b>			
	(c) The <b>employer</b> shall carry the risk of damage to or destruction of the <b>works</b> and materials paid for by the <b>employer</b> that is the result of the excepted risks as set out in 10.6			
	(d) Where the <b>employer</b> bears the risk in terms of this contract, the <b>contractor</b> shall, if requested to do so, reinstate any damage or destroyed portions of the <b>works</b> and the costs of such reinstatement shall be measured and valued in terms of 32.0 hereof			
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

	Brought Forward	R
	Injury to Persons or loss of or damage to erties	
(a)	The <b>contractor</b> shall be liable for and hereby indemnifies the <b>employer</b> against any liability, loss, claim or proceeding whether arising in common law or by statute, consequent upon personal injuries to or the death of any person whomsoever arising out of or in the course of or caused by the execution of the <b>works</b> unless due to any act or negligence of any person for whose actions the <b>employer</b> is legally liable	
(b)	The <b>contractor</b> shall be liable for and hereby indemnifies the <b>employer</b> against any liability, loss, claim or proceeding consequent upon loss of or damage to any moveable or immovable or personal property or property contiguous to the <b>site</b> , whether belonging to or under the control of the <b>employer</b> or any other body or person, arising out of or in the course of or by reason of the execution of the <b>works</b> unless due to any act or negligence of any person for whose actions the <b>employer</b> is legally liable	
(c)	The contractor shall, upon receiving a contract instruction from the principal agent, cause the same to be made good in a perfect and workmanlike manner at his own cost and in default thereof the employer shall be entitled to cause it to be made good and to recover the cost thereof from the contractor or to deduct the same from amounts due to the contractor	
(d)	The contractor shall be responsible for the protection and safety of such portions of the premises placed under his control by the employer for the purpose of executing the works until the issue of the certificate of practical completion	
Section	Carried Forward on No. 1	R

	Brought Forward	R	
(e)	Where the execution of the <b>works</b> involves the risk of removal of or interference with support to adjoining properties including land or structures or any structures to be altered or added to, the <b>contractor</b> shall obtain adequate insurance and will remain adequately insured or insured to the specific limit stated in the contract against the death of or injury to persons or damage to such property consequent on such removal or interference with the support until such portion of the <b>works</b> has been completed		
(f)	The <b>contractor</b> shall at all times proceed immediately at his own cost to remove or dispose of any debris and to rebuild, restore, replace and/or repair such property and to execute the <b>works</b>		
10.7	High risk insurance		
geolo an ai cond move	e event of the project being executed in a ogical area classified as a "High Risk Area", that is rea which is subject to highly unstable subsurface litions that might result in catastrophic ground ement evident by sinkhole or doline formation the wing will apply:		
10.7	.1 Damage to the works		
the vocame and I to an catas. The meas	contractor shall, from the commencement date of works until the date of the certificate of practical pletion bear the full risk of and hereby indemnifies holds harmless the employer against any damage ad/or destruction of the works consequent upon a strophic ground movement as mentioned above. contractor shall take such precautions and security sures and other steps for the protection of the ks as he may deem necessary		
cont dispo destr	on so instructed to do so by the <b>principal agent</b> , the tractor shall proceed immediately to remove and/or cose of any debris arising from damage to or ruction of the <b>works</b> and to rebuild, restore, replace or repair the <b>works</b> , at the <b>contractor's</b> own costs		
Secti	Carried Forward	R	
	LIMINARIES AND GENERAL No. 1		

Brought Forward		R	
10.7.2 Injury to persons or loss of or damage to property			
The <b>contractor</b> shall be liable for and hereby indemnifies and holds harmless the <b>employer</b> against any liability, loss, claim or proceeding arising at any time during the period of the contract whether arising in common law or by statute, consequent upon personal injuries to or the death of any person whomsoever resulting from, arising out of, or caused by a catastrophic ground movement as mentioned above  The <b>contractor</b> shall be liable for and hereby indemnifies the <b>employer</b> against any and all liability, loss, claim or proceeding consequent upon loss of or damage to any moveable or immovable or personal property or property contiguous to the <b>site</b> , whether belonging to or under the control of the <b>employer</b> or any other body or person whomsoever arising out of or			
caused by a catastrophic ground movement, as mentioned above, which occurred during the period of the contract			
10.7.3 It is the responsibility of the <b>contractor</b> to ensure that he has adequate insurance to cover his risk and liability as mentioned in 10.7.1 and 10.7.2. Without limiting the <b>contractor's</b> obligations in terms of the contract, the <b>contractor</b> shall, within twenty-one (21) <b>calendar days</b> of the <b>commencement date</b> but before commencement of the <b>works</b> , submit to the <b>employer</b> proof of such insurance policy, if requested to do so			
10.7.4 The employer shall be entitled to recover any and all losses and/or damages of whatever nature suffered or incurred consequent upon the contractor's default of his obligations as set out in 10.7.1; 10.7.2 and 10.7.3. Such losses or damages may be recovered from the contractor or by deducting the same from any amounts still due under this contract or under any other contract presently or hereafter existing between the employer and the contractor and for this purpose all these contracts shall be considered one indivisible whole			
Fixed: Value related: Time related:	Item		
Carried Forward Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1		R	

	Brought Forward		R	
11	A11.0 LIABILITY INSURANCES			
	Clause 11.0			
	Fixed: Value related: Time related:	Item		
12	A12.0 EFFECTING INSURANCES			
	Clause 12.0			
	Fixed: Value related: Time related:	Item		
13	A13.0 No clause	N/A		
14	A14.0 SECURITY			
	Clause 14.0			
	Clauses 14.1 - 14.8 are amended by replacing them with the following:			
	14.1 The security to be submitted by the contractor to the employer will be as a payment reduction of up to ten per cent (10%) of the value certified in the payment certificate (excluding VAT)			
	14.1.1 The payment reduction of the value certified in a <b>payment certificate</b> shall be <i>mutatis mutandi</i> in terms of 31.8(A)			
	14.1.2 The <b>employer</b> shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the <b>employer</b> complies with the provisions of 33.4 in which event the <b>employer's</b> entitlement shall take precedence over his obligations to refund the payment reduction <b>security</b> or portions thereof to the <b>contractor</b>			
	14.2 Where security as a payment reduction of ten per cent (10%) of the value certified in the payment certificate (excluding VAT) has been selected:			
			_	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1		R	

	Brought Forward		R		
1	14.2.1 The payment reduction of the value certified in a <b>payment certificate</b> shall be <i>mutatis mutandi</i> in terms of 31.8(B)				
	14.2.2 The <b>employer</b> shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the <b>employer</b> complies with the provisions of 33.4 in which event the <b>employer's</b> entitlement shall take precedence over his obligations to refund the payment reduction <b>security</b> or portions thereof to the <b>contractor</b>				
	14.9 Should the <b>contractor</b> fail to furnish the <b>security</b> in terms of 14.2, the <b>employer</b> , in his sole discretion and without notification to the <b>contractor</b> , is entitled to change the <b>contractor's</b> selected form of <b>security</b> to that of a ten per cent (10%) payment reduction of the value certified in the <b>payment certificate</b> (excluding VAT), whereafter 14.7 shall be applicable				
	Fixed: Value related: Time related:	Item			
	EXECUTION				
15	A15.0 PREPARATION FOR AND EXECUTION OF THE WORKS				
	Clause 15.0				
	Clause 15.1.1 is amended by replacing it with:				
	No clause				
	Clause 15.1.2 is amended by replacing it with:				
	The <b>security</b> selected in terms of 14.0				
	Clause 15.1 is amended by the addition of the following clause:				
	15.1.4 An acceptable health and safety plan, required in terms of the Occupational Health and Safety Act, 1993 (Act 85 of 1993), within fourteen (14) calendar days of commencement date				
	Carried Forward		R		
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1				
			1	1	

	Brought Forward		R	
20	A20.0 NOMINATED SUBCONTRACTORS			
	Clause 20.0			
	Clause 20.1.3 is amended by replacing it with the following:			
	No clause			
	Note: See item B9.1 hereinafter for adjustment of attendance on <b>nominated subcontractors</b> executing work allowed for under provisional sums			
	Fixed: Value related: Time related:	Item		
21	A21.0 SELECTED SUBCONTRACTORS			
	Clause 21.0			
	Clause 21 is amended by replacing it with:			
	No clause			
	Fixed: Value related: Time related:	Item		
22	A22.0 EMPLOYER'S DIRECT CONTRACTORS			
	Clause 22.0			
	Fixed: Value related: Time related:	Item		
23	A23.0 CONTRACTOR'S DOMESTIC SUBCONTRACTORS			
	Clause 23.0			
	Fixed: Value related: Time related:	Item		
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			
		1	1	

	Brought Forward		R	
	COMPLETION			
24	A24.0 PRACTICAL COMPLETION			
	Clause 24.0			
	Fixed: Value related: Time related:	Item		
25	A25.0 WORKS COMPLETION	1.0		
25	Clause 25.0			
	Fixed: Value related: Time			
	related:	Item		
26	A26.0 FINAL COMPLETION			
	Clause 26.0			
	Fixed: Value related: Time related:	Item		
27	A27.0 LATENT DEFECTS LIABILITY PERIOD			
	Clause 27.0			
	Fixed: Value related: Time			
	related	Item		
28	A28.0 SECTIONAL COMPLETION			
	Clause 28.0			
	Fixed: Value related: Time related:	Item		
	O-mi-d F-m			
	Carried Forward Section No. 1		R	
	PRELIMINARIES AND GENERAL Bill No. 1			

	Brought Forward		R	
29	A29.0 REVISION OF DATE FOR PRACTICAL COMPLETION			
	Clause 29.0			
	Clause 29.2.5 is amended by replacing it with:			
	No clause			
	Fixed: Value related: Time related:	Item		
30	A30.0 PENALTY FOR NON-COMPLETION			
	Clause 30.0			
	Fixed: Value related: Time related:	Item		
	PAYMENT			
31	A31.0 INTERIM PAYMENT TO THE CONTRACTOR			
	Clause 31.0			
	Clause 31.5.2 is amended by replacing "14.7.1" with "14.0 and 31.8"			
	Clause 31.8 is amended by replacing it with the following two alternative clauses:			
	Alternative A			
	31.8(A) Where a <b>security</b> is selected in terms of 14.1; the value of the <b>works</b> in terms of 31.4.1 and <b>materials and goods</b> in terms of 31.4.2 shall be certified in full. The value certified shall be subject to the following percentage adjustments:			
	31.8(A).1 Ninety-five percent (95%) of such value in interim <b>payment certificates</b> issued up to the date of <b>practical completion</b>			
	31.8(A).2 Ninety-seven and half percent (97.5%) of such value in interim <b>payment certificates</b> issued on the date of <b>practical completion</b> and up to but excluding the date of <b>final completion</b>			
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

		Brought Forward		R	
interim paymen	y-nine percent (99%) of t certificates issued or If up to but excluding the rms of 34.6	n the date of <b>final</b>			
the final <b>payme</b> where the amount in such an even	undred percent (100%) nt certificate in terms of the certified is in favour the payment reduction evel applicable to the fi	of 34.6 except of the <b>employer</b> . n shall remain at			
Clause 31.12 is	amended by deleting t	he following:			
	e subject to the <b>emplo</b> x invoice for the amoun				
Fixed: related:	Value related:	Time	Item		
		Carried Forward		R	
Section No. 1 PRELIMINARIE Bill No. 1	S AND GENERAL				

	Brought Forward		R	
32	A32.0 ADJUSTMENT TO THE CONTRACT VALUE			
	Clause 32.0			
	Clauses 32.5.1, 32.5.4 and 32.5.7 are amended by the addition of the following at the end of the sentence:			
	"due to no fault of the <b>contractor</b> "			
	Add the following clauses: 33.2.9 to 33.2.13:			
	33.2.9 the <b>contractor</b> 's failure or neglect to commence with the works on the dates prescribed in the contract			
	33.2.10 the <b>contractor's</b> failure or neglect to proceed with the works in terms of the contract			
	33.2.11 the <b>contractor's</b> failure or neglect for any reason to complete the works in accordance with the contract			
	33.2.12 the <b>contractor's</b> refusal or neglect to comply strictly with any of the conditions of contract or any contract instructions and/or orders in writing given in terms of the contract			
	33.2.13 the <b>contractor's</b> estate being sequestrated; liquidated or surrendered in terms of the insolvency laws in force within the Republic of South Africa.			
	Fixed: Value related: Time related:	Item		
33	A33.0 RECOVERY OF EXPENSE AND LOSS			
	Clause 33.0			
	Fixed: Value related: Time related:	Item		
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

	Brought Forward		R	
34	A34.0 FINAL ACCOUNT AND FINAL PAYMENT			
	Clause 34.0			
	Clause 34.1 is amended by removing "#" next to 34.1			
	Clause 34.2 is amended by inserting "#" next to 34.2			
	Clause 34.13 is amended by replacing "seven (7) calendar days" with "twenty-one (21) calendar days" and deleting the words "subject to the employer giving the contractor a tax invoice for the amount due"			
	Fixed: Value related: Time related:	Item		
35	A35.0 PAYMENT TO OTHER PARTIES			
	Clause 35.0			
	Fixed: Value related: Time related:	Item		
	CANCELLATION			
36	A36.0 CANCELLATION BY EMPLOYER - CONTRACTOR'S DEFAULT			
	Clause 36.0			
	Clause 36.1 is amended by the addition of the following clauses:			
	36.1.3 refuses or neglects to comply strictly with any of the conditions of contract			
	36.1.4 estate being sequestrated, liquidated or surrendered in terms of the insolvency laws in force within the Republic of South Africa			
	36.1.5 in the judgement of the <b>employer</b> , has engaged in <b>corrupt</b> or <b>fraudulent practices</b> in competing for or in executing the contract			
	Clause 36.3 is amended by removing the reference to "No clause" and replacing the words "principal agent" with "employer"			
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

	Brought Forward		R	
	Clause 36.0 is amended by the addition of the following clause:			
	36.3 Remove reference to "No clause", and replace "principal agent" with "employer"			
	36.7 Notwithstanding any clause to the contrary, on cancellation of this <b>agreement</b> either by the <b>employer</b> or the <b>contractor</b> ; or for any reason whatsoever, the <b>contractor</b> shall on written instruction, discontinue with the <b>works</b> on a date stated and withdraw himself from the <b>site</b> . The <b>contractor</b> shall not be entitled to refuse to withdraw from the <b>works</b> on the grounds of any lien or right of retention or on the grounds of any other right whatsoever			
	Fixed: Value related: Time related:	Item		
37	A37.0 CANCELLATION BY EMPLOYER - LOSS AND DAMAGE			
	Clause 37.0			
	Clause 37.3.5 is amended by replacing "ninety (90)" with "one hundred and twenty (120)"			
	Clause 37.0 is amended by the addition of the following clause:			
	37.3.5 Replace "ninety (90)" with "one hundred and twenty (120) and 38.5.4			
	Fixed: Value related: Time related:	Item		
38	A38.0 CANCELLATION BY CONTRACTOR - EMPLOYER'S DEFAULT			
	Clause 38.0			
	Clause 38.5.4 is amended by replacing "ninety (90)" with "one hundred and twenty (120)"			
	Clause 38.0 is amended by the addition of the following clause:			
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

	Brought Forward		R	
	38.7 Notwithstanding any clause to the contrary, on cancellation of this <b>agreement</b> either by the <b>employer</b> or the <b>contractor</b> ; or for any reason whatsoever, the <b>contractor</b> shall on written instruction, discontinue with the <b>works</b> on a date stated and withdraw himself from the <b>site</b> . The <b>contractor</b> shall not be entitled to refuse to withdraw from the <b>works</b> on the grounds of any lien or right of retention or on the grounds of any other right whatsoever			
	Fixed: Value related: Time related:	Item		
39	A39.0 CANCELLATION - CESSATION OF THE WORKS  Clause 39.0  Clause 39.3.5 is amended by the addition of the			
	following at the end of the sentence: "within one hundred and twenty (120) working days of completion of such a report"			
	Fixed: Value related: Time related:	Item		
	Carried Forward Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1		R	

	Brought Forward		R	
	DISPUTE			
40	A40.0 DISPUTE SETTLEMENT			
	Clause 40.0			
	Clause 40.2.2 is amended by replacing "one (1) year" with "three (3) years"			
	Clause 40.6 is amended by removing the reference to:			
	No clause			
	Clause 40.7.1 is amended by replacing "(10)" with "(15)" and by the addition of the following:			
	Whether or not mediation resolves the dispute, the parties shall bear their own costs concerning the mediation and equally share the costs of the <b>mediator</b> and related costs			
	Fixed: Value related: Time related:	Item		
	SUBSTITUTE PROVISIONS			
41	A41.0 STATE CLAUSES			
	Clause 41.0			
	Fixed: Value related: Time related:	Item		
	CONTRACT VARIABLES			
42	A42.0 THE SCHEDULE (C1.2)			
	Clause 42.0			
	Tenderers are referred to the C1.2 CONDITIONS OF CONTRACT AND CONTRACT VARIABLES for variables pertaining to this contract			
	Fixed: Value related: Time related:	Item		
	Totaled	110111		
	Carried Forward		R	_
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

	Brought Forward		R	
'	SECTION B: JBCC PRELIMINARIES			
	B1.0 DEFINITIONS AND INTERPRETATION			
43	B1.1 Definitions and interpretation			
	See also clause A1.0 of Section A for additional and/or amended definitions which shall apply equally to this Section			
	Fixed: Value related: Time related:	Item		
	B2.0 DOCUMENTS			
44	B2.1 Checking of documents			
	Fixed: Value related: Time related:	Item		
45	B2.2 Provisional bills of quantities			
	Fixed: Value related: Time related:	Item		
46	B2.3 Availability of construction documentation			
	Fixed: Value related: Time related:	Item		
47	B2.4 Interests of agents			
	Fixed: Value related: Time related:	Item		
48	B2.5 Priced documents			
	Fixed: Value related: Time related:	Item		
			_	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1		R	

	Brought F	orward	R
49 <b>B2.6</b>	Tender submission		
	2.6 is amended by replacing "JBCC Form ' with "Form of Offer and Acceptance DPW '		
Fixed:_ related	Value related:	_ Time Item	
B3.0	THE SITE		
50 <b>B3.1</b>	Defined works area		
Fixed:_ related	Value related:	_ Time Item	
51 <b>B3.2</b>	Geotechnical investigation		
Fixed:_ related	Value related:	_ Time Item	
52 <b>B3.3</b>	Inspection of the site		
Fixed:_ related	Value related:	_ Time Item	
53 <b>B3.4</b>	Existing premises occupied		
Fixed:_ related	Value related:	_ Time Item	
54 <b>B3.5</b>	Previous work - dimensional accuracy		
	Value related:	_ Time Item	
55 <b>B3.6</b>	Previous work - defects		
Fixed:_ related	Value related:	_ Time Item	
56 <b>B3.7</b>	Services - known		
Fixed:_ related	Value related:	_ Time Item	
	Carried F	Forward	R
Section PRELII Bill No.	IINARIES AND GENERAL		

	Brought Forward		R	
7	B3.8 Services - unknown			ľ
	Fixed: Value related: Time			
	related:	Item		
8	B3.9 Protection of trees			
	Fixed: Value related: Time	14		
	related:	Item		
9	B3.10 Articles of value			
	Fixed: Value related: Time			
	related:	Item		
0				
	B3.11 Inspection of adjoining properties			
	Fixed: Value related: Time	lt a ma		
	related:	Item		
	<b>B4.0 MANAGEMENT OF CONTRACT</b>			
1	B4.1 Management of the works			
	Fixed: Value related: Time			
	related: R	Item		
2	B4.2 Programme for the works			
	-			
	Fixed: Value related: Time related:	Item		
	Telateu	item		
3	B4.3 Progress meetings			
	Fixed: Value related: Time			
	related:	Item		
4	B4.4 Technical meetings			
	Fixed: Value related: Time related:	Item		
5	B4.5 Labour and plant records			
	Fixed: Value related: Time			
	related:	Item		
			_	
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL			
	Bill No. 1			
		1	i .	

	Brought Forward	R	
	B5.0 SAMPLES, SHOP DRAWINGS AND MANUFACTURERS' INSTRUCTIONS		
66	B5.1 Samples of materials		
	Fixed: Value related: Time related:	Item	
67   <i>1</i>	B5.2 Workmanship samples		
	Fixed: Value related: Time related:	Item	
8 8	B5.3 Shop drawings		
	Fixed: Value related: Time related:	Item	
9 1	B5.4 Compliance with manufacturers' instructions		
	Fixed: Value related: Time related:	Item	
<u> </u>	B6.0 TEMPORARY WORKS AND PLANT		
0	B6.1 Deposits and fees		
	Fixed: Value related: Time related:	Item	
1 /	B6.2 Enclosure of the works		
	Fixed: Value related: Time related:	Item	
2	B6.3 Advertising		
1	Fixed: Value related: Time related:	Item	
3	B6.4 Plant, equipment, sheds and offices		
	Fixed: Value related: Time related:	Item	
	Carried Forward	R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1		

Brought Forward	R	
B6.5 Main notice board		
Fixed: Value related: Time		
related:	Item	
B6.6 Subcontractors' notice board		
Fixed: Value related: Time		
related:	Item	
B7.0 TEMPORARY SERVICES		
B7.1 Location		
Fixed: Value related: Time		
related:	Item	
B7.2 Water		
Fixed: Value related: Time		
related:	Item	
B7.3 Electricity		
Fixed: Value related: Time		
related:	Item	
B7.4 Telecommunication facilities		
Fixed: Value related: Time		
related:	Item	
B7.5 Ablution facilities		
Fixed: Value related: Time		
related:	Item	
B8.0 PRIME COST AMOUNTS		
B8.1 Responsibility for prime cost amounts		
Fixed: Value related: Time		
related:	Item	
Carried Forward	R	
Section No. 1		
PRELIMINARIES AND GENERAL Bill No. 1		

Brought	Forward	R	
General attendance			
Value related:	Time	n	
Special attendance			
Value related:	Time	m	
Commissioning - fuel, water and elect	ricity		
Value related:	_ Time	n	
INANCIAL ASPECTS			
Statutory taxes, duties and levies			
Value related:	_ Time	n	
Payment for preliminaries			
Value related:	_ Time	n	
Adjustment of preliminaries			
teen (15) <b>working days</b> of taking posse <b>e</b> " with "when submitting his priced <b>bills</b>	ssion		
Value related:	_ Time	n	
Payment certificate cash flow			
Value related:		n	
Carried	Forward	R	
NARIES AND GENERAL			
	ATTENDANCE ON N/S NTRACTORS  General attendance  Value related:  Value related:	Seneral attendance	ATTENDANCE ON N/S NTRACTORS  General attendance

	Brot	ight Forward		R
B11.0 GENI	<u>ERAL</u>			
B11.1 Prote	ction of the works			
Fixed:related:	Value related:	Time	Item	
B11.2 Prote	ction / isolation of existing / rks	sectionally		
Fixed:related:	Value related:	Time	Item	
B11.3 Secui	rity of the works			
Fixed:related:	Value related:	Time	Item	
B11.4 Notice	e before covering work			
Fixed: related:	Value related:	Time	Item	
B11.5 Distu	rbance			
Fixed:related:	Value related:	Time	Item	
B11.6 Envir	onmental disturbance			
Fixed:related:	Value related:	Time	Item	
B11.7 Works	s cleaning and clearing			
Fixed:related:	Value related:	Time	Item	
B11.8 Verm	in			
Fixed:related:	Value related:	Time	Item	
	Car	ried Forward		R
Section No. 1 PRELIMINARI Bill No. 1	ES AND GENERAL			

	Brought Forward		R	
97	B11.9 Overhand work			
	Fixed: Value related: Time related:	Item		
98	B11.10 Instruction manuals and guarantees			
	Fixed: Value related: Time related:	Item		
99	B11.11 As built information			
	Fixed: Value related: Time related:	Item		
100	B11.12 Tenant installations			
	Fixed: Value related: Time related:	Item		
	B12.0 SCHEDULE OF VARIABLES			
101	B12.1 Schedule of variables			
	Fixed: Value related: Time related:	Item		
	This <b>schedule</b> contains all variables referred to in this document and is divided into pre-tender and post-tender categories. The pre-tender category must be completed in full and included in the tender documents. Both the pre-tender and post-tender categories form part of these <b>Preliminaries</b>			
	Spaces requiring information must be filled in, shown as "not applicable" or deleted and not left blank. Where choices are offered, the non-applicable items are to be deleted. Where insufficient space is provided the information should be annexed hereto and cross-referenced to the applicable clause of the <b>schedule</b> . Key cross reference clauses are italicised in [ ] brackets			
	Carried Forward Section No. 1		R	
	PRELIMINARIES AND GENERAL Bill No. 1			

	Brought Forward	R	
12.1 PRE-TENDER INFORMATIO	N		
12.1.1 <b>Provisional bills of quantitie</b> [2.2] The quantities are provisional			
	YES		
12.1.2 <b>Availability of construction</b> [2.3] Construction documentation is	documentation s complete		
	YES		
12.1.3 <i>Interests of agents</i> [2.4] Details:			
12.1.4 <b>Defined works area</b> [3.1] Details:			
12.1.5 <b>Geotechnical investigation</b> [3.2] Details:			
12.1.6 <i>Existing premises occupied</i> [3.4] Specific requirements:	d		
12.1.7 <b>Previous work - dimensiona</b> [3.5] Details:	al accuracy		
12.1.8 <i>Previous work - defects</i> [3.6] Details:			
12.1.9 <b>Services - known</b> [3.7] Details:			
12.1.10 <b>Protection of trees</b> [3.9] Specific requirements:			
Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1	Carried Forward	R	

etion of adjoining prop c requirements: sure of the works c requirements:	perties			
c requirements:				
c requirements: entractor shall provide, e on completion of the welusive use of the princium size 4 x 3 x 3m high ed and ventilated, providual and fitted with boarded drawing stool, drawing be for drawings. The office	works an office for ipal agent, internally, suitably ded with electric d floor, desk, board and lock-up ce shall be kept			
c requirements: contractor shall provide, d, maintain and remove rks a notice board size g GEN 063, constructed g with flat smooth surfat bead 19mm thick round ing 12mm from face of led on front edge. The board dy fixed to hoarding, who ed, or fixed to and include ting structure of timber of acces. The board is to be and the bead and 12mm ark green. All wording s green as per the coat of g shall be inscribed in de	e on completion of 3 x 3m as type d of suitable ace and with d outer edges and boarding and board shall be ere hoarding is ding a suitable or tubular posts e painted ivory wide dividing shall be inscribed of arms for SA. All			
	rd			
c requirements:	NO			
	Carried Forward		R	
Cute gone mino on pitie electrica la Compa	clusive use of the princ um size 4 x 3 x 3m high ted and ventilated, proving and fitted with boarded drawing stool, drawing the first for use at all time and fit for use and fit for use and the board size and the bead and 12mm ark green. All wording start green as per the coat of the fit for use and the terming structure of timber are green as per the coat of the fit for use and the terming structure of time are green as per the coat of the fit fit for use and the terming the fit fit for use of the fit fit fit for use of the fit	ic requirements: contractor shall provide, erect where ed, maintain and remove on completion of corks a notice board size 3 x 3m as type ing GEN 063, constructed of suitable ing with flat smooth surface and with globead 19mm thick round outer edges and ting 12mm from face of boarding and ed on front edge. The board shall be ealy fixed to hoarding, where hoarding is ed, or fixed to and including a suitable riting structure of timber or tubular posts faces. The board is to be painted ivory and the bead and 12mm wide dividing lark green. All wording shall be inscribed a green as per the coat of arms for SA. All ag shall be inscribed in dark green painted derif lettering.  Intractors' notice board for board is required.  In Carried Forward  Carried Forward	clusive use of the <b>principal agent</b> , um size 4 x 3 x 3m high internally, suitably ted and ventilated, provided with electric g and fitted with boarded floor, desk, drawing stool, drawing board and lock-up rs for drawings. The office shall be kept and fit for use at all times  **motice board** ic requirements:  **ontractor** shall provide, erect where ed, maintain and remove on completion of orks a notice board size 3 x 3m as type ng GEN 063, constructed of suitable ng with flat smooth surface and with globad 19mm thick round outer edges and ting 12mm from face of boarding and ed on front edge. The board shall be eatly fixed to hoarding, where hoarding is ed, or fixed to and including a suitable riting structure of timber or tubular posts races. The board is to be painted ivory and the bead and 12mm wide dividing lark green. All wording shall be inscribed to green as per the coat of arms for SA. All the inscribed in dark green painted be inscribed in dark green painted be board is required  **NO**  **Carried Forward**  **Carried Forward**	clusive use of the <b>principal agent</b> , um size 4 x 3 x 3m high internally, suitably ted and ventilated, provided with electric g and fitted with boarded floor, desk, drawing stool, drawing board and lock-up rs for drawings. The office shall be kept and fit for use at all times intractor shall provide, erect where ead, maintain and remove on completion of borks a notice board size 3 x 3m as type ng GEN 063, constructed of suitable ng with flat smooth surface and with g bead 19mm thick round outer edges and ting 12mm from face of boarding and ad on front edge. The board shall be ely fixed to hoarding, where hoarding is eld, or fixed to and including a suitable riting structure of timber or tubular posts aces. The board is to be painted ivory and the bead and 12mm wide dividing lark green. All wording shall be inscribed a green as per the coat of arms for SA. All no shall be inscribed in dark green painted verif lettering contractors' notice board see board is required  **NO**  **Carried Forward**  **Ro**  **Carried Forward**  **Carried Forward**  **Ro**  **Carried Forward**

12.1.16 <i>Water</i> [7.2] Option A (by contractor)  Option B (by employer - free	NO		
	of charge)		
	NO		
Ontion C (by <b>employer</b> - mete		II.	
Ontion C (by <b>employer</b> - mete	ered)		
option o (by chiployer met	siou)		
	YES		
12.1.17 <i>Electricity</i> [7.3] Option A (by contractor)			
	NO		
Option B (by <b>employer</b> - free	of charge)		
	NO		
Option C (by <b>employer</b> - mete	ered)		
	YES		
12.1.18 <i>Telecommunications</i> [7.4] Telephone			
YES			
Facsimile			
	YES		
E-mail			
	YES		
Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1	Carried Forward	R	

Brought Forward	R	
12.1.19 <i>Ablution facilities</i>		
[7.5] Option A (by <b>contractor</b> )		
YES		
Option B (by <b>employer</b> )		
NO		
12.1.20 Protection of existing/sectionally occupied works		
[11.2] Protection is required		
NO		
12.1.21 Special attendance		
[9.2] Subcontractor (1) details:		
Subcontractor (2) details:		
Subcontractor (3) details:		
0.0000000000000000000000000000000000000		
Subcontractor (4) details:		
12.1.22 Protection of the works		
[11.1] Specific requirements:		
12.1.23 Disturbance		
[11.5] Specific requirements:		
The <b>contractor</b> shall keep the site, structures,		
etc well watered during operations to prevent dust and shall provide and erect and remove on		
completion of the <b>works</b> all necessary		
temporary dust screens all to the satisfaction of		
the <b>principal agent</b>		
12.1.24 Environmental disturbance		
[11.6] Specific requirements:		
12.2 POST-TENDER INFORMATION		
Carried Forward	R	
Section No. 1		
PRELIMINARIES AND GENERAL		
Bill No. 1		

	Brought Forward	R	
12.2.1 <i>Payment</i> [10.2] Option A	of preliminaries (prorated)		
	NO		
Option B	(calculated)		
	YES		
12.2.2 <b>Adjustmo</b> [10.3] Option A	ent of preliminaries (three categories)		
	NO		
Option B	(detailed breakdown)		
	YES		
12.2.3 <b>Addition</b> Details:	al agreed preliminaries items		
	Carried Forward	R	
Section No. 1			
PRELIMINARIES Bill No. 1	AND GENERAL		

	Brought Forward		R	
l	SECTION C: SPECIFIC PRELIMINARIES			
	<b>Section C</b> contains specific preliminary items which apply to this contract except where N/A (Not Applicable) appears against an item			
102	C1.0 CONTRACT DRAWINGS			
	The drawings issued with the tender documents do not comprise the complete set but serve as a guide only for tendering purposes and for indicating the scope of the work to enable the tenderer to acquaint himself with the nature and extent of the <b>works</b> and the manner in which they are to be executed			
	Should any part of the drawings not be clearly understood by the tenderer he shall, before submitting his tender, obtain clarification in writing from the principal agent			
	Fixed: Value related: Time related:	Item		
103	C2.0 GENERAL PREAMBLES			
	The document "Specification of Materials and Methods to be used - PW371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014)." is obtainable on the Department's website (http://www.publicworks.gov.za/ under "Consultants Guidelines"), and shall be read in conjunction with the bills of quantities / lump sum document and be referred to for the full descriptions of work to be done and materials to be used			
	Fixed: Value related: Time related:	Item		
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

	Brought Forward		R	
104	C3.0 TRADE NAMES			
	Wherever a trade name for any product has been described in the bills of quantities / lump sum document, the tenderer's attention is drawn to the fact that any other product of equal quality may be used subject to the written approval of the principal agent being obtained prior to the closing date for submission of tenders			
	If prior written approval for an alternative product is not obtained, the product described shall be deemed to have been tendered for			
	Fixed: Value related: Time related:	Item		
105	C4.0 HIV/AIDS AWARENESS			
	It is required of the <b>contractor</b> to thoroughly study the HIV/AIDS Specification (PW 1544) of the Department that must be read together with and is deemed to be incorporated under this Section of the <b>bills of quantities / lump sum document</b> . Provision for pricing of HIV/AIDS awareness is made under items C10.1 to C10.5 hereafter and it is explicitly pointed out that all requirements of the aforementioned specification are deemed to be priced hereunder, as the said items represent the only method of measurement and no additional items or extras to the contract in this regard shall be entertained			
	The contractor must take note that compliance with the HIV/AIDS Specification is compulsory. In the event of partial or total non-compliance, the principal agent, notwithstanding the provisions of clause A 31.0 of Section A or any other clause to the contrary, reserves the right to delay issuing any progress payment certificate until the contractor provides satisfactory proof of compliance. The contractor shall not be entitled to any compensation of whatsoever nature, including interest, due to such delay of payment			
	Commind Formulard			
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1		R	

C4.1 AWARENESS CHAMPION Selection, appointment, briefing and making available of		l II
Selection appointment briefing and making available of		
an Awareness Champion including provision of all		
relevant services, all in accordance with the HIV/AIDS		
Specification Value related:		
Fixed:Value related:	Itom	
Time related:	Item	
C4.2 AWARENESS WORKSHOPS		
Selection and appointment of a competent Service		
Provider approved by the <b>principal</b>		
agent, provision of a Service Provider Workshop Plan		
and a suitable venue, conducting of awareness		
workshops by means of traditional and/or modern multi-		
media techniques, including follow-up courses, making		
available all tuition material and performing assessment		
procedures, all in accordance with the HIV/AIDS		
Specification		
Fixed:Value related:		
Time related:	Item	
CA 2 DOSTEDS DOOKLETS VIDEOS ETC		
C4.3 POSTERS, BOOKLETS, VIDEOS, ETC. Provision, displaying, maintaining and replacing when		
necessary of four plastic		
laminated posters, booklets and educational videos, etc.		
for the duration of the		
construction period, all in accordance with the		
HIV/AIDS Specification		
Fixed: Value related: Time related:	Item	
Time related.		
C4.4 ACCESS TO CONDOMS		
Provision and maintenance of condom dispensers fixed		
in position, including male and		
female condoms, replenishing male and female		
condoms on a daily basis as required for the duration of		
the <b>construction period</b> , all in accordance with the		
HIV/AIDS		
Specification		
Fixed: Value related:		
Time related:	Item	
		<b>II</b>
Osmisd Famused		Ы
Carried Forward		R
Section No. 1		R
		R

Brought Forward		R	
C4.5 MONITORING  Monitoring HIV/AIDS awareness of workers, providing the principal agent with access to information including making available all reports, thoroughly completed and reflecting the correct information, for the duration of the construction period and close out, all in accordance with the HIV/AIDS Specification			
Fixed: Value related: Time related:	Item		
Carried to Cluster Summary		R	
Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

Item No		Unit	Quantity	Rate	Amount	—
	SECTION 2					
	BILL NO.1					
	REFURBISHMENTS					
	SUPPLEMENTARY PREAMBLES					
	For preambles see "Specifications of materials and methods to be used - PW 371"					
	SUPPLEMENTARY PREAMBLES					
	<u>View site</u>					
	Before submitting his tender the contractor shall visit the site and satisfy himself as to the nature and extent of the work to be done and the value of the materials contained in the buildings or portions of the buildings to be demolished. No claim for any variations of the contract sum in respect of the nature and extent of the work or of inferior or damaged materials will be entertained					
	Carried Forward			R		
	Section No. 2 BUILDING WORKS Bill No. 1			ı K		

## THE MVULA TRUST

Brought Forward	R	
Existing structuresIn taking down and removing		
existing work, the utmostcare shall be observed		
to prevent any structural or otherdamage to the		
remaining portions of the building and		
theContractor shall provide all shoring,		
needling, strutting,etc. to ensure the stability of		
all structures during thealteration work. Any		
damage to the structure and/orbuilding as well		
as the rectification of same will be forthe		
Contracor's account.SUPPLEMENTARY		
PREAMBLESServicesSpecial care shall be		
exercised during the progress ofthe work to		
ensure that electrical installation, watersupply		
pipes, gas and oxygen supply pipes, telephoneand other services which may be		
encountered are notinterfered with and notice		
shall be given to theRepresentative Agent if any		
disconnection or alterationsbecome		
necessary.Dust and noiseThe Contractor is to		
take all necessary precautions tothe		
satisfaction of the Representative Agent to		
preventany nuisance from the dust and/or noise		
whilst carryingout the work.Disposal of		
debrisThe Contractor shall be responsible for		
the removal fromsite of all materials, debris and		
rubbish resulting fromthe work and the removal is deemed to be included inthe rates unless		
otherwise specified.		
Explosives		
No explosives whatsoever may be used for demolition		
purposes unless otherwise stated		
General		
The contractor shall carry out the whole of the works		
with as little mess and noise as possible and with a		
minimum of disturbance to adjoining premises and their		
tenants. He shall provide proper protection and provide,		
erect and remove when directed, any temporary tarpaulins that may be necessary during the progress of		
the works, all to the satisfaction of the principal agent		
O-mi-d F-m		
Carried Forward	R	
Section No. 2 BUILDING WORKS		
Bill No. 1		
	1	

Water supply pipes and other piping that may be encountered and found necessary to disconnect or cut, shall be effectually stopped off or grubbed up and removed, and any new connections that may be necessary shall be made with proper fittings, to the satisfaction of the principal agent  Doors, fanlights, fittings, frames, linings, etc which are to be re-used shall be thoroughly overhauled before refixing including taking off, easing and rehanging, cramping up, re-wedging as required and making good cramps, dowels, etc, and easing, oiling, adjusting and repairing lionimongery as necessary, replacing any glass damaged in removal or subsequently and stopping up all nail and screw holes with inted plastic wood to match timber, unless otherwise described. Re-painting or re-vamishing is given separately  Prices for taking out of doors, windows, etc shall include for removal of all beads, architraves, ironmongery, etc  Prices for taking out and removing doors and frames shall include for removing door stops, cabin hooks, etc and making good floor and wall finishes to match existing  With regard to building up of openings in existing walls, cement screeds and pavings, granolithic, tops of walls, etc, shall be levelled and prepared for raising of brickwork  Making good of finishes shall include making good of the brick and concrete surfaces onto which the new finishes are applied, where necessary  The contractor will be required to take all dimensions affecting the existing buildings on the site and he will be held solely responsible for the accuracy of all such dimensions where used in the manufacture of new items (doors, windows, fittings, etc)  Alterations to the roof and roof trusses are measured with the carpentry and joinery and the roofing  LOCATIONS  A - Girls Ablution Blocks  C - Staff Ablution Blocks	Brought Forward	F	3
be re-used shall be thoroughly overhauled before refixing including taking off, easing and rehanging, cramping up, re-wedging as required and making good cramps, dowels, etc, and easing, oiling, adjusting and repairing ironmongery as necessary, replacing any glass damaged in removal or subsequently and stopping up all nail and screw holes with tinted plastic wood to match timber, unless otherwise described. Re-painting or re-varnishing is given separately  Prices for taking out of doors, windows, etc shall include for removal of all beads, architraves, ironmongery, etc  Prices for taking out and removing doors and frames shall include for removing door stops, cabin hooks, etc and making good floor and wall finishes to match existing  With regard to building up of openings in existing walls, cement screeds and pavings, granolithic, tops of walls, etc, shall be levelled and prepared for raising of brickwork  Making good of finishes shall include making good of the brick and concrete surfaces onto which the new finishes are applied, where necessary  The contractor will be required to take all dimensions affecting the existing buildings on the site and he will be held solely responsible for the accuracy of all such dimensions where used in the manufacture of new items (doors, windows, fittings, etc)  Alterations to the roof and roof trusses are measured with the carpentry and joinery and the roofing  LOCATIONS  A - Girls Ablution Blocks	encountered and found necessary to disconnect or cut, shall be effectually stopped off or grubbed up and removed, and any new connections that may be necessary shall be made with proper fittings, to the		
for removal of all beads, architraves, ironmongery, etc  Prices for taking out and removing doors and frames shall include for removing door stops, cabin hooks, etc and making good floor and wall finishes to match existing  With regard to building up of openings in existing walls, cement screeds and pavings, granolithic, tops of walls, etc, shall be levelled and prepared for raising of brickwork  Making good of finishes shall include making good of the brick and concrete surfaces onto which the new finishes are applied, where necessary  The contractor will be required to take all dimensions affecting the existing buildings on the site and he will be held solely responsible for the accuracy of all such dimensions where used in the manufacture of new items (doors, windows, fittings, etc)  Alterations to the roof and roof trusses are measured with the carpentry and joinery and the roofing  LOCATIONS  A - Girls Ablution Blocks  B - Boys Ablution Blocks	be re-used shall be thoroughly overhauled before refixing including taking off, easing and rehanging, cramping up, re-wedging as required and making good cramps, dowels, etc, and easing, oiling, adjusting and repairing ironmongery as necessary, replacing any glass damaged in removal or subsequently and stopping up all nail and screw holes with tinted plastic wood to match timber, unless otherwise described. Re-painting		
shall include for removing door stops, cabin hooks, etc and making good floor and wall finishes to match existing  With regard to building up of openings in existing walls, cement screeds and pavings, granolithic, tops of walls, etc, shall be levelled and prepared for raising of brickwork  Making good of finishes shall include making good of the brick and concrete surfaces onto which the new finishes are applied, where necessary  The contractor will be required to take all dimensions affecting the existing buildings on the site and he will be held solely responsible for the accuracy of all such dimensions where used in the manufacture of new items (doors, windows, fittings, etc)  Alterations to the roof and roof trusses are measured with the carpentry and joinery and the roofing  LOCATIONS  A - Girls Ablution Blocks  B - Boys Ablution Blocks			
cement screeds and pavings, granolithic, tops of walls, etc, shall be levelled and prepared for raising of brickwork  Making good of finishes shall include making good of the brick and concrete surfaces onto which the new finishes are applied, where necessary  The contractor will be required to take all dimensions affecting the existing buildings on the site and he will be held solely responsible for the accuracy of all such dimensions where used in the manufacture of new items (doors, windows, fittings, etc)  Alterations to the roof and roof trusses are measured with the carpentry and joinery and the roofing  LOCATIONS  A - Girls Ablution Blocks  B - Boys Ablution Blocks	shall include for removing door stops, cabin hooks, etc and making good floor and wall finishes to match		
the brick and concrete surfaces onto which the new finishes are applied, where necessary  The contractor will be required to take all dimensions affecting the existing buildings on the site and he will be held solely responsible for the accuracy of all such dimensions where used in the manufacture of new items (doors, windows, fittings, etc)  Alterations to the roof and roof trusses are measured with the carpentry and joinery and the roofing  LOCATIONS  A - Girls Ablution Blocks  B - Boys Ablution Blocks	cement screeds and pavings, granolithic, tops of walls, etc, shall be levelled and prepared for raising of		
affecting the existing buildings on the site and he will be held solely responsible for the accuracy of all such dimensions where used in the manufacture of new items (doors, windows, fittings, etc)  Alterations to the roof and roof trusses are measured with the carpentry and joinery and the roofing  LOCATIONS  A - Girls Ablution Blocks  B - Boys Ablution Blocks	the brick and concrete surfaces onto which the new		
with the carpentry and joinery and the roofing  LOCATIONS  A - Girls Ablution Blocks  B - Boys Ablution Blocks	affecting the existing buildings on the site and he will be held solely responsible for the accuracy of all such dimensions where used in the manufacture of new items		
A - Girls Ablution Blocks B - Boys Ablution Blocks			
B - Boys Ablution Blocks	<b>LOCATIONS</b>		
	A - Girls Ablution Blocks		
C - Staff Ablution Blocks	B - Boys Ablution Blocks		
	C - Staff Ablution Blocks		
Carried Forward R Section No. 2 BUILDING WORKS	Section No. 2	F	R

	Brought Forward			R	
	Old materials to become the property of theContractorOld materials from the alterations, except wheredescribed to be re-used or handed over, become theproperty of the Contractor who must allow credit forsame in the Final Summary.Old materials to be carted awayOld materials from the alterations, except wheredescribed to be re-used or handed over, as well as allrubbish, etc. must regularly be carted away from siteand not be allowed to accumulate on or around the site.Old materials not to be re-usedNone of the old materials are to be re-used for newwork, except where specifically described as being setaside for re-use.Handing over of materialsWhere certain materials or articles from demolitions oralterations are described as to be handed over by theContractor to the Representative/ Agent, such materialsor articles shall be properly stored by the Contractor must obtainan official receipt listing materials or articles and datesof handing over. If the Contractor fails to submit thereceipt when requested, it shall be deemed that thematerials or articles are still in his possession and hewill be held liable to the Department for the fullreplacement value thereof, which amount will bededucted from any monies due to the Contractor.  REMOVAL OF EXISTING WORK				
	Taking out, removing doors, windows,etc including thresholds				
1	Timber single door  A:5 B:5 C:4  Taking down and removing ceilings including cornices, timber brandering etc	No	14		
2	Ceilings, cornices etc  A: 107 B: 104 C: 0  INSPECTING, SERVICING, REMOVING OF EXISTING TOILET SEAT COVERS	m2	210		
	Carried Forward Section No. 2 BUILDING WORKS Bill No. 1			R	

	Brought Forward			R	
	Inspect existing galvanised metal roof coverings for leaks, remove loose roof screws and replace with new 100mm long screws with and including new domed roof washer with sealant attached:				
3	Existing roof coverings A:119 B:119 C:21	m2	259		
	SUNDRIES				
4	Allowance cleaning and clearing before work commences on ablution block  A: 0.00 B: 0.00 C: 1.00		Item		
5	Allowance for oil treatment of existing timber trusses, purlins and wall plates		ltem		
6	A: 0.00 B: 0.00 C: 1.00  Allowance for isolated roof leaks  A: 0.00 B: 0.00 C: 1.00		Item		
7	Service and repair all pivot and locking mechanisms of existing steel windows  A: 15 B: 18 C: 2	No	35		
	Breaking down and removing brickwork etc				
8	One brick walls  A: 10 B: 12 C: 0	m2	22		
	Take out and remove doors, etc, including thresholds, set aside for handing over to the employer and prepare frame to receive new doors in similar position (doors measured elsewhere)				
9	Timber single door and frame not exceeding 2,5m² A:13 B:9 C:4	No	26		
10	Burglar bars: 1500 x 2100mm high A:1 B:1 C:1	No	3		
11	Steel window frame A:6 B:8 C:5	No	19		
	Carried Forward Section No. 2 BUILDING WORKS Bill No. 1			R	

	Brought Forward			R	
	Take out and remove broken window panes from steel windows and prepare frame to receive new glazing in similar position (glazing measured elsewhere)				
12	Window glass panes	m2	15		
	A:5 B:7 C:3				
	Taking out and removing ironmongery				
13	Mortice lockset from timber door	No	35		
	A:15 B:15 C:5				
14	Door closer from timber door and frame	No	2		
	A:0 B:0 C:2				
15	Toilet paper holder from wall  A:0 B:0 C:2	No	2		
	Hacking up/off and removing granolithic, screeds, plaster, etc from concrete or brickwork and preparing surfaces for new screed, plaster, tile finishes, etc				
16		0	00.4		
	80mm Screed from floors A: 107 B: 107 C: 21	m2	234		
17	Internal plaster from walls and columns	m2	340		
	A:107 B:163 C:70				
	Hacking up/off and removing ceramic tiles including removing mortar bed or adhesive from concrete or brickwork and preparing surfaces for new screed, plaster, tile finish, etc				
18	Tiles to floors	m2	274		
	A: 124 B: 124 C: 26				
19	Tiles to walls	m2	12		
	A:0 B:0 C:12  Taking out and removing piping, including cutting off as necessary, holderbats and making good floor and wall finishes (making good tiling and paintwork elsewhere)				
20	UPVC piping not exceeding 110mm internal diameter	m	67		
	A: 26 B: 24 C: 17				
	Carried Forward Section No. 2 BUILDING WORKS Bill No. 1			R	

	Brought Forward			R	
	Taking out and removing sanitary fittings, tanks, geysers, etc, including disconnecting from pipes, traps, etc and making good floor and wall finishes (making good tiling and paintwork elsewhere)				
21	Stainless steel wash hand basin  A:5  B:5  C:2	No	12		
22	Vitreous china WC pan with cistern and flush pipe  A: 25 B: 25 C: 5	No	55		
23	Vitreous china wall hung urinal with flush valve and flush pipe	No	6		
	A:0 B:5 C:1				
	MAKING GOOD OF FINISHES ETC				
	Making good face brickwork				
24	Cleaning of the facebrick on the outside and inside  A: 124  B: 124  C: 21	m2	269		
	Making good paint work				
25	Internal walls	m2	615		
	A: 263 B: 297 C: 55				
	SUNDRIES				
26	Allowance for unblocking existing blocked sewer		Item		
	A: 0.00 B: 0.00 C: 1.00				
27	Allowance for testing, servicing and repair all Mechanical equipment on site		Item		
	A: 0.00 B: 0.00 C: 1.00				
28	Allow for detection of all services		Item		
	A: 0.00 B: 0.00 C: 1.00				
					_
	Carried Forward to Summary of Section No. 2			R	
	Section No. 2 BUILDING WORKS				
	Bill No. 1				

Item No		Unit	Quantity	Rate	Amount
	SECTION 2				
	BILL NO.2				
	BRICKWORK				
	SUPPLEMENTARY PREAMBLES				
	For preambles see "Specifications of materials and methods to be used - PW 371"				
	BRICKWORK				
	Sizes in descriptions				
	Where sizes in descriptions are given in brick units, "one brick" shall represent the length and "half brick" the width of a brick				
	Hollow walls etc				
	Descriptions of hollow walls shall be deemed to include leaving every fifth perpend of the bottom course of the external skin open as a weep hole.				
	Walls in two skins described as "bagged and sealed" shall be deemed to include having the outer face of the inner skin bagged with 1:6 cement and sand mixture and sealed with two coats "Brixeal" bitumen emulsion waterproofing coating.				
	User note: The above preamble generally applies for works in hot and humid coastal areas				
	Face bricks				
	Bricks shall be ordered timeously to obtain uniformity in size and colour				
	Pointing				
	Descriptions of recessed pointing to fair face brickwork and face brickwork shall be deemed to include square recessed, hollow recessed, weathered pointing, etc				
	Carried Forward Section No. 2 BUILDING WORKS Bill No. 2			R	
	Dill 110. Z				

	Brought Forward			R	
	SAMPLES				
	Samples of all masonry building units, except those for walls units. Samples of building units to be used in walls described as "load bearing" shall consist of 30 units from every 30 000 units delivered to site described as "load bearing", shall consist of a minimum of 6				
	LOCATIONS				
	A - Girls Ablution Blocks				
	B - Boys Ablution Blocks				
	C - Staff Ablution Blocks				
	SUPERSTRUCTURE				
	Brickwork of NFP bricks in class II mortar				
1	Half brick walls A: 190 B: 198 C: 23	m2	411		
	Joint forming material in movement joints				
2	Vertical separation joint between brick- and/or concrete surfaces formed with 13mm bitumen impregnated softboard joint filler not exceeding 300mm high including raking out for a depth 12mm and finish off with 12 x 13mm bituminous filling.  A: 14  B: 14  C: 7	m	34		
	BRICKWORK SUNDRIES				
	Brick reinforcement				
3	75mm Wide reinforcement built in horizontally A: 731 B: 763 C: 90	m	1,584		
	Carried Forward to Summary of Section No. 2 Section No. 2			R	
	BUILDING WORKS Bill No. 2				

Item No		Quantity	Rate	Amount
	SECTION 2			
	BILL NO.3			
	CARPENTRY AND JOINERY			
	SUPPLEMENTARY PREAMBLES			
	For preambles see "Specifications of materials and methods to be used - PW 371"			
	SUPPLEMENTARY PREAMBLES			
	Particle board:			
	Particle board shall comply with the following specifications:			
	a) SABS 1300 Particle board: exterior and flooring type			
	b) SABS 1301 Particle board: interior type			
	<u>Joinery:</u>			
	Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc			
	Descriptions of hardwood joinery shall be deemed to include pelleting of bolt holes			
	<u>Fixing</u>			
	Items described as "nailed" shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete			
	ROOFS ETC			
	Plate nailed timber roof truss construction			
	The following is applicable in respect of roof trusses:			
	Trusses are at maximum 760mm centres			
	The dimensions in the descriptions of the trusses are nominal and actual measurements are to be obtained from the Employer's Agent and/or the site before design or fabrication commences			
	Carried Forward		R	
	Section No. 2 BUILDING WORKS Bill No. 3			

	Brought Forward	R	
DESCRIPTIONS			
The term "planted on" shall mean the timber member to another	ne nailing of one		
The term "screwed on" shall mean a screwing of one timber member to a "plugged" shall mean the countersu timber member to and including plat brickwork or concrete	another The term ink screwing of a		
Descriptions of floors, ceilings, joine deemed to include for all square cu items given in linear metre shall be for mitres, stopped ends, fitted inter Descriptions of rounded angles, rechamfers, moulded edges, etc. sha include for angles, ends, etc.	tting. Descriptions of deemed to include sections, etc. pates, grooves,		
PREFABRICATED ROOFS, ET	<u>c.</u>		
a) The design, manufacture and tra roof trusses, bracing, etc. shall be a registered Engineer in accordance shall be required from the manufact lodge a written guarantee that his condesigned by a qualified Structural E is in possession of a capability certification for Timber Construction and Representative/Agent.	under the control of a with SABS 0243. It turer of the trusses to construction has been ingineer and that he ficate issued by the		
b) Erection must be carried out as of Erection and Bracing of Timber Roo by the Truss Plate Association of So the National Timber Research Instit	of Trusses" published outh Africa Ltd. and		
c) Descriptions of roof trusses shall include for design, manufacture, su fixing in position, trimming ends, no any temporary and permanent brac	pply, hoisting and tching, etc. and for		
Prefabricated plate nailed timber ro	of truss construction		
LOCATIONS			
A - Girls Ablution Blocks			
B - Boys Ablution Blocks			
C - Staff Ablution Blocks			
Section No. 2 BUILDING WORKS	Carried Forward	R	

1	Sawn softwood trusses  Roof construction to pitched roof with 10 degree pitch approximately 13100 x 7100mm on plan sloping with				
	approximately 13100 x 7100mm on plan sloping with				l
	1000mm eaves overhang one one end, including wall plates, trusses, jack rafters, hip rafters, permanent bracing and purlins. Exposed rafters to be treated with approved creasote wood treatment  A: 66  B: 66  C: 16	m2	149		
	DOORS, ETC.				
	Wrought hardwood flushback doors with sapele veneer hung to steel frames				
	44mm "TDM" Framed and ledged door 813 x 2 032mm high  A:15 B:15 C:5	No	35		
	Semi Solid doors with "Masonite" 3mm standard hardboard covering on both sides suitable for painting hung to steel frames				
3	40mm x 813 x 2032mm Standard meranti door A:5 B:5 C:2	No	12		
	EAVES, VERGES, ETC				
	Pressed-fibre cement				
4	Fascias and barge boards A:36 B:36 C:12	m	84		
	Carried Forward to Summary of Section No. 2 Section No. 2 BUILDING WORKS Bill No. 3			R	

Item No		Quantity	Rate	Amount
	SECTION 2			
	BILL NO. 4			
	CEILINGS, PARTITIONS AND ACCESS FLOORING			
	PREAMBLES			
	For preambles, refer to "Model Preambles for Trades", for specification of materials and methods to be used - refer to public works document no. PW371			
	SUPPLEMENTARY PREAMBLES			
	Proprietary items or materials Proprietary items or materials where specified are to be of the brand specified - or other approved - by the Employer's Agent			
	Descriptions Items described as "nailed" shall be deemed to be fixed with hardened steel nails or pins or shot pinned to brickwork or concrete Items described as "plugged" shall be deemed to include screwing to fibre, plastic or metal plugs in brickwork or concrete at not exceeding 600 mm centres, and where described as "bolted" the bolts have been given elsewhere			
	LOCATIONS			
	A - Girls Ablution Blocks			
	B - Boys Ablution Blocks			
	C - Staff Ablution Blocks			
	CEILINGS			
	"Aerolite" insulation			
1	75mm Insulation closely fitted and laid on top of brandering between roof timbers etc m2  A:107 B:107 C:10	224		
	NAILED UP AND SCREW UP CEILINGS			
	Carried Forward  Section No. 2  BUILDING WORKS  Bill No. 4		R	

ı	Brought Forward		R	
4mm "Everite Nutec" plain boards s white metal H-profile jointing strips of 600mm centres with cross brandering of sheets and at light fittings, etc	ver joints,			
Ceilings including 38 x 50mm sawn s brandering  A: 124 B: 124 C: 10	oftwood m2	259		
Gypsum plasterboard cornices				
75mm coved cornice fixed to walls A: 106 B: 106 C: 13	m	225		
Trap door				
Extra over ceiling for 600 x 600mm trap A:5 B:5 C:1	door comprising No	11		
Carried Forward to Summary Section No. 2 BUILDING WORKS Bill No. 4	of Section No. 2		R	

Item No			Quantity	Rate	Amount
	SECTION 2				
	BILL NO. 5				
	IRONMONGERY				
	PREAMBLES				
	For preambles, refer to "Model Preambles for Trades", for specification of materials and methods to be used - refer to public works document no. PW371				
	LOCATIONS				
	A - Girls Ablution Blocks				
	B - Boys Ablution Blocks				
	C - Staff Ablution Blocks				
	BATHROOM FITTINGS				
	"Kimberly Clark" or similar approved				
1	Standard vandalproof toilet roll holder  A: 25 B: 25 C: 5	No	55		
	LOCKS				
	<u>"Union"</u>				
2	"682-24-52 SC" three lever lockset A: 25 B: 25 C: 5	No	55		
3	Padlock, 50mm Viro with two keys  A:5 B:5 C:2	No	12		
	PUSH PLATES AND KICKING PLATES				
	"Dorma"				
4	"dkp-ss-161" Stainless steel kick plate size 813 x 300mm high fixed to timber  A:6 B:6 C:6	No	18		
	LETTERS, NAMEPLATES, ETC				
	Occided Farmand				
	Section No. 2 BUILDING WORKS Bill No. 5			R	

"Union"  **AL5066-06ASE08" 152 x 152mm anodised aluminium plate with directional pictogram  A: 10 B: 10 C: 4  **SUNDRIES**  6 30mm Diameter rubber door stop plugged & screwed to floor  A: 7 B: 7 C: 4  **IKimberley-Clark"or Similiar*  7 Stainless steel female she-bin plugged to wall  A: 5 B: 5 C: 1	
plate with directional pictogram A: 10 B: 10 C: 4  SUNDRIES  30mm Diameter rubber door stop plugged & screwed to floor A: 7 B: 7 C: 4  "Kimberley-Clark"or Simlilar  7 Stainless steel female she-bin plugged to wall No 11	
6 30mm Diameter rubber door stop plugged & screwed to floor  A:7 B:7 C:4  "Kimberley-Clark"or Simlilar  7 Stainless steel female she-bin plugged to wall  No 11	
floor  A:7 B:7 C:4  "Kimberley-Clark"or Simlilar  7 Stainless steel female she-bin plugged to wall  No 18	
"Kimberley-Clark"or Simlilar  7 Stainless steel female she-bin plugged to wall  No 11	
7 Stainless steel female she-bin plugged to wall No 11	
Carried Forward to Summary of Section No. 2	
BUILDING WORKS Bill No. 5	

Item No		Quantity	Rate	Amount
	SECTION 2			
	BILL NO.6			
	<u>METALWORK</u>			
	PREAMBLES			
	For preambles, refer to "Model Preambles for Trades", for specification of materials and methods to be used - refer to public works document no. PW371			
	SUPPLEMENTARY PREAMBLES			
	<u>Descriptions</u>			
	Descriptions of bolts shall be deemed to include nuts and washers			
	Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete			
	Metalwork described as holed for bolt(s) shall be deemed to exclude the bolts unless otherwise described			
	LOCATIONS			
	A - Girls Ablution Blocks			
	B - Boys Ablution Blocks			
	C - Staff Ablution Blocks			
	MILD STEEL DOOR FRAMES			
	1.6mm thick mild steel double rebated frame for 220mm wall			
1	Frame for door, size 813 x 2032mm high  A: 20  B: 20  C: 4	44		
2	Frame for door 900 x 2032mm high  A:1  B:1  C:1	3		
	GALVANISED STEEL WINDOWS, DOORS, ETC			
	Carried Forward		R	
	Section No. 2 BUILDING WORKS Bill No. 6			

	Brought Forward			R	
	Steel gates and frames				
3	Purpose made square hallow section mild steel security gate, size 813 x 2032mm High  A:1 B:1 C:1	No	3		
	Gate frame to consist of 50 x 50 x 2.5mm  rectangular tubing sections metre 45 degrees at  corners before welded and secured against wall with  50 x 50 x 5mm with brackeets welded to frame and				
4	bolted to wall with 10mm (m10) raw bolts  Door burglar bars for door size 1500 x 2100mm high complete with lock  A:1  B:1  C:1	No	3		
	Protective SHE-BIN cages (female toilets only)				
5	Allow the Provisional Amount of R12 800.00 (Twelve Thousand Eight Hundred Rand) for supply and installation of protective steel cage to female she-bins  A:0.00 B:0.00 C:1.00		Item		12,800.00
	Carried Forward to Summary of Section No. 2			R	
	Section No. 2 BUILDING WORKS Bill No. 6			``	

Item No			Quantity	Rate	Amount
	SECTION 2				
	BILL NO. 7				
	PLASTERING				
	SUPPLEMENTARY PREAMBLES				
	For preambles see "Specifications of materials and methods to be used - PW 371"				
	LOCATIONS				
	A - Girls Ablution Blocks				
	B - Boys Ablution Blocks				
	C - Staff Ablution Blocks				
	SCREEDS				
	3:1 Cement screeds wood floated on concrete				
1	25mm Thick on floors A: 124 B: 124 C: 10	m2	259		
	INTERNAL PLASTER				
	Cement plaster on brickwork				
2	On walls A: 389 B: 389 C: 68	m2	845		
3	On narrow widths  A: 25 B: 25 C: 2	m2	53		
	RHINOLITE				
	Cement plaster rendering coat with gypsum skim plaster finishing coat, on concrete				
4	On Ceilings A: 124 B: 124 C: 10	m2	259		
	Carried Forward to Summary of Section No. 2			R	
	Section No. 2 BUILDING WORKS Bill No. 7				
l			l	I	II I

SECTION 2			
BILL NO. 8			
TILING			
PREAMBLES			
For preambles, refer to "Model Preambles for Trades", for specification of materials and methods to be used - refer to public works document no. PW371			
LOCATIONS			
A - Girls Ablution Blocks			
B - Boys Ablution Blocks			
C - Staff Ablution Blocks			
WALL TILING			
150 x 150 x 8mm "Johnson Matisse Code AS 002" or other approved Gloss white tiles fixed with adhesive to plaster (plaster elsewhere)and flush pointed with TAL light grey Epoxy grouting			
On walls	2 35	5	
FLOOR TILING			
300 x 300mm Ceramic tiles fixed with an approved adhesive on prepared screeded floors with 3mm wide joints and flush pointed with tinted jointing compound and sealed with approved sealer			
On floors and landings A: 124 B: 124 C: 10	2 25	9	
On skirtings not exceeding 150mm high A: 106 B: 106 C: 26	m 23	8	
Carried Forward to Summary of Section No. 2 Section No. 2 BUILDING WORKS Bill No. 8		R	
	For preambles, refer to "Model Preambles for Trades", for specification of materials and methods to be used refer to public works document no. PW371  LOCATIONS  A - Girls Ablution Blocks  B - Boys Ablution Blocks  C - Staff Ablution Blocks  WALL TILING  150 x 150 x 8mm "Johnson Matisse Code AS 002" or other approved Gloss white tiles fixed with adhesive to plaster (plaster elsewhere)and flush pointed with TAL light grey Epoxy grouting  On walls  A:170 B:170 C:16  FLOOR TILING  300 x 300mm Ceramic tiles fixed with an approved adhesive on prepared screeded floors with 3mm wide joints and flush pointed with tinted jointing compound and sealed with approved sealer  On floors and landings  A:124 B:124 C:10  On skirtings not exceeding 150mm high  A:106 B:106 C:26	For preambles, refer to "Model Preambles for Trades", for specification of materials and methods to be used - refer to public works document no. PW371  LOCATIONS  A - Girls Ablution Blocks B - Boys Ablution Blocks C - Staff Ablution Blocks  WALL TILING  150 x 150 x 8mm "Johnson Matisse Code AS 002" or other approved Gloss white tiles fixed with adhesive to plaster (plaster elsewhere)and flush pointed with TAL light grey Epoxy grouting  On walls  A : 170 B : 170 C : 16  FLOOR TILING  300 x 300mm Ceramic tiles fixed with an approved adhesive on prepared screeded floors with 3mm wide joints and flush pointed with tinted jointing compound and sealed with approved sealer  On floors and landings  A : 124 B : 124 C : 10  On skirtings not exceeding 150mm high  A : 106 B : 106 C : 26  Carried Forward to Summary of Section No. 2  Section No. 2  BUILDING WORKS	For preambles, refer to "Model Preambles for Trades", for specification of materials and methods to be used refer to public works document no. PW371  LOCATIONS  A - Girls Ablution Blocks  B - Boys Ablution Blocks  C - Staff Ablution Blocks  WALL TILING  150 x 150 x 8mm "Johnson Matisse Code AS 002" or other approved Gloss white tiles fixed with adhesive to plaster (plaster elsewhere) and flush pointed with TAL light grey Epoxy grouting  On walls  A: 170 B: 170 C: 16  FLOOR TILING  300 x 300mm Ceramic tiles fixed with an approved adhesive on prepared screeded floors with 3mm wide joints and flush pointed with tinted jointing compound and sealed with approved sealer  On floors and landings  A: 124 B: 124 C: 10  On skirtings not exceeding 150mm high  A: 106 B: 106 C: 26

Item No		Quantity	Rate	Amount
	SECTION 2			
	BILL NO. 8			
	PLUMBING AND DRAINAGE (PROVISIONAL)			
	PREAMBLES			
	For preambles, refer to "Model Preambles for Trades", for specification of materials and methods to be used - refer to public works document no. PW371			
	NOTE:			
	All prices/rates to be net, excluding Value Added Tax			
	SUPPLEMENTARY PREAMBLES			
	uPVC pipes and fittings:			
	Soil, waste and vent pipes and fittings shall be solvent weld jointed			
	Copper pipes:			
	Pipes shall be hard drawn and half-hard pipes of the class stated. Class 0 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be "Cobra Watertech" type. Capillary solder fittings shall comply with ISO 2016. Only compression fittings shall be used in walls or in ground			
	Fixing of pipes			
	Unless specifically otherwise stated, descriptions of pipes shall be deemed to include fixing to walls etc, casting in, building in or suspending not exceeding 1m below suspension level			
	Carried Forward		R	
	Section No. 2 BUILDING WORKS Bill No. 9			

Brought Forward	R
Reducing fittings	
Where fittings have reducing ends or branches they are described as "reducing". In the case of pipes with diameters not exceeding 60mm only the largest end or branch size is given. Should the contractor wish to use other fittings and bushes or reducers he may do so on the understanding that no claim in this regard will be entertained. In the case of pipes with diameters exceeding 60mm all sizes are given and no claim for extra bushes, reducers, etc will be entertained	
Wire gratings	
Descriptions of gutter outlets etc shall be deemed to include wire balloon gratings	
Exposed concrete surfaces	
Exposed surfaces of concrete stormwater channels, cover slabs, inspection eye marker slabs, gulley tops, cleaning eye tops, catchpits, inspection chambers, etc shall be finished smooth with plaster	
Excavations	
No claim for rock excavation will be entertained unless the contractor has timeously notified the quantity surveyor thereof prior to backfilling	
Soft rock and "hard rock" shall be as defined in "Earthworks"	
Laying, backfilling, bedding, etc. of pipes	
Pipes shall be laid and bedded and trenches shall be carefully backfilled in accordance with manufacturers' instructions	
Where no manufacturers' instructions exist pipes shall be laid in accordance with clauses 5.1 and 5.2 of each of the following: SABS 1200 L: Medium-pressure pipelines LD: Sewers LE: Stormwater drainage Pipe trenches etc shall be backfilled in accordance with clauses 3, 5.5, 5.6, 5.7 and 7 of SABS 1200 DB: Earthworks (Pipe trenches) Pipes shall be bedded in accordance with clauses 3.1 to 3.4.1, 5.1 to 5.3 and 7 of SABS 1200 LB: Bedding (Pipes). Unless otherwise described bedding of rigid pipes shall be class B bedding	
Carried Forward	R
Section No. 2 BUILDING WORKS Bill No. 9	

	Brought Forward			R	
	Flush pans				
	Flush pans shall have straight or side outlets and "P" or "S" traps as necessary				
	Stainless steel basins, sinks, wash troughs, urinals, etc.				
	Units shall have standard aprons on all exposed edges and tiling keys against walls where applicable				
	Waste unions				
	Descriptions of waste unions shall be deemed to include rubber or vulcanite plugs and chains fixed to fittings				
	LOCATIONS				
	A - Girls Ablution Blocks				
	B - Boys Ablution Blocks				
	C - Staff Ablution Blocks				
	RAINWATER DISPOSAL				
	Mr Gutter Ogee or similar approved pre-coated similar seamless gutter				
	100 x 100 x 0.6mm thick chromodek steel gutter including matching rivet fixed mitres and end caps (measured elsewhere) internally sealed using silicon mastic, hung by nail fixed to internal pre-painted hangers at 800mm centres and laid to fall to outlets.	m	16		
	A:6 B:6 C:4				
2	100 x 76 x 0.5mm thick chromodek fixed to walls with pre-painted downpipes cleats using nail-in anchor fixings	m	14		
	A:6 B:6 C:2				
3	Extra over 125 x 100mm eaves gutter for outlet for 75 x 50mm pipe  A:2  B:2  C:0	No	4		
4	Extra over 75 x 100mm down pipe for eaves or plinth				
	offset 750mm projection  A:2 B:2 C:0	No	4		
	A.2 B.2 C.0				
	Carried Forward			R	
	Section No. 2 BUILDING WORKS Bill No. 9				

	Brou	ght Forward		R	_
5	Extra over 75 x 100mm down pipe for shoe  A:2  B:2  C:0	No	4		
	SUBSOIL DRAINAGE				
	uPVC Pipes underground				
6	110mm pipes laid in and including trenches n exceeding 1m deep  A: 76 B: 68 C: 12	ot m	156		
	SANITARY PLUMBING (SOIL AND WAS	STE)			
	uPVC Pipes				
7	110mm Diameter pipes A: 15 B: 29 C: 2	m	46		
8	50mm Diameter pipes A: 15 B: 15 C: 2	m	32		
	Extra over for uPVC for fittings				
9	50mm Inspection eye junction A: 10 B: 10 C: 4	No	24		
10	50mm - pipe fitting A: 10 B: 10 C: 4	No	24		
11	50mm GI two way vent valve A: 10 B: 10 C: 4	No	24		
12	110mm-50mm concentric/eccentric reducers A: 10 B: 10 C: 4	No	24		
13	110mm bends fitting 45/90° A: 10 B: 10 C: 4	No	24		
14	110mm Pan connector	No	24		
	A: 10 B: 10 C: 4				
	SANITARY FITTINGS				
	Comi	ind Command			
	Section No. 2 BUILDING WORKS Bill No. 9	ied Forward		R	

	Brought Forward			R	
	Vaal or other approved				
15	Code 750200 Vaal "Protea" or similar low level WC suite comprising vitreous china washdown pan (Code 750100) and matching 9 litre cistern (Code 710533) complete with lid and fitments, and purpose made CP side-flush lever mounted to wall.  A: 15  B: 15  C: 3	No	33		
16	Springbok white glazed porcelain WHB	No	13		
. •	A:5 B:5 C:3				
17	TU102 Flat Back Wall Mounted Trough Urinal Right- hand Outlet 1830x780x300mm as supplied or equal approved	No	1		
18	A:0 B:1 C:0  Vitreous china wallmounted "flatback" urinal (code 7053) supplied with 38mm c.p. domical grating (code 8787),c.p. spreader (code 8543) and two hanger brackets (code 8127), with "cobra watertech flushmaster junior" urinal flush valve (fj6.000)  A:5 B:5 C:2	No	12		
	WASTE UNIONS ETC				
	Cobra Watertech or other approved				
19	38mm basin or sink waste union A: 15 B: 15 C: 3	No	33		
	TRAPS ETC				
	Cobra Watertech or other approved				
20	40mm 'Flexitrap' flexible rubber reseal 'S' or 'P' trap with clips complete  A: 15  B: 15  C: 3	No	33		
	TAPS, VALVES, ETC				
	Cobra Watertech or other approved				
21	Cobra no 401 CP Basin set with 31mm chromium plated whb outlet  A: 15  B: 15  C: 3	No	33		
	Carried Forward Section No. 2 BUILDING WORKS Bill No. 9			R	

	Brought Forward			R	_
22	22mm Code FJ6.000 "Flushmaster Junior" urinal flushvalve complete with connector, spray rose (Code FJT 5.4) and wallplate.	No	33		
	A: 15 B: 15 C: 3	110			
	SANITARY PLUMBING				
	<u>Sundries</u>				
23	Testing waste pipe system A: 0.00 B: 0.00 C: 1.00		Item		
	WATER SUPPLIES				
	Galvanised steel pipes				
24	25mm Pipes chased into brick walls A: 28 B: 28 C: 12	m	68		
25	15mm Pipes chased into wall A: 25 B: 25 C: 14	m	64		
	Extra over galvanised steel pipes for steel fittings				
26	25mm Fittings A:4 B:4 C:4	No	12		
	Class "O" copper pipes, chase into walls and make good for wall to receive paint				
27	15mm Pipes	m	29		
28	A:0 B:25 C:4 15mm Fittings	No	46		
	A: 20 B: 20 C: 6				
	Extra over class "O" copper pipes for capillary fittings				
29	15mm Fittings A: 15 B: 15 C: 6	No	36		
	Sundries				
	Carried Forward Section No. 2			R	
	BUILDING WORKS Bill No. 9				

BUDGETARY ALLOWANCES  Allow the Budgetary Allowance of R 5 000.00 for builders work in connection with the commissioning and servicing of decommissioned water supply services to be expanded in part or whole as directed by Principal Agent  A:0.00 B:0.00 C:1.00	5,000.00
builders work in connection with the commissioning and servicing of decommissioned water supply services to be expanded in part or whole as directed by Principal Agent	5,000.00
Carried Forward to Summary of Section No. 2	R
Section No. 2 BUILDING WORKS	
Bill No. 9	

Item No		Quantity	Rate	Amount
•	SECTION 2			
	BILL NO. 9			
	GLAZING			
	SUPPLEMENTARY PREAMBLES			
	For preambles see "Specifications of materials and methods to be used - PW 371"			
	MIRRORS			
	NOTE:			
	Mirrors shall be of 6mm thick silvered GG quality polished float glass with rounded and polished edges and splayed corners.			
	Unless otherwise described, mirrors shall have four holes for and be screwed to and including approved patent plugs in plastered or tiled wall with countersunk steel screws tap-threaded for and including screw type chromium plated dome-headed caps and felt washers.			
	LOCATIONS			
	A - Girls Ablution Blocks			
	B - Boys Ablution Blocks			
	C - Staff Ablution Blocks			
1	800 x 600mm mirror with polished edges fixed to wall or over tiles with silicone and double sided tape, with silicone bead all around to seal gap between mirror and wall/tiles  A:5  B:5  C:3	13		
	GLAZING TO STEEL WITH PUTTY			
	4 mm Rough cast glass			
2	Panes exceeding 0,5m2 and not exceeding 2m2 m2  A: 23 B: 23 C: 6	51		
	Section No. 2 BUILDING WORKS Bill No. 10		R	

	Brought Forward		R	
	SUNDRY ITEMS			
3	Allow the some of R5 000.00 to assess, service and replace (where necessary) window stays to all windows to be used in part or in whole as directed by the Principal Agent.	Item		5,000.00
	Carried Forward to Summary of Section No. 2 Section No. 2 BUILDING WORKS Bill No. 10		R	

Item No		Quantity	Rate	Amount
	SECTION 2			
	BILL NO. 10			
	PAINTWORK			
	PREAMBLES			
	For preambles, refer to "Model Preambles for Trades", for specification of materials and methods to be used - refer to public works document no. PW371			
	SUPPLEMENTARY PREAMBLES			
	PREPARATORY WORK TO EXISTING WORK			
	Previously painted plastered surfaces			
	Surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied. Blistered or peeling paint shall be completely removed and cracks shall be opened, filled with a suitable filler and finished smooth			
	Previously painted metal surfaces			
	Surfaces shall be thoroughly rubbed and cleaned down. Blistered or peeling paint shall be completely removed down to bare metal			
	Previously painted wood surfaces			
	Surfaces shall be thoroughly cleaned down. Blistered or peeling paint shall be completely removed and cracks and crevices shall be primed, filled with suitable filler and finished smooth			
	LOCATIONS			
	A - Girls Ablution Blocks			
	B - Boys Ablution Blocks			
	C - Staff Ablution Blocks			
	PAINTWORK ETC TO PREVIOUSLY PAINTED WORK ON FLOATED			
	Carried Forward		R	
	Section No. 2 BUILDING WORKS Bill No. 11			

		Brought Forward			R	
One coat univer		and three coats super				
On internal walls A: 399	B:399 C:	84	m2	882		
ON METAL						
Wash down with to remove all tra	ices of soap, re flaking paint. S netic metal prin ndercoat and a	inse with clean water emove all traces of pot prime bare metal ner coat, apply one apply two coats				
2 On window frame		: 3	m2	48		
On door burglar b		3	m2	20		
A:9	B:9 C	: 3				
On door frames	B:9 C	:: 4	m2	21		
ON FIBRE-CEN						
On ceilings and on A: 124  ON WOOD		10	m2	259		
		coats "Plascon" clear				
On doors		: 4	m2	52		
Prepare and app	oly two coats o	f carbolineum				
On exposed roof		:: 0	m2	45		
		mmary of Section No. 2			R	

	Section No. 2			
	BUILDING WORKS			
	SECTION SUMMARY - BUILDING WORKS			
Bill No		Page No		Amount
1	REFURBISHMENTS	45		
2	MASONRY	47		
3	CARPENTRY AND JOINERY	50		
4	CEILINGS, PARTITIONS AND ACCESS FLOORING	52		
5	IRONMONGERY	54		
6	METALWORK	56		
7	PLASTERING	57		
8	TILING	58		
9	PLUMBING AND DRAINAGE	65		
10	GLAZING	67		
11	PAINTWORK	69		
	Carried to Cluster Summary		R	
	Section No. 2 BUILDING WORKS			

Item No		Unit	Quantity	Rate	Amount
	SECTION 3				
	BILL NO. 1				
	BILL NO. 1EXTERNAL WORK				
	EXTERNAL WORKS (PROVISIONAL)				
	Note:				
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).				
	TEMPORARY BARRIERS, SCREENS,ECT.				
	TEMPORARY HOARDING				
	Note: Contractor to price for the taking down and carting away hoarding on completion.				
	Site clearance				
1	Allow for clearing site for the width of 1000mm where fencing runs are to be erected including removing trees, shrubs, etc., not exceeding 200mm girth, grubbing up roots and roughly levelling.	m	158		
2	External barricade screen, 1800mm high overall, comprising 100-125mm diameter tanalith treated gumpoles planted 650mm deep in ground at 3000mm centres comprising of six strands of 4mm galvanised straining wires (evenly spaced) secured to posts with doubled 2mm galvanised wire inserted through hole in post and turned a minimum of four turns around straining wire and yellow and orange barrier shade cloth fixed to straining wires with 20Mpa mass concrete base size 400 x 400 x 550mm thick with sloping top surface including all necessary excavations, backfilling, risk of collapse and carting away surplus material, etc.	m	158		
	Carried Forward Section No. 3 EXTERNAL WORKS Bill No. 1			R	

	Brought Forward			R	
	Hot dipped galvanised steel gates				
3	Security fence double gate, size 3000mm wide x 1800mm high, formed of 80 x 40 x 4mm wall thickness rectangular section framing all round with mitred and welded angles and diagonal cross brace, the gate covered with mesh security fencing secured with "Howgring" clips applied with "Howgring" pliers at 300mm centres to and including six rows of straining wires and yellow/orange barrier shade cloth.	No	1		
	THE FOLLOWING IN WALKWAYS				
	<u>EARTHWORKS</u>				
	Excavate in earth not exceeding 2m deep including trimming sides, levelling and ramming bottoms and deposit in spoil heaps for later re-use or cart away				
4	Reduced levels between buildings, retaining walls, etc.	m3	114		
	Carting away of excavated material				
5	Extra over all excavations for loading surplus or unsuitable material from spoil heaps and cart away to a dumping site to be located by the Contractor.	m3	114		
	BASECOURSES				
6	G7 Base course material, selected and supplied by the Contractor, deposited in layers not exceeding 150mm thick, watered and consolidated to 98% modified AASHTO density under pavings.	m3	101		
	<u>Sundries</u>				
7	Rip reduced platform level and recompact to 93% Mod. A.A.S.H.T.O. density.	m2	348		
	Prescribed Testing				
8	Provide and have filling compaction check tested by a Consulting Engineer's Laboratory and deliver the results to the Architect within 24 hours of the tests being completed.	No	15		
	Carried Forward			R	
	Section No. 3 EXTERNAL WORKS Bill No. 1				

Brought Forward	R	
3		
Carried Forward	R	
Section No. 3		
EXTERNAL WORKS		
Bill No. 1		

	Brought Forward			R	
	Weedkillers, insecticides, etc.				
	Soil insecticide in accordance with SANS 5859				
9	Under paving, etc.	m2	316		
	PRECAST CONCRETE PAVERS				
	Grey interlocking precast concrete pavers type S-A laid in herringbone pattern with header course perimeter margin				
10	50mm Thick laid on and including 25mm sand bed treated with weed killer and cement/sand mixture swept into joints on completion.	m2	316		
	<u>Sundries</u>				
11	Circular cutting on 50mm thick non bevelled concrete pavers.	m	56		
	Channelling, kerbing, edging, etc.				
	Precast concrete kerbing				
12	Precast semi-mountable concrete Fig 8B edge kerb size 300 x 175mm high cast in lengths not exceeding 1m and with expansion joints at not exceeding 10m centres finished smooth off the mould on all exposed surfaces bedded on and including minimum 50mm thick mass concrete 15 MPa base and backing including all necessary excavation, formwork, expansion joints, etc.	m	126		
13	Ditto, but circular on plan to not exceeding 4m radius.	m	30		
	THE FOLLOWING IN WATER SUPPLY				
	ALTERATIONS TO EXISTING				
14	Locate, cut into and temporarily stop off 40mm diameter water pipe for insertion of stop end (elsewhere).	No	1		
15	Locate, cut into and temporarily stop off 54mm diameter water pipe for insertion of Tee Junction (elsewhere).	No	1		
	Carried Forward Section No. 3 EXTERNAL WORKS Bill No. 1			R	

	Brought Forward			R	
16	Locate, cut into and temporarily stop off 63mm diameter water pipe for insertion of Tee Junction (elsewhere).	No	1		
	PIPEWORK, ETC.				
	Pipes, pipe fittings, etc.				
	Class 12 uPVC water supply pipe with bedding and filling in accordance with SABS 1200				
17	32mm Pipe and laying in ground not exceeding 1000mm deep.	m	180		
18	40mm Pipe and laying in ground not exceeding 1000mm deep.	m	120		
	Extra over uPVC pipes for the following fittings				
19	32mm bend.	No	24		
20	40mm bend.	No	12		
21	32mm Tee junction.	No	9		
22	40mm Tee junction.	No	6		
23	32 x 40 x 32mm Reducing tee.	No	1		
24	32 x 54 x 32mm Reducing tee.	No	1		
25	40 x 63 x 40mm Reducing tee.	No	1		
	Water supply valve or meter chambers				
26	Excavate for and build valve chamber size 460 x 460 x not exceeding 1000mm deep internally, formed of 300mm thick layer of well backfilling, 200mm high half brick corbelled sides with 75mm brickforce between each course including Type 3A cast iron valve cover and frame size 100 x 230 x 300 encased in a 300mm thick 25mpa mass concrete base.	No	2		
	Taps, valves, etc.				
27	32mm Gate valve.	No	3		
	Carried Forward Section No. 3 EXTERNAL WORKS			R	
	Bill No. 1				

	Brought Forward			R	
28	32mm Non return valve.	No	1		
	<u>Testing</u>				
29	Allow for testing the water supply installation in accordance with the National Building Regulations.		Item		
	THE FOLLOWING IN SOIL DRAINAGE				
	Pipe depth categories and manholes, catchpits, etc. have been measured to the designed invert levels of same. The Contractor is to allow for in his rates for any additional excavation, bedding, backfilling, making up levels, etc. he deems necessary to make up any difference to actual depth.				
	EXISTING SERVICES				
	Jet or high pressure cleaning to be carried out on subsurface piping, rodding eyes, manholes, etc. to be carried out to the complete satisfaction of the Engineer.				
	<u>Pipes</u>				
30	110mm Pipe fixed to walls.	m	8		
31	110mm Pipe not exceeding 1000mm deep.	m	28		
32	110mm Pipe exceeding 1000mm not exceeding 2000mm deep.	m	30		
	Rodding eyes				
33	110mm Diameter PVC rodding eye.	No	15		
	Brick manholes				
34	Manhole not exceeding 1000mm deep.	No	4		
35	Manhole exceeding 1000mm not exceeding 2000mm deep.	No	2		
	ALTERATIONS TO EXISTING				
36	Cut into and stop off temporarily 110mm soil pipe for new manhole construction (elsewhere).	No	1		
	Carried Forward Section No. 3 EXTERNAL WORKS Bill No. 1			R	

	Brought Forward			R	_
37	Cut into and stop off temporarily 110mm soil pipe for insertion of Tee junction (elsewhere).	No	1		
	NEW WORKS				
	Class 34 Rigid uPVC socketed soil piping with bedding and filling in accordance with SABS 1200				
38	110mm Pipe and excavation not exceeding 1000mm deep.	m	29		
39	110mm Pipe and excavation exceeding 1000mm not exceeding 2000mm deep.	m	8		
	Extra over uPVC pipes for fittings				
40	110mm 90 Degree bend.	No	9		
41	110mm Junction.	No	2		
	Rodding eyes, etc.				
42	PVC Rodding eye and frame and joint to top of 110mm uPVC pipe.	No	2		
	<u>Sundries</u>				
43	300 x 300 x 75mm Precast concrete inspection eye marker slab set in position including excavations, carting away, ect.	No	3		
	MANHOLES, ETC.				
44	Excavate for and build manhole size 1440 x 1440 x not exceeding 1000mm deep internally, formed of 150mm thick reinforced concrete (25MPa) bottom projecting 150mm all round with welded mesh Ref. 245 both top and bottom, one brick sides, 150mm high precast reinforced concrete (25MPa) cover slab and lid with welded mesh Ref. 245 both top and bottom laid loose on top of brickwork, finished on all exposed surfaces in 3.1 cement plaster and bottom graded to outlets in 3.1 cement mortar.	No	1		
	Carried Forward Section No. 3 EXTERNAL WORKS Bill No. 1			R	

	Brought Forward			R		
45	Excavate for and build manhole size 1440 x 1440 x exceeding 1000mm not exceeding 2000mm deep internally, formed of 150mm thick reinforced concrete (25MPa) bottom projecting 150mm all round with welded mesh Ref. 245 both top and bottom, one brick sides, 150mm high precast reinforced concrete (25MPa) cover slab and lid with welded mesh Ref. 245 both top and bottom laid loose on top of brickwork, finished on all exposed surfaces in 3.1 cement plaster and bottom graded to outlets in 3.1 cement mortar.	No	2			
	Cast iron covers and frames	NO				
46	Type 2A cast iron manhole cover and frame size 620mm diameter bedded on top of concrete slab in cement mortar.	No	4			
	<u>Testing</u>					
47	Allow for testing the soil drainage and sewer plumbing installation in accordance with the National Building Regulations.		ltem			
	THE FOLLOWING IN RAINWATER TANKS AND TANKSTANDS (ALL TRADES)					
	Rainwater harvesting (Labour intensive)					
	Excavate in earth not exceeding 2m deep including trimming sides, levelling and ramming bottoms and deposit in spoil heaps for later re-use or cart away					
48	Reduced levels under solid floors.	m3	1			
49	Surface trenches.	m3	15			
	Excavations in earth of more difficult character					
50	Extra over excavations in earth for excavation in soft rock.	m3	2			
51	Extra over excavations in earth for excavation in hard rock.	m3	1			
	Carried Forward Section No. 3 EXTERNAL WORKS Bill No. 1			R		

	Brought Forward			R	
	Carting away of excavated material				
52	Load surplus or unsuitable material from spoil heaps and cart away to a dumping site to be located by the Contractor.	m3	9		
	Risk of collapse of excavations				
53	Allow for risk of collapse to sides of excavations not exceeding 1.5m deep including all necessary timber shoring, etc.	m2	43		
	Keeping excavations free of water				
54	Allow for keeping the excavations free from water.		Item		
	Filling, layerworks, etc.				
55	Earth filling from the excavations and/or stockpiles in backfilling to trenches, column bases, etc., compacted to 95% Mod AASHTO dry density.	m3	7		
56	Imported G7 filling, selected and supplied by the Contractor, including depositing in layers not exceeding 150mm thick and compacting to 95% modified AASHTO dry density to trenches, bases, etc.	m3	7		
	Compaction of surfaces				
57	Scarify in-situ material to a depth of 150mm and compact to 95% Mod AASHTO density.	m2	16		
	<u>Tests</u>				
58	Allow for Mod AASHTO density tests on filling.	No	4.00		
	Reinforced concrete 25MPa in:				
59	Strip foundations cast against excavated surfaces.	m3	5		
60	Surface beds cast in panels including temporary formwork.	m3	2		
	<u>Sundries</u>				
61	Float surface of concrete to a wood float finish.	m2	16		
	Carried Forward			R	
	Section No. 3 EXTERNAL WORKS Bill No. 1				

	Brought Forward			R	_
	Rough formwork (use and waste) to concrete to:				
62	Edge, riser, etc not exceeding 300mm high.	m	32		
	High tensile welded steel mesh reinforcement :				
63	Ref: 395 cast into concrete surfaces.	m2	14		
64	Ref: 395 cast into concrete strip footings.	m2	29		
	Brickwork in stock bricks in 5:1 cement mortar :				
65	One brick wall.	m2	15		
66	One brick wall in foundations. (Provisional)	m2	15		
	Brickwork sundries :				
67	Galvanised brick reinforcement 150mm wide built horizontally into brickwork.	m	86		
	"Rustgold FBS / Qunu Travertine " or other equal approved FBX quality face bricks including jointing and square recess pointing 6 x 10mm joints				
68	Extra over ordinary brickwork for facing and pointing in stretcher bond.	m2	15		
69	Extra over ordinary brickwork for facing and pointing in stretcher bond in foundations. (Provisional)	m2	5		
	Face brick copings, lintols, cills, etc.				
70	Extra over brickwork for brick-on-edge header course coping including pointing to both faces and top.	m	32		
	Movement joints				
71	10mm Thick bitumen impregnated softboard built vertically between concrete and concrete or brickwork surfaces.	m2	10		
72	Rake out 10mm wide softboard for a depth of 10mm and seal with an approved 2 part polysulphide sealant.	m	18		
	Carried Forward			R	
	Section No. 3 EXTERNAL WORKS Bill No. 1				

	Brought Forward			R	_
	<u>Ties, cramps, etc.</u>				
73	38 x 1,6mm Galvanised hoop iron strap around tank, both ends fitted with once holed 30 x 30 x 3mm thick galvanised flat plate and bolted together with and including M8 bolt and nut.	No	4		
74	38 x 1,6mm Galvanised hoop iron tie down, 1200mm long, one end wrapped around tank strap and twice bolted, the other end folded over and bolted to top of concrete with and including 8 x 60mm masonry anchor.	No	16		
	250 Micron "Gunplas USB" green polyethylene sheeting				
75	Laid flat under solid floor and over walls.	m2	14		
	Rainwater tanks:				
76	5000 Litre polyethylene rotomoulded vertical water storage tank provided complete with lid and overflow outlet, fitted with suitable adaptor and setting in position on concrete tankstand (elsewhere measured). (The tanks are to be filled with water for the Practical Completion inspection)	No	2		
77	Hole through top of tank lid for 100mm diameter pipe.	No	4		
	THE FOLLOWING IN ELEVATED TANKS AND GROUND STORAGE (ALL TRADES)				
	EXCAVATIONS, FILLING, ETC.				
	Excavate in earth not exceeding 2m deep including trimming sides, levelling and ramming bottoms and deposit in spoil heaps for later re-use or cart away				
78	Reduced levels under solid floors.	m3	11		
	Excavations in earth of more difficult character				
79	Extra over excavations in earth for excavation in soft rock.	m3	1		
	Carried Forward Section No. 3 EXTERNAL WORKS Bill No. 1			R	

	Brought Forward			R	
	Carting away of excavated material				
80	Load surplus or unsuitable material from spoil heaps and cart away to a dumping site to be located by the Contractor.	m3	12		
	Risk of collapse of excavations				
81	Allow for risk of collapse to sides of excavations not exceeding 1.5m deep including all necessary timber shoring, etc.	m2	10		
	Keeping excavations free of water				
82	Allow for keeping the excavations free from water.		Item		
	Foundation courses				
83	Imported G7 filling, selected and supplied by the Contractor, including depositing in layers not exceeding 150mm thick and compacting to 95% modified AASHTO dry density under solid floors.	m3	4		
84	Imported G5 filling, selected and supplied by the Contractor, including depositing in layers not exceeding 150mm thick and compacting to 98% modified AASHTO dry density under solid floors.	m3	4		
	Compaction of surfaces				
85	Scarify in-situ material to a depth of 150mm and compact to 93% Mod AASHTO density.	m2	27		
	<u>Tests</u>				
86	Allow for Mod AASHTO density tests on filling.	No	2.00		
	CONCRETE (Labour intensive)				
	Reinforced concrete 30MPa (19mm stone) in:				
87	Rafter slabs cast against excavated surfaces.	m3	8		
	Carried Forward			R	
	Section No. 3 EXTERNAL WORKS Bill No. 1				

	Brought Forward			R	
	<u>Testing</u>				
88	Allow for preparing and curing a set of three test cubes, each size 150mm x 150mm x 150mm and pay all transport and testing costs undertaken by an approved independent laboratory. (Provisional)	Sets	2		
	Surface treatment				
89	Float surface of concrete to a wood float finish.	m2	27		
	Carried Forward Section No. 3 EXTERNAL WORKS Bill No. 1			R	
		I			l l

	Brought Forward			R	
	<u>FORMWORK</u>				
	Edges, risers, ends and reveals				
90	Edge, riser, etc exceeding 300mm high.	m2	11		
	Projections, grooves, etc.				
91	Labour and material in forming 25 x 25mm chamfer to exposed top edge of concrete.	m	24		
	REINFORCEMENT (PROVISIONAL)				
	High tensile welded steel mesh reinforcement :				
92	Ref: 395 cast into concrete surfaces.	m2	27		
	PLUMBING AND DRAINAGE				
	ALTERATIONS TO EXISTING				
93	Locate, cut into and temporarily stop off 63mm diameter water pipe for insertion of reducing fitting (elsewhere).	No	2		
	Pipes, pipe fittings, etc.				
	Class 12 uPVC water supply pipe with bedding and filling in accordance with SABS 1200				
94	40mm Pipe.	m	90		
95	50mm Pipe.	m	12		
96	40mm Pipe and laying in ground not exceeding 1000mm deep.	m	10		
	Extra over uPVC pipes for the following fittings				
97	40mm Bend.	No	27		
98	50mm Bend.	No	5		
99	40mm Tee junction.	No	2		
100	63 x 40mm Straight reducer	No	2		
					_
	Carried Forward Section No. 3 EXTERNAL WORKS Bill No. 1			R	
					i

	Brought Forward			R	_
	Taps, valves, etc.				
101	40mm float valve kit fitted inside of tank.	No	3		
102	40mm In-line strainer.	No	2		
103	40mm Brass gate valve.	No	3		
104	40mm Brass non return valve.	No	1		
105	40mm Flanged resilient seal gate valve with cap top.	No	2		
106	40mm Flanged pressure reducing valve.	No	1		
	<u>Switch</u>				
107	Float switch fitted inside of tank.	No	2		
	<u>Connections</u>				
	Connection of new to existing pipes				
108	Connection of 40mm diameter HDPE to 40mm diameter galvanised pipes including all necessary reducers, saddles, etc.	No	2		
109	Connection of 40mm diameter HDPE to 0.75kw water pump including all necessary reducers, saddles, etc.	No	2		
110	Connection of 63mm diameter HDPE to 40mm diameter galvanised pipes including all necessary reducers, saddles, etc.	No	1		
	Rainwater tanks:				
111	20 000 Litre polyethylene rotomoulded vertical water storage tank provided complete with lid and overflow outlet, fitted with suitable adaptor and setting in position on concrete tankstand (elsewhere measured). (The tanks are to be filled with water for the Practical Completion inspection)	No	3		
112	Hole through side of tank for 40mm diameter pipe including adaptor.	No	6		
	Carried Forward Section No. 3 EXTERNAL WORKS Bill No. 1			R	

	Brought Forward			R	
	<u>Ties, cramps, etc.</u>				
113	38 x 1,6mm Galvanised hoop iron strap around tank, both ends fitted with once holed 30 x 30 x 3mm thick galvanised flat plate and bolted together with and including M10 bolt and nut.	No	3		
114	38 x 1,6mm Galvanised hoop iron tie down, 2500mm long, one end wrapped around tank strap and twice bolted, the other end folded over and bolted to top of concrete with and including 8 x 60mm masonry anchor.	No	12		
	Water supply valve or meter chambers				
115	Excavate for and build valve chamber size 565 x 665 x 550mm deep overall formed of precast concrete valve chamber units 1, 2, 3 and 4 with valve box lid-V and 19mm thick layer of 19mm stone in bottom including filling in and ramming.	No	2		
	Pump and Pumphouse				
116	Allow the Budgetary Allowance of R 15 000,00 (Fifteen Thousand Rand) for the installation of a 0.75kw water pump including housing, etc.		Item		15,000.00
	ELECTRICAL CONNECTION				
	Elevated Tank Electrical Works				
117	Allow the Budgetary Allowance of R 80 000,00 (Eighty Thousand Rand) for the electrical supply to the water pumps, float switches, ect.		Item		80,000.00
	PROVISION OF TEMPORARY TOILETS DURING THE CONSTRUCTION PERIOD				
	Portable toilets				
118	Supply and erecting of the portable chemical toilet during the duration of the contract.	No	5		
119	Servicing and maintain the five portable chemical toilets on a weekly basis during duration of the contract. (No = week)	No	20		
	Carried Forward			R	
	Section No. 3 EXTERNAL WORKS Bill No. 1				

	Brought Forward			R	Π
120	Removal of the portable chemical toilet on completion of the contract.	No	5		
	Carried to Cluster Summary Section No. 3 EXTERNAL WORKS Bill No. 1			R	<del> </del>

	FINAL SUMMARY			
Section No		Page No		Amount
1	PRELIMINARIES AND GENERAL	38		
2	BUILDING WORKS	70		
3	EXTERNAL WORKS	87		
	SUB TOTAL (A)		R	
	Allow the sum as indicated for Contingencies		R	
	COMMUNITY LIAISON OFFICER (CLO)			
	Provide the sum of R 39 000.00 (Thirty Nine Thousand Hundred Rand) for the employment of a CLO.(R 6 500.00 per month x contract period allowance)	Item		39,000.00
	Add for profit on the above if required.	Item		
	SUB TOTAL (B)		R	
	Add VAlue Added Tax @ 15%		R	
	Carried to Final Form of Tender		R	