Item No		Quantity	Rate	Amount
	SECTION 1			
	BILL NO. 1			
	PRELIMINARIES			
	BUILDING AGREEMENT AND PRELIMINARIES			
	MEANING OF TERMS "TENDER / TENDERER"			
	Any reference to the words "Tender" or "Tenderer" herein and/or in any other documentation shall be construed to have the same meaning as the words "Bid" or "Bidder"			
	PRELIMINARIES			
	The JBCC Preliminaries Code 2103, May 2005 edition for use with the JBCC Principal Building Agreement Edition 4.1 Code 2101, March 2005 is taken to be incorporated herein. The tenderer is deemed to have referred to these documents for the full intent and meaning of each clause. These clauses are referred to by number and heading only. Where standard clauses or options are not applicable to the contract such modifications or corrections as are necessary are given under each relevant clause. Where an item is not relevant to this specific contract such item is marked "N/A" signifying "Not Applicable"			
	PRICING OF PRELIMINARIES			
	Should Option A, as set out in clause B10.3.1 hereinafter be used for the adjustment of preliminaries then each item priced is to be allocated to one or more of the three categories Fixed, Value Related or Time Related and the respective amounts entered in the spaces provided under each item			
	Items not priced in these Preliminaries shall be deemed to be included elsewhere in these Bills of Quantities			
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

	Brought Forward	R	
SECTION A: JBCC PRINCIPAL E	BUILDING		
AGREEMENT			
<u>DEFINITIONS</u>			
A1.0 DEFINITIONS AND INTERP	RETATION		
Clause 1.0			
Clause 1.1 Definition of " Commence added:	ment Date" is		
COMMENCEMENT DATE" means the vorking days after site hand over.	ne date that is 5		
Clause 1.1 Definition of "Constructio amended by replacing it with the follo			
"CONSTRUCTION GUARANTEE" mat call obtained by the contractor from approved by the employer in terms of construction guarantee form as select schedule	m an institution f the employer's		
Clause 1.1 Definition of "Construction mended by replacing it with the follow			
"CONSTRUCTION PERIOD" means to commencing on the commencement on the date of practical completion			
Clause 1.1 Definition of "Corrupt Pra	ctice" is added:		
"CORRUPT PRACTICE" means the or receiving or soliciting of anything of va the action of a public official in the pro or in contract execution	alue to influence		
Clause 1.1 Definition of " Fraudulent l	Practice" is added:		
	Carried Forward	R	
Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

Brought Forward	R	
"FRAUDULENT PRACTICE" means a mispresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any tenderer and includes collusive practice among tenderers (prior to or after the tender submission) designed to establish tender prices at artificial noncompetitive levels and to deprive the tenderer of the benefits of free and open competition		
Clause 1.1 Definition of "Interest" is amended by replacing it with the following:		
"INTEREST" means the interest rates applicable on this contract, whether specifically indicated in the relevant clauses or not, will be in terms of the legislation of the Republic of South Africa, and in particular:		
(a) in respect of interest owed by the employer, the interest rate as determined by the Minister of Justice and Constitutional Development from time to time, in terms of section 1(2) of the Prescribed Rate of Interest Act, 1975 (Act No. 55 of 1975), will apply;		
and		
(b) in respect of interest owed to the employer, the interest rate as determined by the Minister of Finance, from time to time, in terms of section 80(1)(b) of the Public Finance Management Act, 1999 (Act No. 1 of 1999), will apply		
Clause 1.1 Definition of " Principal Agent " is amended by replacing it with the following:		
"PRINCIPAL AGENT" means the person or entity appointed by the employer and named in the schedule. In the event of a principal agent not being appointed, then all the duties and obligations of a principal agent as detailed in the agreement shall be fulfilled by a representative of the employer as named in the schedule		
Clause 1.1 Definition of " Security " is amended by replacing it with the following:		
Carried Forward	R	
Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1		

	Brought Forward		R	
	"SECURITY" means the form of security provided by the employer or contractor, as stated in the schedule, from which the contractor or employer may recover expense or loss			
	Clause 1.6 is amended by replacing the words "prepaid registered post, telefax or e-mail" with "prepaid registered post or telefax"			
	Clause 1.6.4 is amended by replacing it with the following:			
	No clause			
	Fixed: Value related: Time related:	Item		
	OBJECTIVE AND PREPARATION			
2	A2.0 OFFER, ACCEPTANCE AND PERFORMANCE			
	Clause 2.0			
	Fixed: Value related: Time related:	Item		
3	A3.0 DOCUMENTS			
	Clause 3.0			
	Clause 3.2.1 is amended by replacing "14.1" with "14.0"			
	Clause 3.7 is amended by the addition of the following:			
	The contractor shall supply and keep a copy of the JBCC Series 2000 Principal Building Agreement and Preliminaries applicable to this contract on the site , to which the employer , principal agent and agents shall have access at all times			
	Clause 3.10 is amended by replacing the second reference to "principal agent" with the word "employer"			
	Fixed: Value related: Time related:	Item		
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			
		i	1	

	Brought Forward		R	
4	A4.0 DESIGN RESPONSIBILITY			
	Clause 4.0			
	Clause 4.3 is amended by replacing it with the following:			
	No clause			
	Fixed: Value related: Time related:	Item		
5	A5.0 EMPLOYER'S AGENTS			
	Clause 5.0			
	Clause 5.1.2 is amended to include clauses 32.6.3, 34.3 and 34.4 in terms of which the employer has retained its authority and has not given a mandate to the principal agent and in terms of which the employer shall sign all documents.			
	Fixed: Value related: Time related:	Item		
6	A6.0 SITE REPRESENTATIVE			
	Clause 6.0			
	Fixed: Value related: Time related:	Item		
7	A7.0 COMPLIANCE WITH REGULATIONS	itom		
'	Clause 7.0			
	Fixed: Value related: Time			
	related:	Item		
8	A8.0 WORKS RISK			
	Clause 8.0			
	Fixed: Value related: Time related:	Item		
	Totalou			
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL			
	Bill No. 1			

	Brought Forward		R	
9	A9.0 INDEMNITIES			
	Clause 9.0			
	Fixed: Value related: Time related:	Item		
10	A10.0 WORKS INSURANCES			
	Clause 10.0			
	Clause 10.0 is amended by the addition of the following clauses:			
	10.5 Damage to the Works			
	(a) Without in any way limiting the contractor's obligations in terms of the contract, the contractor shall bear the full risk of damage to and/or destruction of the works by whatever cause during construction of the works and hereby indemnifies and holds harmless the employer against any such damage. The contractor shall take such precautions and security measures and other steps for the protection and security of the works as the contractor may deem necessary			
	(b) The contractor shall at all times proceed immediately to remove or dispose of any debris arising from damage to or destruction of the works and to rebuild, restore, replace and/or repair the works			
	(c) The employer shall carry the risk of damage to or destruction of the works and materials paid for by the employer that is the result of the excepted risks as set out in 10.6			
	(d) Where the employer bears the risk in terms of this contract, the contractor shall, if requested to do so, reinstate any damage or destroyed portions of the works and the costs of such reinstatement shall be measured and valued in terms of 32.0 hereof			
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

	Brought Forward	R
	Injury to Persons or loss of or damage to erties	
(a)	The contractor shall be liable for and hereby indemnifies the employer against any liability, loss, claim or proceeding whether arising in common law or by statute, consequent upon personal injuries to or the death of any person whomsoever arising out of or in the course of or caused by the execution of the works unless due to any act or negligence of any person for whose actions the employer is legally liable	
(b)	The contractor shall be liable for and hereby indemnifies the employer against any liability, loss, claim or proceeding consequent upon loss of or damage to any moveable or immovable or personal property or property contiguous to the site , whether belonging to or under the control of the employer or any other body or person, arising out of or in the course of or by reason of the execution of the works unless due to any act or negligence of any person for whose actions the employer is legally liable	
(c)	The contractor shall, upon receiving a contract instruction from the principal agent, cause the same to be made good in a perfect and workmanlike manner at his own cost and in default thereof the employer shall be entitled to cause it to be made good and to recover the cost thereof from the contractor or to deduct the same from amounts due to the contractor	
(d)	The contractor shall be responsible for the protection and safety of such portions of the premises placed under his control by the employer for the purpose of executing the works until the issue of the certificate of practical completion	
Section	Carried Forward on No. 1	R

	Brought Forward	R	
(e)	Where the execution of the works involves the risk of removal of or interference with support to adjoining properties including land or structures or any structures to be altered or added to, the contractor shall obtain adequate insurance and will remain adequately insured or insured to the specific limit stated in the contract against the death of or injury to persons or damage to such property consequent on such removal or interference with the support until such portion of the works has been completed		
(f)	The contractor shall at all times proceed immediately at his own cost to remove or dispose of any debris and to rebuild, restore, replace and/or repair such property and to execute the works		
10.7	High risk insurance		
geolo an ai cond move	e event of the project being executed in a ogical area classified as a "High Risk Area", that is rea which is subject to highly unstable subsurface litions that might result in catastrophic ground ement evident by sinkhole or doline formation the wing will apply:		
10.7	.1 Damage to the works		
the vocame and I to an catas. The meas	contractor shall, from the commencement date of works until the date of the certificate of practical pletion bear the full risk of and hereby indemnifies holds harmless the employer against any damage ad/or destruction of the works consequent upon a strophic ground movement as mentioned above. contractor shall take such precautions and security sures and other steps for the protection of the ks as he may deem necessary		
cont dispo destr	on so instructed to do so by the principal agent , the tractor shall proceed immediately to remove and/or cose of any debris arising from damage to or ruction of the works and to rebuild, restore, replace or repair the works , at the contractor's own costs		
Secti	Carried Forward	R	
	LIMINARIES AND GENERAL No. 1		

Brought Forward		R	
10.7.2 Injury to persons or loss of or damage to property			
The contractor shall be liable for and hereby indemnifies and holds harmless the employer against any liability, loss, claim or proceeding arising at any time during the period of the contract whether arising in common law or by statute, consequent upon personal injuries to or the death of any person whomsoever resulting from, arising out of, or caused by a catastrophic ground movement as mentioned above The contractor shall be liable for and hereby indemnifies the employer against any and all liability, loss, claim or proceeding consequent upon loss of or damage to any moveable or immovable or personal property or property contiguous to the site , whether belonging to or under the control of the employer or any other body or person whomsoever arising out of or caused by a catastrophic ground movement, as mentioned above, which occurred during the period of			
the contract 10.7.3 It is the responsibility of the contractor to ensure that he has adequate insurance to cover his risk and liability as mentioned in 10.7.1 and 10.7.2. Without limiting the contractor's obligations in terms of the contract, the contractor shall, within twenty-one (21) calendar days of the commencement date but before commencement of the works, submit to the employer proof of such insurance policy, if requested to do so			
10.7.4 The employer shall be entitled to recover any and all losses and/or damages of whatever nature suffered or incurred consequent upon the contractor's default of his obligations as set out in 10.7.1; 10.7.2 and 10.7.3. Such losses or damages may be recovered from the contractor or by deducting the same from any amounts still due under this contract or under any other contract presently or hereafter existing between the employer and the contractor and for this purpose all these contracts shall be considered one indivisible whole			
Fixed: Value related: Time related:	Item		
Carried Forward Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1		R	

	Brought Forward		R	
11	A11.0 LIABILITY INSURANCES			
	Clause 11.0			
	Fixed: Value related: Time related:	Item		
12	A12.0 EFFECTING INSURANCES			
	Clause 12.0			
	Fixed: Value related: Time related:	Item		
13	A13.0 No clause	N/A		
14	A14.0 SECURITY			
	Clause 14.0			
	Clauses 14.1 - 14.8 are amended by replacing them with the following:			
	14.1 The security to be submitted by the contractor to the employer will be as a payment reduction of up to ten per cent (10%) of the value certified in the payment certificate (excluding VAT)			
	14.1.1 The payment reduction of the value certified in a payment certificate shall be <i>mutatis mutandi</i> in terms of 31.8(A)			
	14.1.2 The employer shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his obligations to refund the payment reduction security or portions thereof to the contractor			
	14.2 Where security as a payment reduction of ten per cent (10%) of the value certified in the payment certificate (excluding VAT) has been selected:			
			_	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1		R	

	Brought Forward		R		
1	14.2.1 The payment reduction of the value certified in a payment certificate shall be <i>mutatis mutandi</i> in terms of 31.8(B)				
	14.2.2 The employer shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his obligations to refund the payment reduction security or portions thereof to the contractor				
	14.9 Should the contractor fail to furnish the security in terms of 14.2, the employer , in his sole discretion and without notification to the contractor , is entitled to change the contractor's selected form of security to that of a ten per cent (10%) payment reduction of the value certified in the payment certificate (excluding VAT), whereafter 14.7 shall be applicable				
	Fixed: Value related: Time related:	Item			
	EXECUTION				
15	A15.0 PREPARATION FOR AND EXECUTION OF THE WORKS				
	Clause 15.0				
	Clause 15.1.1 is amended by replacing it with:				
	No clause				
	Clause 15.1.2 is amended by replacing it with:				
	The security selected in terms of 14.0				
	Clause 15.1 is amended by the addition of the following clause:				
	15.1.4 An acceptable health and safety plan, required in terms of the Occupational Health and Safety Act, 1993 (Act 85 of 1993), within fourteen (14) calendar days of commencement date				
	Carried Forward		R		
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1				
			1	1	

	Brought Forward	R	
20	A20.0 NOMINATED SUBCONTRACTORS		
	Clause 20.0		
	Clause 20.1.3 is amended by replacing it with the following:		
	No clause		
	Note: See item B9.1 hereinafter for adjustment of attendance on nominated subcontractors executing work allowed for under provisional sums		
	Fixed: Value related: Time related:	Item	
21	A21.0 SELECTED SUBCONTRACTORS		
	Clause 21.0		
	Clause 21 is amended by replacing it with:		
	No clause		
	Fixed: Value related: Time related:	Item	
22	A22.0 EMPLOYER'S DIRECT CONTRACTORS		
	Clause 22.0		
	Fixed: Value related: Time		
	related:	Item	
23	A23.0 CONTRACTOR'S DOMESTIC SUBCONTRACTORS		
	Clause 23.0		
	Fixed: Value related: Time related:	Item	
	Telateu	item	
	Coming Forward		
	Section No. 1	R	
	PRELIMINARIES AND GENERAL Bill No. 1		

	Brought Forward		R	
	COMPLETION			
24	A24.0 PRACTICAL COMPLETION			
	Clause 24.0			
	Fixed: Value related: Time related:	Item		
25	A25.0 WORKS COMPLETION			
20	Clause 25.0			
	Fixed: Value related: Time			
	related:	Item		
26	A26.0 FINAL COMPLETION			
	Clause 26.0			
	Fixed: Value related: Time related:	Item		
27	A27.0 LATENT DEFECTS LIABILITY PERIOD			
	Clause 27.0			
	Fixed: Value related: Time			
	related:	Item		
28	A28.0 SECTIONAL COMPLETION			
	Clause 28.0			
	Fixed: Value related: Time related:	Item		
	Carried Forward		R	
	Section No. 1			
	PRELIMINARIES AND GENERAL Bill No. 1			

	Brought Forward		R	
29	A29.0 REVISION OF DATE FOR PRACTICAL COMPLETION			
	Clause 29.0			
	Clause 29.2.5 is amended by replacing it with:			
	No clause			
	Fixed: Value related: Time related:	Item		
30	A30.0 PENALTY FOR NON-COMPLETION			
	Clause 30.0			
	Fixed: Value related: Time related:	Item		
	PAYMENT			
31	A31.0 INTERIM PAYMENT TO THE CONTRACTOR			
	Clause 31.0			
	Clause 31.5.2 is amended by replacing "14.7.1" with "14.0 and 31.8"			
	Clause 31.8 is amended by replacing it with the following two alternative clauses:			
	Alternative A			
	31.8(A) Where a security is selected in terms of 14.1; the value of the works in terms of 31.4.1 and materials and goods in terms of 31.4.2 shall be certified in full. The value certified shall be subject to the following percentage adjustments:			
	31.8(A).1 Ninety-five percent (95%) of such value in interim payment certificates issued up to the date of practical completion			
	31.8(A).2 Ninety-seven and half percent (97.5%) of such value in interim payment certificates issued on the date of practical completion and up to but excluding the date of final completion			
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

		Brought Forward		R	
interim paymen	y-nine percent (99%) of t certificates issued or d up to but excluding th rms of 34.6	n the date of final			
the final payme where the amount in such an even	nundred percent (100% nt certificate in terms int certified is in favour it the payment reduction level applicable to the f	of 34.6 except of the employer . n shall remain at			
Clause 31.12 is	amended by deleting t	he following:			
	e subject to the emplo x invoice for the amour				
Fixed: related:	Value related:	Time	Item		
ı					
		Carried Forward		R	
Section No. 1 PRELIMINARIE Bill No. 1	S AND GENERAL				
1					

	Brought Forward		R	
32	A32.0 ADJUSTMENT TO THE CONTRACT VALUE			
	Clause 32.0			
	Clauses 32.5.1, 32.5.4 and 32.5.7 are amended by the addition of the following at the end of the sentence:			
	"due to no fault of the contractor "			
	Add the following clauses: 33.2.9 to 33.2.13:			
	33.2.9 the contractor 's failure or neglect to commence with the works on the dates prescribed in the contract			
	33.2.10 the contractor's failure or neglect to proceed with the works in terms of the contract			
	33.2.11 the contractor's failure or neglect for any reason to complete the works in accordance with the contract			
	33.2.12 the contractor's refusal or neglect to comply strictly with any of the conditions of contract or any contract instructions and/or orders in writing given in terms of the contract			
	33.2.13 the contractor's estate being sequestrated; liquidated or surrendered in terms of the insolvency laws in force within the Republic of South Africa.			
	Fixed: Value related: Time related:	Item		
33	A33.0 RECOVERY OF EXPENSE AND LOSS			
	Clause 33.0			
	Fixed: Value related: Time related:	Item		
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

A34.0 FINAL ACCOUNT AND FINAL PAYMENT Clause 34.0				
Clause 34.0				
Clause 34.1 is amended by removing "#" next to 34.1				
Clause 34.2 is amended by inserting "#" next to 34.2				
Clause 34.13 is amended by replacing "seven (7) calendar days" with "twenty-one (21) calendar days" and deleting the words "subject to the employer giving the contractor a tax invoice for the amount due"				
Fixed: Value related: Time related:	Item			
A35.0 PAYMENT TO OTHER PARTIES				
Clause 35.0				
Fixed: Value related: Time related:	Item			
CANCELLATION				
A36.0 CANCELLATION BY EMPLOYER - CONTRACTOR'S DEFAULT				
Clause 36.0				
Clause 36.1 is amended by the addition of the following clauses:				
36.1.3 refuses or neglects to comply strictly with any of the conditions of contract				
36.1.4 estate being sequestrated, liquidated or surrendered in terms of the insolvency laws in force within the Republic of South Africa				
36.1.5 in the judgement of the employer , has engaged in corrupt or fraudulent practices in competing for or in executing the contract				
Clause 36.3 is amended by removing the reference to "No clause" and replacing the words "principal agent" with "employer"				
Carried Forward		R		
Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1				
	Clause 34.1 is amended by removing "#" next to 34.2 Clause 34.2 is amended by inserting "#" next to 34.2 Clause 34.13 is amended by replacing "seven (7) calendar days" with "twenty-one (21) calendar days" and deleting the words "subject to the employer giving the contractor a tax invoice for the amount due" Fixed: Value related: Time related: Time related: Value related: Time related: Time related: Value related: Time related:	Clause 34.1 is amended by removing "#" next to 34.1 Clause 34.2 is amended by inserting "#" next to 34.2 Clause 34.13 is amended by replacing "seven (7) calendar days" with "twenty-one (21) calendar days" and deleting the words "subject to the employer giving the contractor a tax invoice for the amount due" Fixed: Value related: Time related: Time ### Time related: Time ### Time related: Time ### Time related: Time related: Time ### Time related: Time related: Time related: Time ### CANCELLATION ### A36.0 CANCELLATION BY EMPLOYER - CONTRACTOR'S DEFAULT Clause 36.0 Clause 36.1 is amended by the addition of the following clauses: 36.1.3 refuses or neglects to comply strictly with any of the conditions of contract 36.1.4 estate being sequestrated, liquidated or surrendered in terms of the insolvency laws in force within the Republic of South Africa 36.1.5 in the judgement of the employer, has engaged in corrupt or fraudulent practices in competing for or in executing the contract Clause 36.3 is amended by removing the reference to "No clause" and replacing the words "principal agent" with "employer" Carried Forward Section No. 1 PRELIMINARIES AND GENERAL	Clause 34.1 is amended by removing "#" next to 34.1 Clause 34.2 is amended by inserting "#" next to 34.2 Clause 34.13 is amended by replacing "seven (7) calendar days" with "twenty-one (21) calendar days" and deleting the words "subject to the employer giving the contractor a tax invoice for the amount due" Fixed: Value related: Time related: Time A35.0 PAYMENT TO OTHER PARTIES Clause 35.0 Fixed: Value related: Time related: Time related: Time CANCELLATION A36.0 CANCELLATION BY EMPLOYER - CONTRACTOR'S DEFAULT Clause 36.0 Clause 36.1 is amended by the addition of the following clauses: 36.1.3 refuses or neglects to comply strictly with any of the conditions of contract 36.1.4 estate being sequestrated, liquidated or surrendered in terms of the insolvency laws in force within the Republic of South Africa 36.1.5 in the judgement of the employer, has engaged in corrupt or fraudulent practices in competing for or in executing the contract Clause 36.3 is amended by removing the reference to "No clause" and replacing the words "principal agent" with "employer"	Clause 34.1 is amended by removing "#" next to 34.1 Clause 34.2 is amended by inserting "#" next to 34.2 Clause 34.13 is amended by replacing "seven (7) calendar days" and deleting the words "subject to the employer giving the contractor a tax invoice for the amount due" Fixed:

	Brought Forward		R	
	Clause 36.0 is amended by the addition of the following clause:			
	36.3 Remove reference to "No clause", and replace "principal agent" with "employer"			
	36.7 Notwithstanding any clause to the contrary, on cancellation of this agreement either by the employer or the contractor ; or for any reason whatsoever, the contractor shall on written instruction, discontinue with the works on a date stated and withdraw himself from the site . The contractor shall not be entitled to refuse to withdraw from the works on the grounds of any lien or right of retention or on the grounds of any other right whatsoever			
	Fixed: Value related: Time related:	Item		
37	A37.0 CANCELLATION BY EMPLOYER - LOSS AND DAMAGE			
	Clause 37.0			
	Clause 37.3.5 is amended by replacing "ninety (90)" with "one hundred and twenty (120)"			
	Clause 37.0 is amended by the addition of the following clause:			
	37.3.5 Replace "ninety (90)" with "one hundred and twenty (120) and 38.5.4			
	Fixed: Value related: Time related:	Item		
38	A38.0 CANCELLATION BY CONTRACTOR - EMPLOYER'S DEFAULT			
	Clause 38.0			
	Clause 38.5.4 is amended by replacing "ninety (90)" with "one hundred and twenty (120)"			
	Clause 38.0 is amended by the addition of the following clause:			
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

Brought Forward		R		
38.7 Notwithstanding any clause to the contrary, on cancellation of this agreement either by the employer or the contractor ; or for any reason whatsoever, the contractor shall on written instruction, discontinue with the works on a date stated and withdraw himself from the site . The contractor shall not be entitled to refuse to withdraw from the works on the grounds of any lien or right of retention or on the grounds of any other right whatsoever				
Fixed: Value related: Time	Item			
A39.0 CANCELLATION - CESSATION OF THE WORKS	item			
Clause 39.0				
Clause 39.3.5 is amended by the addition of the following at the end of the sentence:				
"within one hundred and twenty (120) working days of completion of such a report"				
Fixed: Value related: Time related:	Item			
Carried Forward Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1		R		
	38.7 Notwithstanding any clause to the contrary, on cancellation of this agreement either by the employer or the contractor; or for any reason whatsoever, the contractor shall on written instruction, discontinue with the works on a date stated and withdraw himself from the site. The contractor shall not be entitled to refuse to withdraw from the works on the grounds of any lien or right of retention or on the grounds of any other right whatsoever Fixed: Value related: Time related: A39.0 CANCELLATION - CESSATION OF THE WORKS Clause 39.0 Clause 39.0 Clause 39.3.5 is amended by the addition of the following at the end of the sentence: "within one hundred and twenty (120) working days of completion of such a report" Fixed: Value related: Time related	38.7 Notwithstanding any clause to the contrary, on cancellation of this agreement either by the employer or the contractor; or for any reason whatsoever, the contractor shall on written instruction, discontinue with the works on a date stated and withdraw himself from the site. The contractor shall not be entitled to refuse to withdraw from the works on the grounds of any lien or right of retention or on the grounds of any other right whatsoever Fixed: Value related: Time related: Time Raso. Cancellation - Cessation of the following at the end of the sentence: "within one hundred and twenty (120) working days of completion of such a report" Fixed: Value related: Time related: Time related: Time letended: Time Carried Forward Section No. 1 PRELIMINARIES AND GENERAL	38.7 Notwithstanding any clause to the contrary, on cancellation of this agreement either by the employer or the contractor; or for any reason whatsoever, the contractor shall not writen instruction, discontinue with the works on a date stated and withdraw himself from the site. The contractor shall not be entitled to refuse to withdraw from the works on the grounds of any lien or right of retention or on the grounds of any other right whatsoever Fixed: Value related: Time related: Time related: Value solve to working days of completion of such a report. Clause 39.0 CANCELLATION - CESSATION OF THE WORKS Clause 39.3.5 is amended by the addition of the following at the end of the sentence: "within one hundred and twenty (120) working days of completion of such a report." Fixed: Value related: Time related: Time related: Item Time related:	38.7 Notwithstanding any clause to the contrary, on cancellation of this agreement either by the employer or the contractor; or for any reason whatsoever, the contractor shall on written instruction, discontinue with the works on a date stated and withdraw himself from the site. The contractor shall not be entitled to refuse to withdraw from the works on the grounds of any lien or right of retention or on the grounds of any other right whatsoever Fixed: Value related: Time

	Brought Forward		R		
	DISPUTE				
40	A40.0 DISPUTE SETTLEMENT				
	Clause 40.0				
	Clause 40.2.2 is amended by replacing "one (1) year" with "three (3) years"				
	Clause 40.6 is amended by removing the reference to:				
	No clause				
	Clause 40.7.1 is amended by replacing "(10)" with "(15)" and by the addition of the following:				
	Whether or not mediation resolves the dispute, the parties shall bear their own costs concerning the mediation and equally share the costs of the mediator and related costs				
	Fixed: Value related: Time related:	Item			
	SUBSTITUTE PROVISIONS				
41	A41.0 STATE CLAUSES				
	Clause 41.0				
	Fixed: Value related: Time related:	Item			
	CONTRACT VARIABLES				
42	A42.0 THE SCHEDULE (C1.2)				
	Clause 42.0				
	Tenderers are referred to the C1.2 CONDITIONS OF CONTRACT AND CONTRACT VARIABLES for variables pertaining to this contract				
	Fixed: Value related: Time related:	Item			
	related	пеш			
	Carried Forward		R		
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1				
			i l	i l	

	Brought Forward		R	
	SECTION B: JBCC PRELIMINARIES			
	B1.0 DEFINITIONS AND INTERPRETATION			
43	B1.1 Definitions and interpretation			
	See also clause A1.0 of Section A for additional and/or amended definitions which shall apply equally to this Section			
	Fixed: Value related: Time related:	Item		
	B2.0 DOCUMENTS			
44	B2.1 Checking of documents			
	Fixed: Value related: Time related:	Item		
45	B2.2 Provisional bills of quantities			
	Fixed: Value related: Time related:	Item		
46	B2.3 Availability of construction documentation			
	Fixed: Value related: Time related:	Item		
47	B2.4 Interests of agents			
	Fixed: Value related: Time related:	Item		
48	B2.5 Priced documents			
	Fixed: Value related: Time related:	Item		
			_	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1		R	

	Brought Forward	R	
49 B 2	2.6 Tender submission		
Te	ause 2.6 is amended by replacing "JBCC Form of ender" with "Form of Offer and Acceptance DPW-"(EC)"		
Fiz re	xed: Value related: Time lated:	Item	
<u>B</u> :	3.0 THE SITE		
50 B :	3.1 Defined works area		
Fi:	xed: Value related: Time lated:	Item	
51 B :	3.2 Geotechnical investigation		
Fiz re	xed: Value related: Time lated:	Item	
52 B 3	3.3 Inspection of the site		
Fi: re	xed: Value related: Time lated:	Item	
53 B 3	3.4 Existing premises occupied		
Fiz re	xed: Value related: Time lated:	Item	
54 B :	3.5 Previous work - dimensional accuracy		
Fiz re	xed: Value related: Time lated:	Item	
55 B ;	3.6 Previous work - defects		
Fi:	xed: Value related: Time lated:	Item	
56 B 3	3.7 Services - known		
Fiz re	xed: Value related: Time lated:	Item	
	Carried Forward	R	
PF	ection No. 1 RELIMINARIES AND GENERAL II No. 1		

	Brought Forward	R	
57	B3.8 Services - unknown		
	Fixed: Value related: Time		
	related:	Item	
58	B3.9 Protection of trees		
	Fixed: Value related: Time		
	related:	Item	
59	B3.10 Articles of value		
	Fixed: Value related: Time		
	Fixed: Value related: Time related:	Item	
30	B3.11 Inspection of adjoining properties		
	Fixed: Value related: Time related:	Item	
	B4.0 MANAGEMENT OF CONTRACT		
61	B4.1 Management of the works		
	Fixed: Time		
	related: R	Item	
62	B4.2 Programme for the works		
	Fixed: Value related: Time		
	related:	Item	
63	B4.3 Progress meetings		
	Fixed: Value related: Time		
	related:	Item	
64	B4.4 Technical meetings		
	Fixed: Value related: Time		
	related:	Item	
65	B4.5 Labour and plant records		
	Fixed: Value related: Time		
	related:	Item	
	Carried Forward	R	
	Section No. 1		
	PRELIMINARIES AND GENERAL		
	Bill No. 1		

MANUFACT	TURERS' INSTRUCTIONS	<u>AND</u>		
B5.1 Sam	oles of materials			
Fixed: related:	Value related:	Time	Item	
B5.2 Work	manship samples			
Fixed: related:	Value related:	Time	Item	
B5.3 Shop	o drawings			
Fixed: related:	Value related:	Time	Item	
B5.4 Com	pliance with manufacturers'	instructions		
Fixed: related:	Value related:	Time	Item	
B6.0 TEM	PORARY WORKS AND PL	_ANT		
B6.1 Depo	sits and fees			
Fixed: related:	Value related:	Time	Item	
B6.2 Encl	osure of the works			
Fixed: related:	Value related:	Time	Item	
B6.3 Adve	ertising			
Fixed: related:	Value related:	Time	Item	
B6.4 Plant	t, equipment, sheds and offic	ces		
Fixed: related:	Value related:	Time	Item	
	Ca	rried Forward		R
Section No.		a i oi mai a		

	Brought Forward	R
74	B6.5 Main notice board	
	Fixed: Value related: Time	II
	related:	Item
75	B6.6 Subcontractors' notice board	
	Fixed: Value related: Time related:	Item
	B7.0 TEMPORARY SERVICES	
76	B7.1 Location	
	Fixed: Value related: Time related:	Item
77	B7.2 Water	
11		
	Fixed: Value related: Time related:	Item
78	B7.3 Electricity	
	Fixed: Value related: Time	
	related:	Item
79	B7.4 Telecommunication facilities	
	Fixed: Value related: Time	
	related:	Item
80	B7.5 Ablution facilities	
	Fixed: Value related: Time	Item
	related:	item
	B8.0 PRIME COST AMOUNTS	
81	B8.1 Responsibility for prime cost amounts	
	Fixed: Value related: Time related:	Item
	related	item
	Section No. 1	R
	PRELIMINARIES AND GENERAL	
	Bill No. 1	
	I and the second se	ı I II

	Brought Forward	R
	B11.0 GENERAL	
89	B11.1 Protection of the works	
	Fixed: Value related: Time related:	Item
90	B11.2 Protection / isolation of existing / sectionally occupied works	
	Fixed: Value related: Time related:	Item
91	B11.3 Security of the works	
	Fixed: Value related: Time related:	Item
92	B11.4 Notice before covering work	
	Fixed: Value related: Time related:	Item
93	B11.5 Disturbance	
	Fixed: Value related: Time related:	Item
94	B11.6 Environmental disturbance	
	Fixed: Value related: Time related:	Item
95	B11.7 Works cleaning and clearing	
	Fixed: Value related: Time related:	Item
96	B11.8 Vermin	
	Fixed: Value related: Time related:	Item
	Carried Forward	R
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1	

	Brought Forward		R	ì
97	B11.9 Overhand work			ı
	Fixed: Value related: Time related:	Item		
98	B11.10 Instruction manuals and guarantees			ı
	Fixed: Value related: Time related:	Item		
99	B11.11 As built information			1
	Fixed: Value related: Time related:	Item		1
100	B11.12 Tenant installations			ı
	Fixed: Value related: Time related:	Item		
	B12.0 SCHEDULE OF VARIABLES			1
101	B12.1 Schedule of variables			ı
	Fixed: Value related: Time related:	Item		
	This schedule contains all variables referred to in this document and is divided into pre-tender and post-tender categories. The pre-tender category must be completed in full and included in the tender documents. Both the pre-tender and post-tender categories form part of these Preliminaries			
	Spaces requiring information must be filled in, shown as "not applicable" or deleted and not left blank. Where choices are offered, the non-applicable items are to be deleted. Where insufficient space is provided the information should be annexed hereto and cross-referenced to the applicable clause of the schedule . Key cross reference clauses are italicised in [] brackets			
	Carried Forward Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1		R	

	Brought Forward	R	
12.1	PRE-TENDER INFORMATION		
	Provisional bills of quantities The quantities are provisional		
	YES		
12.1.2 [2.3]	Availability of construction documentation Construction documentation is complete		
	YES		
12.1.3 <i>[2.4]</i>	Interests of agents Details:		
12.1.4 <i>[</i> 3.1]	Defined works area Details:		
12.1.5 [3.2]	Geotechnical investigation Details:		
12.1.6 <i>[3.4]</i>	Existing premises occupied Specific requirements:		
12.1.7 [3.5]	Previous work - dimensional accuracy Details:		
12.1.8 <i>[</i> 3.6]	Previous work - defects Details:		
	Services - known Details:		
	O Protection of trees Specific requirements:		
Section	Carried Forward	R	
PRELII	MINARIES AND GENERAL		

	Brought Forward	R	
12.1.11 <i>Inspection of adjoining pr</i> [3.11] Specific requirements:	roperties		
12.1.12 <i>Enclosure of the works</i> [6.2] Specific requirements:			
12.1.13 <i>Offices</i> [6.4.3] Specific requirements: The contractor shall provide remove on completion of the the exclusive use of the pri minimum size 4 x 3 x 3m hi insulated and ventilated, prolighting and fitted with board chair, drawing stool, drawing drawers for drawings. The collean and fit for use at all times.	e works an office for ncipal agent, gh internally, suitably ovided with electric ded floor, desk, g board and lock-up office shall be kept		
12.1.14 <i>Main notice board</i> [6.5] Specific requirements: The contractor shall provide directed, maintain and remote the works a notice board site boarding with flat smooth site edging bead 19mm thick roprojecting 12mm from face rounded on front edge. The securely fixed to hoarding, with provided, or fixed to and incomposition supporting structure of timb and braces. The board is to white and the bead and 12r lines dark green. All wording in dark green as per the conwording shall be inscribed it sans serif lettering	ove on completion of ize 3 x 3m as type cted of suitable curface and with und outer edges and of boarding and board shall be where hoarding is cluding a suitable er or tubular posts be painted ivory mm wide dividing g shall be inscribed at of arms for SA. All		
12.1.15 Subcontractors' notice bo [6.6] A notice board is required	pard		
Specific requirements:	NO		
Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1	Carried Forward	R	

Brought Forward	R	
12.1.16 <i>Water</i> [7.2] Option A (by contractor)		
NO		
Option B (by employer - free of charge)		
NO		
Option C (by employer - metered)		
YES		
12.1.17 <i>Electricity</i> [7.3] Option A (by contractor)		
NO		
Option B (by employer - free of charge)		
NO		
Option C (by employer - metered)		
YES		
12.1.18 <i>Telecommunications</i> [7.4] Telephone		
YES		
Facsimile		
YES		
E-mail		
YES		
Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1	R	

	Brought Forward	R	
	Option A (by contractor)		
	YES		
	Option B (by employer)		
	NO		
works	Protection of existing/sectionally occupied		
[11.2]	Protection is required		
	NO		
12.1.21 <i>[</i> 9. <i>2</i>]	Special attendance Subcontractor (1) details:		
	Subcontractor (2) details:		
	Subcontractor (3) details:		
	Subcontractor (4) details:		
	2 Protection of the works Specific requirements:		
	Specific requirements: The contractor shall keep the site, structures, etc well watered during operations to prevent dust and shall provide and erect and remove on completion of the works all necessary temporary dust screens all to the satisfaction of the principal agent		
	A Environmental disturbance Specific requirements:		
12.2	POST-TENDER INFORMATION		
Section	Carried Forward	R	
	MINARIES AND GENERAL		

		Brought Forward	R	
12.2.1 [10.2]	Payment of preliminaries Option A (prorated)			
	, "	NO		
	Option B (calculated)			
		YES		
12.2.2 [10.3]	Adjustment of preliminaries Option A (three categories)			
		NO		
	Option B (detailed breakdown)			
		YES		
12.2.3	Additional agreed preliminal Details:	ries items		
Section	ı No. 1	Carried Forward	R	
	MINARIES AND GENERAL			

	Brought Forward		R	
	SECTION C: SPECIFIC PRELIMINARIES			
	Section C contains specific preliminary items which apply to this contract except where N/A (Not Applicable) appears against an item			
102	C1.0 CONTRACT DRAWINGS			
	The drawings issued with the tender documents do not comprise the complete set but serve as a guide only for tendering purposes and for indicating the scope of the work to enable the tenderer to acquaint himself with the nature and extent of the works and the manner in which they are to be executed			
	Should any part of the drawings not be clearly understood by the tenderer he shall, before submitting his tender, obtain clarification in writing from the principal agent			
	Fixed: Value related: Time related:	Item		
103	C2.0 GENERAL PREAMBLES			
	The document "Specification of Materials and Methods to be used - PW371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014)." is obtainable on the Department's website (http://www.publicworks.gov.za/ under "Consultants Guidelines"), and shall be read in conjunction with the bills of quantities / lump sum document and be referred to for the full descriptions of work to be done and materials to be used			
	Fixed: Value related: Time related:	Item		
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

	Brought Forward		R	
104	C3.0 TRADE NAMES			
	Wherever a trade name for any product has been described in the bills of quantities / lump sum document, the tenderer's attention is drawn to the fact that any other product of equal quality may be used subject to the written approval of the principal agent being obtained prior to the closing date for submission of tenders			
	If prior written approval for an alternative product is not obtained, the product described shall be deemed to have been tendered for			
	Fixed: Value related: Time related:	Item		
105	C4.0 HIV/AIDS AWARENESS			
	It is required of the contractor to thoroughly study the HIV/AIDS Specification (PW 1544) of the Department that must be read together with and is deemed to be incorporated under this Section of the bills of quantities / lump sum document . Provision for pricing of HIV/AIDS awareness is made under items C10.1 to C10.5 hereafter and it is explicitly pointed out that all requirements of the aforementioned specification are deemed to be priced hereunder, as the said items represent the only method of measurement and no additional items or extras to the contract in this regard shall be entertained			
	The contractor must take note that compliance with the HIV/AIDS Specification is compulsory. In the event of partial or total non-compliance, the principal agent, notwithstanding the provisions of clause A 31.0 of Section A or any other clause to the contrary, reserves the right to delay issuing any progress payment certificate until the contractor provides satisfactory proof of compliance. The contractor shall not be entitled to any compensation of whatsoever nature, including interest, due to such delay of payment			
	Commind Formulard			
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1		R	

Brought Forward		R	
C4.1 AWARENESS CHAMPION Selection, appointment, briefing and making available of an Awareness Champion including provision of all relevant services, all in accordance with the HIV/AIDS Specification Eived: Value related:			
Fixed: Value related: Time related:	Item		
C4.2 AWARENESS WORKSHOPS Selection and appointment of a competent Service Provider approved by the principal agent, provision of a Service Provider Workshop Plan and a suitable venue, conducting of awareness workshops by means of traditional and/or modern multi- media techniques, including follow-up courses, making available all tuition material and performing assessment procedures, all in accordance with the HIV/AIDS			
Specification Fixed: Value related:			
Fixed: Value related: Time related:	Item		
necessary of four plastic laminated posters, booklets and educational videos, etc. for the duration of the construction period, all in accordance with the HIV/AIDS Specification Fixed:	ltem		
in position, including male and female condoms, replenishing male and female condoms on a daily basis as required for the duration of the construction period , all in accordance with the HIV/AIDS Specification Fixed:			
Time related:	Item		
Carried Forward		R	
Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

	Brought Forward		R	
C4.5 MONITORING Monitoring HIV/AIDS awareness of the principal agent with access to it making available all reports, thorough reflecting the correct information, for construction period and close out, with the HIV/AIDS Specification	nformation including hly completed and the duration of the			
Fixed: Value related Time related:	l:	Item		
	Carried to Summary		R	
Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1				

Item No		Unit	Quantity	Rate	Amount	
	SECTION 2					
	BILL NO.1					
	REFURBISHMENTS					
	SUPPLEMENTARY PREAMBLES					
	For preambles see "Specifications of materials and methods to be used - PW 371"					
	SUPPLEMENTARY PREAMBLES					
	<u>View site</u>					
	Before submitting his tender the contractor shall visit the site and satisfy himself as to the nature and extent of the work to be done and the value of the materials contained in the buildings or portions of the buildings to be demolished. No claim for any variations of the contract sum in respect of the nature and extent of the work or of inferior or damaged materials will be entertained					
	Carried Forward Section No. 2 BUILDING WORKS Bill No. 1			R		_

Existing structures In taking down and removing existing work, the utmostcare shall be observed to prevent any structural or otherdamage to the remaining portions of the building and the Contractor shall provide all shoring, needling, strutting.etc. to ensure the stability of all structures during thealteration work. Any damage to the structure and/orbibuiding as well as the rectification of same will be forthe Contractor's account.SUPPLEMENTARY PREAMBLESServicesSpecial care shall be exercised during the progress ofthe work to ensure that electrical installation, watersupply pipes, gas and oxygen supply pipes, telephoneand other services which may be encountered are notinterfered with and notice shall be given to the Representative Agent if any disconnection or alterationsbecome necessary. Dust and noiseThe Contractor is to take all necessary precautions tothe satisfaction of the Representative Agent to preventany nuisance from the dust and/or noise whilst carryingout the work.Disposal of debrisThe Contractor shall be responsible for the removal from the orthost of all materials, debris and rubbish resulting fromthe work and the removal is deemed to be included inthe rates unless otherwise specified. Explosives No explosives whatsoever may be used for demolition purposes unless otherwise stated General The contractor shall carry out the whole of the works with as little mess and noise as possible and with a minimum of disturbance to adjoining premises and their tenants. He shall provide proper protection and provide, erect and remove when directed, any temporary tarpaulins that may be necessary during the progress of the works, all to the satisfaction of the principal agent Carried Forward Section No. 2 BUILDING WORKS Bill No. 1		⊏ IVI	13 NO. 200 10040)
existing work, the utmostcare shall be observed to prevent any structural or otherdamage to the remaining portions of the building and theContractor shall provide all shoring, needling, strutting, etc. to ensure the stability of all structures during thealteration work. Any damage to the structure and/orbuilding as well as the rectification of same will be forthe Contracor's account.SUPPLEMENTARY PREAMBLESServicesSpecial care shall be exercised during the progress ofthe work to ensure that electrical installation, watersupply pipes, gas and oxygen supply pipes, telephoneand other services which may be encountered are notinterfered with and notice shall be given to theRepresentative Agent if any disconnection or alterationsbecome necessary.Dust and noiseThe Contractor is to take all necessary precautions tothe satisfaction of the Representative Agent to preventany nuisance from the dust and/or noise whilst carryingout the work.Disposal of debrisThe Contractor shall be responsible for the removal fromsite of all materials, debris and rubbish resulting fromthe work and the removal is deemed to be included inthe rates unless otherwise specified. Explosives No explosives whatsoever may be used for demolition purposes unless otherwise stated General The contractor shall carry out the whole of the works with as little mess and noise as possible and with a minimum of disturbance to adjoining premises and their tenants. He shall provide proper protection and provide, erect and remove when directed, any temporary tarpaulins that may be necessary during the progress of the works, all to the satisfaction of the principal agent	Brought Forward	R		_
otherwise specified. Explosives No explosives whatsoever may be used for demolition purposes unless otherwise stated General The contractor shall carry out the whole of the works with as little mess and noise as possible and with a minimum of disturbance to adjoining premises and their tenants. He shall provide proper protection and provide, erect and remove when directed, any temporary tarpaulins that may be necessary during the progress of the works, all to the satisfaction of the principal agent Carried Forward R Section No. 2 BUILDING WORKS	Existing structuresIn taking down and removing existing work, the utmostcare shall be observed to prevent any structural or otherdamage to the remaining portions of the building and theContractor shall provide all shoring, needling, strutting,etc. to ensure the stability of all structures during thealteration work. Any damage to the structure and/orbuilding as well as the rectification of same will be forthe Contracor's account.SUPPLEMENTARY PREAMBLESServicesSpecial care shall be exercised during the progress ofthe work to ensure that electrical installation, watersupply pipes, gas and oxygen supply pipes, telephoneand other services which may be encountered are notinterfered with and notice shall be given to theRepresentative Agent if any disconnection or alterationsbecome necessary.Dust and noiseThe Contractor is to take all necessary precautions tothe satisfaction of the Representative Agent to preventany nuisance from the dust and/or noise whilst carryingout the work.Disposal of debrisThe Contractor shall be responsible for the removal fromsite of all materials, debris and rubbish resulting fromthe work and the removal			
No explosives whatsoever may be used for demolition purposes unless otherwise stated General The contractor shall carry out the whole of the works with as little mess and noise as possible and with a minimum of disturbance to adjoining premises and their tenants. He shall provide proper protection and provide, erect and remove when directed, any temporary tarpaulins that may be necessary during the progress of the works, all to the satisfaction of the principal agent Carried Forward R Section No. 2 BUILDING WORKS				
Denote the works of the works with as little mess and noise as possible and with a minimum of disturbance to adjoining premises and their tenants. He shall provide proper protection and provide, erect and remove when directed, any temporary tarpaulins that may be necessary during the progress of the works, all to the satisfaction of the principal agent Carried Forward R Section No. 2 BUILDING WORKS	<u>Explosives</u>			
The contractor shall carry out the whole of the works with as little mess and noise as possible and with a minimum of disturbance to adjoining premises and their tenants. He shall provide proper protection and provide, erect and remove when directed, any temporary tarpaulins that may be necessary during the progress of the works, all to the satisfaction of the principal agent Carried Forward R Section No. 2 BUILDING WORKS				
with as little mess and noise as possible and with a minimum of disturbance to adjoining premises and their tenants. He shall provide proper protection and provide, erect and remove when directed, any temporary tarpaulins that may be necessary during the progress of the works, all to the satisfaction of the principal agent Carried Forward Section No. 2 BUILDING WORKS	<u>General</u>			
Section No. 2 BUILDING WORKS	with as little mess and noise as possible and with a minimum of disturbance to adjoining premises and their tenants. He shall provide proper protection and provide, erect and remove when directed, any temporary tarpaulins that may be necessary during the progress of			
	Section No. 2 BUILDING WORKS	R		_

Brought Forward	R	
Water supply pipes and other piping that may be encountered and found necessary to disconnect or cut, shall be effectually stopped off or grubbed up and removed, and any new connections that may be necessary shall be made with proper fittings, to the satisfaction of the principal agent		
Doors, fanlights, fittings, frames, linings, etc which are to be re-used shall be thoroughly overhauled before refixing including taking off, easing and rehanging, cramping up, re-wedging as required and making good cramps, dowels, etc, and easing, oiling, adjusting and repairing ironmongery as necessary, replacing any glass damaged in removal or subsequently and stopping up all nail and screw holes with tinted plastic wood to match timber, unless otherwise described. Re-painting or re-varnishing is given separately		
Prices for taking out of doors, windows, etc shall include for removal of all beads, architraves, ironmongery, etc		
Prices for taking out and removing doors and frames shall include for removing door stops, cabin hooks, etc and making good floor and wall finishes to match existing		
With regard to building up of openings in existing walls, cement screeds and pavings, granolithic, tops of walls, etc, shall be levelled and prepared for raising of brickwork		
Making good of finishes shall include making good of the brick and concrete surfaces onto which the new finishes are applied, where necessary		
The contractor will be required to take all dimensions affecting the existing buildings on the site and he will be held solely responsible for the accuracy of all such dimensions where used in the manufacture of new items (doors, windows, fittings, etc)		
Alterations to the roof and roof trusses are measured with the carpentry and joinery and the roofing		
LOCATIONS		
A - Girls Ablution Blocks		
B - Boys Ablution Blocks		
C - Staff Ablution Blocks		
Carried Forward	R	
Section No. 2 BUILDING WORKS Bill No. 1		

	Brought Forward			R	_
	Old materials to become the property of theContractorOld materials from the alterations, except wheredescribed to be re-used or handed over, become theproperty of the Contractor who must allow credit forsame in the Final Summary.Old materials to be carted awayOld materials from the alterations, except wheredescribed to be re-used or handed over, as well as allrubbish, etc. must regularly be carted away from siteand not be allowed to accumulate on or around the site.Old materials not to be re-usedNone of the old materials are to be re-used for newwork, except where specifically described as being setaside for re-use.Handing over of materialsWhere certain materials or articles from demolitions oralterations are described as to be handed over by theContractor to the Representative/ Agent, such materialsor articles shall be properly stored by the Contractor must obtain official receipt listing materials or articles and datesof handing over. If the Contractor fails to submit thereceipt when requested, it shall be deemed that thematerials or articles are still in his possession and hewill be held liable to the Department for the fullreplacement value thereof, which amount will bededucted from any monies due to the Contractor. REMOVAL OF EXISTING WORK				
	Break down and remove bench consisting of brickwork and precast concrete (make good finishes elsewhere)				
1	Bench: 1500 x 500mm high A:0 B:2 C:0 Taking out, removing doors, windows,etc including	No	2		
	thresholds	NI.	0.4		
2	Timber single door A:12 B:9 C:0 Taking down and removing ceilings including cornices, timber brandering etc	No	21		
3	Ceilings, cornices etc A:93 B:93 C:0	m2	186		
	Carried Forward Section No. 2 BUILDING WORKS Bill No. 1			R	_

	Brought Forward			R	
	INSPECTING, SERVICING, REMOVING OF EXISTING TOILET SEAT COVERS	1			
	Inspect existing galvanised metal roof coverings for leaks, remove loose roof screws and replace with new 100mm long screws with and including new domed roof washer with sealant attached:				
4	Existing roof coverings A: 116 B: 116 C: 0	m2	233		
	SUNDRIES				
5	Allowance cleaning and clearing before work commences on ablution block A: 0.00 B: 0.00 C: 1.00		Item		
6	Allowance for oil treatment of existing timber trusses, purlins and wall plates				
	A:0.00 B:0.00 C:1.00		Item		
7	Allowance for isolated roof leaks A: 0.00 B: 0.00 C: 1.00		ltem		
8	Service and repair all pivot and locking mechanisms of existing steel windows A:7 B:8 C:0	No	15		
	Breaking down and removing brickwork etc				
9	One brick walls A:55 B:41 C:0 Take out and remove doors, etc, including thresholds, set aside for handing over to the employer and prepare frame to receive new doors in similar position (doors measured elsewhere)	m2	95		
10	Timber single door and frame not exceeding 2,5m ² A: 12 B: 9 C: 0	No	21		
11	Burglar bars: 1500 x 2100mm high A:1 B:1 C:1	No	3		
12	Steel window frame A: 12 B: 9 C: 2	No	23		
	Section No. 2 BUILDING WORKS Bill No. 1			R	

	Brought Forward			R	
	Take out and remove broken window panes from steel windows and prepare frame to receive new glazing in similar position (glazing measured elsewhere)				
13	Window glass panes	m2	12		
	A:6 B:4 C:2				
	Taking out and removing ironmongery				
14	Mortice lockset from timber door	No	24		
	A:12 B:9 C:3				
15	Door closer from timber door and frame	No	24		
	A:12 B:9 C:3				
16	Toilet paper holder from wall A: 12 B: 9 C: 3	No	24		
	Hacking up/off and removing granolithic, screeds, plaster, etc from concrete or brickwork and preparing surfaces for new screed, plaster, tile finishes, etc				
17	80mm Screed from floors A: 93 B: 93 C: 0	m2	186		
18	Internal plaster from walls and columns A:109 B:109 C:12	m2	230		
	Hacking up/off and removing ceramic tiles including removing mortar bed or adhesive from concrete or brickwork and preparing surfaces for new screed, plaster, tile finish, etc				
19	Tiles to floors A:93 B:93 C:22	m2	208		
20	Tiles to walls A:104 B:116 C:19	m2	239		
21	Tile skirtings 90mm high A: 55 B: 60 C: 24	m	139		
	Carried Forward Section No. 2 BUILDING WORKS Bill No. 1			R	

	Brought Forward			R	
	Taking out and removing piping, including cutting off as necessary, holderbats and making good floor and wall finishes (making good tiling and paintwork elsewhere)				
22	UPVC piping not exceeding 110mm internal diameter A: 76 B: 99 C: 17	m	192		
	Taking out and removing sanitary fittings, tanks, geysers, etc, including disconnecting from pipes, traps, etc and making good floor and wall finishes (making good tiling and paintwork elsewhere)				
23	Stainless steel wash hand basin A:3 B:3 C:2	No	8		
24	Vitreous china WC pan with cistern and flush pipe A: 12 B: 9 C: 3	No	24		
25	Vitreous china wall hung urinal with flush valve and flush pipe A:0 B:4 C:2	No	6		
	MAKING GOOD OF FINISHES ETC				
	Making good face brickwork				
26	Cleaning of the facebrick on the outside and inside A: 150 B: 150 C: 0	m2	299		
	Making good paint work				
27	Internal walls A: 225 B: 225 C: 0	m2	449		
	Construction of a new bench comprising of brickwork, plaster, paintwork, precast concrete, etc.				
28	Bench: 1500 x 500mm high A:0 B:2 C:0	No	2		
	SUNDRIES				
29	Allowance for unblocking existing blocked sewer A: 0.00 B: 0.00 C: 1.00		Item		
30	Allowance for testing, servicing and repair all Mechanical equipment on site A: 0.00 B: 0.00 C: 1.00		Item		
	Carried Forward Section No. 2 BUILDING WORKS Bill No. 1			R	

	Brought Forward		R	
31	Allow for detection of all services A: 0.00 B: 0.00 C: 1.00	Item		
	BUDGETARY ALLOWANCES			
	Removal of Asbestos			
32	Provide the sum of R50 650 for removal of asbestos material by specialist	Item		
	Carried Forward to Summary of Section No. 2		R	
	Section No. 2 BUILDING WORKS Bill No. 1			

Item No			Quantity	Rate	Amount
	SECTION 2				
	BILL NO.2				
	ROOF COVERINGS				
	SUPPLEMENTARY PREAMBLES				
	For preambles see "Specifications of materials and methods to be used - PW 371"				
	NOTE : Unless otherwise stated herein, all items in this bill shall be deemed to fall into Work Group No. 124 for CPAP formula purposes				
	LOCATIONS				
	A - Girls Ablution Blocks				
	B - Boys Ablution Blocks				
	C - Staff Ablution Blocks				
	PROFILED METAL SHEETING AND ACCESSORIES				
	Global Roofing Solutions or equal and approved 0,6mm thick 700mm cover Klip- Titeb "profile Z275spelter ISQ550 galvanised steel roof sheeting, fixed to timber or steel intermediate purlins at 1000mm centres and eaves and ridge purlins at 600mm centres using KL700 clips fixed with 10 No.16 x 16mm long self drilling wafer head PH2 screws, No.3 drill point fasteners, all in accordance with the manufacturer's specifications. (Colour: Dark Dolphin or similar approved)				
1	Roof covering with pitch not exceeding 25 degrees A:116 B:116 C:0	m2	233		
2	Ridge capping 550mm girth, three times bent along girth and notched on site to suit roof profile. A:40 B:40 C:0	m	81		
3	Hip capping 550mm girth, three times bent along girth and notched on site to suit roof profile.	m	30		
	A:15 B:15 C:0 Carried Forward Section No. 2 BUILDING WORKS Bill No. 2			R	

	Brought Forward			R	
4	Counter flashing 185mm girth, two times bent along girth. A: 24 B: 24 C: 0	m	48		
	ROOF AND WALL INSULATION				
	Sisalation 420' or similar approved heavy industrial grade reinforced aluminium foil and polyethylene insulation				
5	Insulation laid taut over purlins (at maximum 760mm centres) and fixed concurrent with roof covering, including galvanised steel straining wires	m2	205		
	A:102 B:102 C:0				
	Carried Forward to Summary of Section No. 2			R	
	Section No. 2 BUILDING WORKS Bill No. 2				
					l

Item No		Quantity	Rate	Amount
	SECTION 2			
	BILL NO.3			
	CARPENTRY AND JOINERY			
	SUPPLEMENTARY PREAMBLES			
	For preambles see "Specifications of materials and methods to be used - PW 371"			
	SUPPLEMENTARY PREAMBLES			
	Particle board:			
	Particle board shall comply with the following specifications:			
	a) SABS 1300 Particle board: exterior and flooring type			
	b) SABS 1301 Particle board: interior type			
	Joinery:			
	Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc			
	Descriptions of hardwood joinery shall be deemed to include pelleting of bolt holes			
	Fixing			
	Items described as "nailed" shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete			
	ROOFS ETC			
	Plate nailed timber roof truss construction			
	The following is applicable in respect of roof trusses:			
	Trusses are at maximum 760mm centres			
	The dimensions in the descriptions of the trusses are nominal and actual measurements are to be obtained from the Employer's Agent and/or the site before design or fabrication commences			
	Carried Forward Section No. 2 BUILDING WORKS Bill No. 3		R	

	ought Forward	R	
DESCRIPTIONS			
The term "planted on" shall mean the nailin timber member to another	g of one		
The term "screwed on" shall mean the cour screwing of one timber member to another "plugged" shall mean the countersunk screetimber member to and including plastic plugbrickwork or concrete	The term wing of a		
Descriptions of floors, ceilings, joinery, etc. deemed to include for all square cutting. De items given in linear metre shall be deemed for mitres, stopped ends, fitted intersections Descriptions of rounded angles, rebates, gr chamfers, moulded edges, etc. shall be decinclude for angles, ends, etc.	escriptions of If to include s, etc. ooves,		
PREFABRICATED ROOFS, ETC.			
a) The design, manufacture and transportation roof trusses, bracing, etc. shall be under the registered Engineer in accordance with SAI shall be required from the manufacturer of lodge a written guarantee that his construct designed by a qualified Structural Engineer is in possession of a capability certificate is Institute for Timber Construction and approximately approximatel	e control of a 3S 0243. It the trusses to ion has been and that he sued by the		
b) Erection must be carried out as describe Erection and Bracing of Timber Roof Truss by the Truss Plate Association of South Afr the National Timber Research Institute, CS	es" published ica Ltd. and		
c) Descriptions of roof trusses shall be deel include for design, manufacture, supply, ho fixing in position, trimming ends, notching, any temporary and permanent bracing.	isting and		
Prefabricated plate nailed timber roof truss	construction		
<u>LOCATIONS</u>			
A - Girls Ablution Blocks			
B - Boys Ablution Blocks			
C - Staff Ablution Blocks			
Ca Section No. 2	rried Forward	R	

	Brought Forward			R	_
	Sawn softwood trusses				
1	Roof construction to pitched roof with 10 degree pitch approximately 13100 x 7100mm on plan sloping with 1000mm eaves overhang one end, including wall plates, trusses, jack rafters, hip rafters, permanent bracing and purlins. Exposed rafters to be treated with approved creosote wood treatment A: 112 B: 112 C: 0	m2	223		
	DOORS, ETC.				
	Wrought hardwood flushback doors with sapele veneer hung to steel frames				
2	44mm "TDM" Framed and ledged door 813 x 2 032mm high A: 12 B:9 C:0	No	21		
	Semi Solid doors with "Masonite" 3mm standard hardboard covering on both sides suitable for painting hung to steel frames				
3	40mm x 813 x 2032mm Standard meranti door A:12 B:9 C:0	No	21		
	EAVES, VERGES, ETC				
	Pressed-fibre cement				
4	Fascias and barge boards A: 40 B: 40 C: 0	m	81		
	Carried Forward to Summary of Section No. 2			R	
	Section No. 2 BUILDING WORKS Bill No. 3				

Item No		Quantity	Rate	Amount
	SECTION 2			
	BILL NO. 4			
	CEILINGS, PARTITIONS AND ACCESS FLOORING			
	PREAMBLES			
	For preambles, refer to "Model Preambles for Trades", for specification of materials and methods to be used - refer to public works document no. PW371			
	SUPPLEMENTARY PREAMBLES			
	Proprietary items or materials Proprietary items or materials where specified are to be of the brand specified - or other approved - by the Employer's Agent			
	Descriptions Items described as "nailed" shall be deemed to be fixed with hardened steel nails or pins or shot pinned to brickwork or concrete Items described as "plugged" shall be deemed to include screwing to fibre, plastic or metal plugs in brickwork or concrete at not exceeding 600 mm centres, and where described as "bolted" the bolts have been given elsewhere			
	LOCATIONS			
	A - Girls Ablution Blocks			
	B - Boys Ablution Blocks			
	C - Staff Ablution Blocks			
	CEILINGS			
	"Aerolite" insulation			
1	75mm Insulation closely fitted and laid on top of brandering between roof timbers etc m2 A:93 B:93 C:0	186		
	NAILED UP AND SCREW UP CEILINGS			
	Carried Forward Section No. 2 BUILDING WORKS Bill No. 4		R	

	Brought Forward			F	
	4mm "Everite Nutec" plain boards screw fixed with white metal H-profile jointing strips over joints, 600mm centres with cross brandering at joints, ends of sheets and at light fittings, etc				
	Ceilings including 38 x 50mm sawn softwood brandering A:93 B:93 C:0	m2	186		
1	Gypsum plasterboard cornices				
.	75mm coved cornice fixed to walls	m	111		
	A:55 B:55 C:0				
:	<u>Trap door</u>				
	Extra over ceiling for 600 x 600mm trap door comprising A:3 B:3 C:0	No	6		
	Carried Forward to Summary of Section No. 2			R	
ı	Section No. 2 BUILDING WORKS Bill No. 4				_

Item No			Quantity	Rate	Amount
	SECTION 2				
	BILL NO. 5				
	IRONMONGERY				
	PREAMBLES				
	For preambles, refer to "Model Preambles for Trades", for specification of materials and methods to be used - refer to public works document no. PW371				
	LOCATIONS				
	A - Girls Ablution Blocks				
	B - Boys Ablution Blocks				
	C - Staff Ablution Blocks				
	BATHROOM FITTINGS				
	"Kimberly Clark" or similar approved				
1	Standard vandalproof toilet roll holder A: 12 B: 9 C: 0	No	21		
	LOCKS				
	<u>"Union"</u>				
2	"682-24-52 SC" three lever lockset A: 12 B: 9 C: 0	No	21		
3	Padlock, 50mm Viro with two keys A:1 B:1 C:0	No	2		
	PUSH PLATES AND KICKING PLATES				
	"Dorma"				
4	"dkp-ss-161" Stainless steel kick plate size 813 x 300mm high fixed to timber A: 12 B: 9 C: 0	No	21		
	LETTERS, NAMEPLATES, ETC				
	Ounted Forward				
	Section No. 2 BUILDING WORKS Bill No. 5			R	

	Brought Forward			R	
	"Union"				
5	"AL5066-06ASE08" 152 x 152mm anodised aluminium plate with directional pictogram A:6 B:6 C:0	No	12		
	SUNDRIES				
6	30mm Diameter rubber door stop plugged & screwed to	No	21		
	A:0 B:12 C:9				
	"Kimberley-Clark"or Simlilar				
7	Stainless steel female she-bin plugged to wall A: 2 B: 0 C: 0	No	2		
	Carried Forward to Summary of Section No. 2			R	
	Section No. 2 BUILDING WORKS				
	Bill No. 5				
					1

Item No		Quantity	Rate	Amount
	SECTION 2			
	BILL NO.6			
	<u>METALWORK</u>			
	PREAMBLES			
	For preambles, refer to "Model Preambles for Trades", for specification of materials and methods to be used - refer to public works document no. PW371			
	SUPPLEMENTARY PREAMBLES			
	<u>Descriptions</u>			
	Descriptions of bolts shall be deemed to include nuts and washers			
	Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete			
	Metalwork described as holed for bolt(s) shall be deemed to exclude the bolts unless otherwise described			
	LOCATIONS			
	A - Girls Ablution Blocks			
	B - Boys Ablution Blocks			
	C - Staff Ablution Blocks			
	MILD STEEL DOOR FRAMES			
	1.6mm thick mild steel double rebated frame for 220mm wall			
1	Frame for door, size 813 x 2032mm high A:0 B:12 C:9	21		
2	Frame for door 900 x 2032mm high A:2 B:2 C:0	4		
	GALVANISED STEEL WINDOWS, DOORS, ETC			
	Carried Forward		R	
	Section No. 2 BUILDING WORKS Bill No. 6			

	Brought Forward			R	
	Steel gates and frames				
3	Purpose made square hallow section mild steel security gate, size 813 x 2032mm High A: 2 B: 2 C: 0	No	4		
	Standard residential all bar type steel windows with burglar bars to fixed and opening sections				
4	Window size 300 x 600mm A: 12 B: 12 C: 0	No	24		
5	Window type size 1500 x 600mm A: 3 B: 3 C: 0	No	6		
	Gate frame to consist of 50 x 50 x 2.5mm rectangular tubing sections metre 45 degrees at corners before welded and secured against wall with 50 x 50 x 5mm with brackeets welded to frame and bolted to wall with 10mm (m10) raw bolts				
6	Door burglar bars for door size 1500 x 2100mm high complete with lock	No	4		
	A:2 B:2 C:0				
	Protective SHE-BIN cages (female toilets only)				
7	Allow the Provisional Amount of R12 800.00 (Twelve Thousand Eight Hundred Rand) for supply and installation of protective steel cage to female she-bins A:0.00 B:0.00 C:1.00		ltem		12,800.00
	Carried Forward to Summary of Section No. 2 Section No. 2 BUILDING WORKS Bill No. 6			R	
		l			1

ltem No			Quantity	Rate	Amount
	SECTION 2				
	BILL NO. 7				
	PLASTERING				
	SUPPLEMENTARY PREAMBLES				
	For preambles see "Specifications of materials and methods to be used - PW 371"				
	LOCATIONS				
	A - Girls Ablution Blocks				
	B - Boys Ablution Blocks				
	C - Staff Ablution Blocks				
	<u>SCREEDS</u>				
	3:1 Cement screeds wood floated on concrete				
1	25mm Thick on floors A: 93 B: 93 C: 0	m2	186		
	INTERNAL PLASTER				
	Cement plaster on brickwork				
2	On walls A: 83 B: 83 C: 0	m2	166		
3	On narrow widths A: 28 B: 28 C: 0	m	55		
	RHINOLITE				
	Cement plaster rendering coat with gypsum skim plaster finishing coat, on concrete				
4	On Ceilings A: 93 B: 93 C: 0	m2	186		
	Carried Forward to Summary of Section No. 2			R	
	Section No. 2 BUILDING WORKS Bill No. 7				

Item No		Quantity	Rate	Amount
	SECTION 2			
	BILL NO. 8			
	TILING			
	PREAMBLES			
	For preambles, refer to "Model Preambles for Trades", for specification of materials and methods to be used - refer to public works document no. PW371			
	LOCATIONS			
	A - Girls Ablution Blocks			
	B - Boys Ablution Blocks			
	C - Staff Ablution Blocks			
	WALL TILING			
	150 x 150 x 8mm "Johnson Matisse Code AS 002" or other approved Gloss white tiles fixed with adhesive to plaster (plaster elsewhere)and flush pointed with TAL light grey Epoxy grouting			
1	On walls m	2 233		
	A:116 B:116 C:0			
	FLOOR TILING 300 x 300mm Ceramic tiles fixed with an approved adhesive on prepared screeded floors with 3mm			
	wide joints and flush pointed with tinted jointing compound and sealed with approved sealer			
2	On floors and landings A:93 B:93 C:0	2 186		
3	On skirtings not exceeding 150mm high A:55 B:55 C:0	n 111		
	Carried Forward to Summary of Section No. 2		R	
	Section No. 2 BUILDING WORKS Bill No. 8			

Item No		Quantity	Rate	Amount
	SECTION 2			
	BILL NO. 9			
	PLUMBING AND DRAINAGE (PROVISIONAL)			
	PREAMBLES			
	For preambles, refer to "Model Preambles for Trades", for specification of materials and methods to be used - refer to public works document no. PW371			
	NOTE:			
	All prices/rates to be net, excluding Value Added Tax			
	SUPPLEMENTARY PREAMBLES			
	uPVC pipes and fittings:			
	Soil, waste and vent pipes and fittings shall be solvent weld jointed			
	Copper pipes:			
	Pipes shall be hard drawn and half-hard pipes of the class stated. Class 0 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be "Cobra Watertech" type. Capillary solder fittings shall comply with ISO 2016. Only compression fittings shall be used in walls or in ground			
	Fixing of pipes			
	Unless specifically otherwise stated, descriptions of pipes shall be deemed to include fixing to walls etc, casting in, building in or suspending not exceeding 1m below suspension level			
	Carried Forward Section No. 2 BUILDING WORKS Bill No. 9		R	

Brought Forward	R
Reducing fittings	
Where fittings have reducing ends or branches they are described as "reducing". In the case of pipes with diameters not exceeding 60mm only the largest end or branch size is given. Should the contractor wish to use other fittings and bushes or reducers he may do so on the understanding that no claim in this regard will be entertained. In the case of pipes with diameters exceeding 60mm all sizes are given and no claim for extra bushes, reducers, etc will be entertained	
Wire gratings	
Descriptions of gutter outlets etc shall be deemed to include wire balloon gratings	
Exposed concrete surfaces	
Exposed surfaces of concrete stormwater channels, cover slabs, inspection eye marker slabs, gulley tops, cleaning eye tops, catchpits, inspection chambers, etc shall be finished smooth with plaster	
<u>Excavations</u>	
No claim for rock excavation will be entertained unless the contractor has timeously notified the quantity surveyor thereof prior to backfilling	
Soft rock and "hard rock" shall be as defined in "Earthworks"	
Laying, backfilling, bedding, etc. of pipes	
Pipes shall be laid and bedded and trenches shall be carefully backfilled in accordance with manufacturers' instructions	
Where no manufacturers' instructions exist pipes shall be laid in accordance with clauses 5.1 and 5.2 of each of the following: SABS 1200 L: Medium-pressure pipelines LD: Sewers LE: Stormwater drainage Pipe trenches etc shall be backfilled in accordance with clauses 3, 5.5, 5.6, 5.7 and 7 of SABS 1200 DB: Earthworks (Pipe trenches) Pipes shall be bedded in accordance with clauses 3.1 to 3.4.1, 5.1 to 5.3 and 7 of SABS 1200 LB: Bedding (Pipes). Unless otherwise described bedding of rigid pipes shall be class B bedding	
Carried Forward	R
Section No. 2 BUILDING WORKS Bill No. 9	

	Brought Forward			R	
	Flush pans				
	Flush pans shall have straight or side outlets and "P" or "S" traps as necessary				
	Stainless steel basins, sinks, wash troughs, urinals, etc.				
	Units shall have standard aprons on all exposed edges and tiling keys against walls where applicable				
	Waste unions				
	Descriptions of waste unions shall be deemed to include rubber or vulcanite plugs and chains fixed to fittings				
	LOCATIONS				
	A - Girls Ablution Blocks				
	B - Boys Ablution Blocks				
	C - Staff Ablution Blocks				
	RAINWATER DISPOSAL				
	Mr Gutter Ogee or similar approved pre-coated similar seamless gutter				
1	100 x 100 x 0.6mm thick chromodek steel gutter including matching rivet fixed mitres and end caps (measured elsewhere) internally sealed using silicon mastic, hung by nail fixed to internal pre-painted hangers at 800mm centres and laid to fall to outlets.	m	52		
	A: 26 B: 26 C: 0				
2	100 x 76 x 0.5mm thick chromodek fixed to walls with pre-painted downpipes cleats using nail-in anchor fixings	m	81		
	A: 40 B: 40 C: 0				
3	Extra over 125 x 100mm eaves gutter for outlet for 75 x 50mm pipe A: 14 B: 14 C: 0	No	28		
4	Extra over 75 x 100mm down pipe for eaves or plinth				
-	offset 750mm projection	No	8		
	A:4 B:4 C:0				
	Carried Forward			R	
	Section No. 2 BUILDING WORKS Bill No. 9				

		Brought Forward		R	_
5	Extra over 75 x 100mm down pipe for s	shoe No	8		
	SUBSOIL DRAINAGE				
	uPVC Pipes underground				
6	110mm pipes laid in and including tren exceeding 1m deep A:82 B:85 C:22	ches not m	189		
	SANITARY PLUMBING (SOIL AND	D WASTE)			
	uPVC Pipes				
7	110mm Diameter pipes A : 14 B : 14 C : 6	m	34		
8	50mm Diameter pipes A:14 B:14 C:6	m	34		
	Extra over for uPVC for fittings				
9	50mm Inspection eye junction A: 10 B: 10 C: 4	No	24		
10	50mm - pipe fitting A: 10 B: 10 C: 4	No	24		
11	50mm GI two way vent valve A:10 B:10 C:4	No	24		
12	110mm-50mm concentric/eccentric red A:10 B:10 C:4	lucers No	24		
13	110mm bends fitting 45/90° A:10 B:10 C:4	No	24		
14	110mm Pan connector	No	24		
	A:10 B:10 C:4				
	SANITARY FITTINGS				
	Section No. 2 BUILDING WORKS Bill No. 9	Carried Forward		R	

	Brought Forward			R	
	Vaal or other approved				
15	Code 750200 Vaal "Protea" or similar low level WC suite comprising vitreous china washdown pan (Code 750100) and matching 9 litre cistern (Code 710533) complete with lid and fitments, and purpose made CP side-flush lever mounted to wall.	No	21		
	A:12 B:9 C:0				
16	Springbok white glazed porcelian WHB A:6 B:4 C:0	No	10		
17	A:6 B:4 C:0 TU102 Flat Back Wall Mounted Trough Urinal Right- hand Outlet 1830x780x300mm as supplied or equal approved				
		No	1		
18	A:0 B:1 C:0 Vitreous china wallmounted "flatback" urinal (code 7053) supplied with 38mm c.p. domical grating (code 8787),c.p. spreader (code 8543) and two				
	hanger brackets (code 8127), with "cobra watertech flushmaster junior" urinal flush valve (fj6.000)	No	6		
	A:0 B:6 C:0				
	WASTE UNIONS ETC				
	Cobra Watertech or other approved				
19	38mm basin or sink waste union A: 12 B: 9 C: 0	No	21		
	TRAPS ETC				
	Cobra Watertech or other approved				
20	40mm 'Flexitrap' flexible rubber reseal 'S' or 'P' trap with clips complete A: 12 B: 9 C: 0	No	21		
	TAPS, VALVES, ETC				
	Cobra Watertech or other approved				
21	Cobra no 401 CP Basin set with 31mm chromium plated whb outlet	No	21		
	A:12 B:9 C:0				
	Section No. 2			R	
	BUILDING WORKS Bill No. 9				

	Brought Forward			R	_
22	22mm Code FJ6.000 "Flushmaster Junior" urinal flushvalve complete with connector, spray rose (Code FJT 5.4) and wallplate.	No	21		
	A:12 B:9 C:0				
	SANITARY PLUMBING				
	Sundries				
23	Testing waste pipe system A: 0.00 B: 0.00 C: 1.00		Item		
	WATER SUPPLIES				
	Galvanised steel pipes				
24	25mm Pipes chased into brick walls A: 28 B: 28 C: 12	m	68		
25	15mm Pipes chased into wall A: 25 B: 25 C: 14	m	64		
	Extra over galvanised steel pipes for steel fittings				
26	25mm Fittings A:4 B:4 C:4	No	12		
	Class "O" copper pipes, chase into walls and make good for wall to receive paint				
27	15mm Pipes	m	29		
28	A:0 B:25 C:4 15mm Fittings	No	46		
	A: 20 B: 20 C: 6				
	Extra over class "O" copper pipes for capillary fittings				
29	15mm Fittings A: 15 B: 15 C: 6	No	36		
	Sundries				
	Carried Forward Section No. 2			R	
	BUILDING WORKS Bill No. 9				

	Brought Forward		R	
	BUDGETARY ALLOWANCES			
30	Allow the Budgetary Allowance of R 5 000.00 for builders work in connection with the commissioning and servicing of decommissioned water supply services to be expanded in part or whole as directed by Principal Agent A:0.00 B:0.00 C:1.00	Item		5,000.00
	Carried Forward to Summary of Section No. 2		R	
	Section No. 2 BUILDING WORKS Bill No. 9			

Item No		Quantity	Rate	Amount
	SECTION 2			
	BILL NO. 10			
	GLAZING			
	SUPPLEMENTARY PREAMBLES			
	For preambles see "Specifications of materials and methods to be used - PW 371"			
	MIRRORS			
	NOTE:			
	Mirrors shall be of 6mm thick silvered GG quality polished float glass with rounded and polished edges and splayed corners.			
	Unless otherwise described, mirrors shall have four holes for and be screwed to and including approved patent plugs in plastered or tiled wall with countersunk steel screws tap-threaded for and including screw type chromium plated dome-headed caps and felt washers.			
	LOCATIONS			
	A - Girls Ablution Blocks			
	B - Boys Ablution Blocks			
	C - Staff Ablution Blocks			
1	800 x 600mm mirror with polished edges fixed to wall or over tiles with silicone and double sided tape, with silicone bead all around to seal gap between mirror and wall/tiles A:4 B:4 C:0	8		
	GLAZING TO STEEL WITH PUTTY			
	4 mm Rough cast glass			
2	Panes exceeding 0,5m2 and not exceeding 2m2 m2 A:11 B:11 C:0	22		
	Carried Forward Section No. 2 BUILDING WORKS Bill No. 10		R	

	Brought Forward		R	
	SUNDRY ITEMS			
3	Allow the some of R5 000.00 to assess, service and replace (where necessary) window stays to all windows to be used in part or in whole as directed by the Principal Agent.	Item		5,000.00
	Carried Forward to Summary of Section No. 2 Section No. 2 BUILDING WORKS Bill No. 10		R	

Item No		Quantity	Rate	Amount
	SECTION 2			
	BILL NO. 11			
	<u>PAINTWORK</u>			
	PREAMBLES			
	For preambles, refer to "Model Preambles for Trades", for specification of materials and methods to be used - refer to public works document no. PW371			
	SUPPLEMENTARY PREAMBLES			
	PREPARATORY WORK TO EXISTING WORK			
	Previously painted plastered surfaces			
	Surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied. Blistered or peeling paint shall be completely removed and cracks shall be opened, filled with a suitable filler and finished smooth			
	Previously painted metal surfaces			
	Surfaces shall be thoroughly rubbed and cleaned down. Blistered or peeling paint shall be completely removed down to bare metal			
	Previously painted wood surfaces			
	Surfaces shall be thoroughly cleaned down. Blistered or peeling paint shall be completely removed and cracks and crevices shall be primed, filled with suitable filler and finished smooth			
	LOCATIONS			
	A - Girls Ablution Blocks			
	B - Boys Ablution Blocks			
	C - Staff Ablution Blocks			
	PAINTWORK ETC TO PREVIOUSLY PAINTED WORK ON FLOATED			
	Carried Forward Section No. 2		R	
	BUILDING WORKS Bill No. 11			

	Brought Forward			R	
	One coat universal undercoat and three coats super acrylic PVA paint				
1	On internal walls	m2	482		
	A: 241 B: 241 C: 0				
	ON METAL				
	Wash down with sugar soap, rinse with clean water to remove all traces of soap, remove all traces of rust, loose and flaking paint. Spot prime bare metal areas with synthetic metal primer coat, apply one coat universal undercoat and apply two coats polyurethane enamel paint				
2	On window frames	m2	63		
	A:31 B:32 C:0				
3	On door burglar bars	m2	33		
	A:16 B:16 C:0				
4	On door frames	m2	45		
	A: 24 B: 20 C: 0				
	ON CONCRETE				
	One coat primer and two coats exterior quality PVA emulsion paint				
5	On sills	m2	16		
	A:8 B:8 C:0				
	ON FIBRE-CEMENT, ETC				
	One coat primer and two coats interior quality PVA emulsion paint				
6	On ceilings and cornices A: 93 B: 93 C: 0	m2	186		
7	On Fascia boards A:40 B:40 C:0	m	81		
8	On 125 x 100mm galvanised mild steel gutters A: 26 B: 26 C: 0	m	52		
9	On 100 x 100mm galvanised mild steel down pipes A:11 B:11 C:0	m	23		
	Section No. 2 BUILDING WORKS Bill No. 11			R	

		Brought Forward		R	_
	ON WOOD				
	Prepare, stop and apply three coats	"Plascon" clear			
	oil based wood sealer				
10	On doors	m2	97		
	A:0 B:48 C:48	adinaum			
	Prepare and apply two coats of carb				
11	On exposed roof timbers A: 32 B: 32 C: 0	m2	65		
					_
	Carried Forward to Summa	ry of Section No. 2		R	_
	Section No. 2 BUILDING WORKS				
	Bill No. 11				

	Section No. 2			
	BUILDING WORKS			
Bill No	SECTION SUMMARY - BUILDING WORKS	Page No		Amount
1	REFURBISHMENTS	46		
2	ROOF COVERINGS	48		
3	CARPENTRY AND JOINERY	51		
4	CEILINGS, PARTITIONS AND ACCESS FLOORING	53		
5	IRONMONGERY	55		
6	METALWORK	57		
7	PLASTERING	58		
8	TILING	59		
9	PLUMBING AND DRAINAGE	66		
10	GLAZING	68		
11	PAINTWORK	71		
	Carried to Summary Section No. 2 BUILDING WORKS		R	

Item No		Unit	Quantity	Rate	Amount
	SECTION 3				
	BILL NO. 1				
	EXTERNAL WORKS (PROVISIONAL)				
	Note:				
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).				
	TEMPORARY BARRIERS, SCREENS,ECT.				
	TEMPORARY HOARDING				
	Note: Contractor to price for the taking down and carting away hoarding on completion.				
	Site clearance				
1	Allow for clearing site for the width of 1000mm where fencing runs are to be erected including removing trees, shrubs, etc., not exceeding 200mm girth, grubbing up roots and roughly levelling.	m	320		
2	External barricade screen, 1800mm high overall, comprising 100-125mm diameter tanalith treated gumpoles planted 650mm deep in ground at 3000mm centres comprising of six strands of 4mm galvanised straining wires (evenly spaced) secured to posts with doubled 2mm galvanised wire inserted through hole in post and turned a minimum of four turns around straining wire and yellow and orange barrier shade cloth fixed to straining wires with 20Mpa mass concrete base size 400 x 400 x 550mm thick with sloping top surface including all necessary excavations, backfilling, risk of collapse and carting away surplus material, etc.	m	120		
	collapse and carting away surplus material, etc.	111	120		
	Section No. 3 EXTERNAL WORKS Bill No. 1			R	

	Brought Forward			R	_
	Hot dipped galvanised steel gates				
3	Security fence double gate, size 3000mm wide x 1800mm high, formed of 80 x 40 x 4mm wall thickness rectangular section framing all round with mitred and welded angles and diagonal cross brace, the gate covered with mesh security fencing secured with "Howgring" clips applied with "Howgring" pliers at 300mm centres to and including six rows of straining wires and yellow/orange barrier shade cloth.	No	1		
	THE FOLLOWING IN WALKWAYS				
	<u>EARTHWORKS</u>				
	Excavate in earth not exceeding 2m deep including trimming sides, levelling and ramming bottoms and deposit in spoil heaps for later re-use or cart away				
4	Reduced levels between buildings, retaining walls, etc.	m3	86		
	Carting away of excavated material				
5	Extra over all excavations for loading surplus or unsuitable material from spoil heaps and cart away to a dumping site to be located by the Contractor.	m3	86		
	BASECOURSES				
6	G7 Base course material, selected and supplied by the Contractor, deposited in layers not exceeding 150mm thick, watered and consolidated to 98% modified AASHTO density under pavings.	m3	77		
	<u>Sundries</u>				
7	Rip reduced platform level and recompact to 93% Mod. A.A.S.H.T.O. density.	m2	264		
	Prescribed Testing				
8	Provide and have filling compaction check tested by a Consulting Engineer's Laboratory and deliver the results to the Architect within 24 hours of the tests being completed.	No	12		
	Carried Forward Section No. 3 EXTERNAL WORKS Bill No. 1			R	

Brought Forward	ı l	R	
Section No. 3		R	
EXTERNAL WORKS Bill No. 1			

	Brought Forward			R	
	Weedkillers, insecticides, etc.				
	Soil insecticide in accordance with SANS 5859				
9	Under paving, etc.	m2	168		
	PRECAST CONCRETE PAVERS				
	Grey interlocking precast concrete pavers type S-A laid in herringbone pattern with header course perimeter margin				
10	50mm Thick laid on and including 25mm sand bed treated with weed killer and cement/sand mixture swept into joints on completion.	m2	168		
	<u>Sundries</u>				
11	Circular cutting on 50mm thick non bevelled concrete pavers.	m	30		
	Channelling, kerbing, edging, etc.				
	Precast concrete kerbing				
12	Precast semi-mountable concrete Fig 8B edge kerb size 300 x 175mm high cast in lengths not exceeding 1m and with expansion joints at not exceeding 10m centres finished smooth off the mould on all exposed surfaces bedded on and including minimum 50mm thick mass concrete 15 MPa base and backing including all necessary excavation, formwork, expansion joints, etc.	m	100		
13	Ditto, but circular on plan to not exceeding 4m radius.	m	30		
	THE FOLLOWING IN WATER SUPPLY				
	ALTERATIONS TO EXISTING				
14	Locate, cut into and temporarily stop off 40mm diameter water pipe for insertion of stop end (elsewhere).	No	1		
15	Locate, cut into and temporarily stop off 54mm diameter water pipe for insertion of Tee Junction (elsewhere).	No	1		
	Carried Forward Section No. 3 EXTERNAL WORKS Bill No. 1			R	

	Brought Forward			R	
16	Locate, cut into and temporarily stop off 63mm diameter water pipe for insertion of Tee Junction (elsewhere).	No	1		
	PIPEWORK, ETC.				
	Pipes, pipe fittings, etc.				
	Class 12 uPVC water supply pipe with bedding and filling in accordance with SABS 1200				
17	32mm Pipe and laying in ground not exceeding 1000mm deep.	m	180		
18	40mm Pipe and laying in ground not exceeding 1000mm deep.	m	120		
	Extra over uPVC pipes for the following fittings				
19	32mm bend.	No	24		
20	40mm bend.	No	12		
21	32mm Tee junction.	No	9		
22	40mm Tee junction.	No	6		
23	32 x 40 x 32mm Reducing tee.	No	1		
24	32 x 54 x 32mm Reducing tee.	No	1		
25	40 x 63 x 40mm Reducing tee.	No	1		
	Water supply valve or meter chambers				
26	Excavate for and build valve chamber size 460 x 460 x not exceeding 1000mm deep internally, formed of 300mm thick layer of well backfilling, 200mm high half brick corbelled sides with 75mm brickforce between each course including Type 3A cast iron valve cover and frame size 100 x 230 x 300 encased in a 300mm thick 25mpa mass concrete base.	No	3		
	Taps, valves, etc.				
27	32mm Gate valve.	No	3		
	Carried Forward Section No. 3			R	
	EXTERNAL WORKS Bill No. 1				

	Brought Forward			R	
28	32mm Non return valve.	No	1		
	<u>Testing</u>				
29	Allow for testing the water supply installation in accordance with the National Building Regulations.		Item		
	THE FOLLOWING IN SOIL DRAINAGE				
	Pipe depth categories and manholes, catchpits, etc. have been measured to the designed invert levels of same. The Contractor is to allow for in his rates for any additional excavation, bedding, backfilling, making up levels, etc. he deems necessary to make up any difference to actual depth.				
	EXISTING SERVICES				
	Jet or high pressure cleaning to be carried out on subsurface piping, rodding eyes, manholes, etc. to be carried out to the complete satisfaction of the Engineer.				
	<u>Pipes</u>				
30	110mm Pipe fixed to walls.	m	8		
31	110mm Pipe not exceeding 1000mm deep.	m	75		
32	110mm Pipe exceeding 1000mm not exceeding 2000mm deep.	m	30		
	Rodding eyes				
33	110mm Diameter PVC rodding eye.	No	15		
	Brick manholes				
34	Manhole not exceeding 1000mm deep.	No	4		
35	Manhole exceeding 1000mm not exceeding 2000mm deep.	No	2		
	ALTERATIONS TO EXISTING				
36	Cut into and stop off temporarily 110mm soil pipe for new manhole construction (elsewhere).	No	1		
	Carried Forward			R	
	Section No. 3 EXTERNAL WORKS Bill No. 1				

	Brought Forward			R	<u> </u>
37	Cut into and stop off temporarily 110mm soil pipe for insertion of Tee junction (elsewhere).	No	1		
	NEW WORKS				
	Class 34 Rigid uPVC socketed soil piping with bedding and filling in accordance with SABS 1200				
38	110mm Pipe and excavation not exceeding 1000mm deep.	m	30		
39	110mm Pipe and excavation exceeding 1000mm not exceeding 2000mm deep.	m	8		
	Extra over uPVC pipes for fittings				
40	110mm 90 Degree bend.	No	9		
41	110mm Junction.	No	2		
	Rodding eyes, etc.				
42	PVC Rodding eye and frame and joint to top of 110mm uPVC pipe.	No	2		
	<u>Sundries</u>				
43	300 x 300 x 75mm Precast concrete inspection eye marker slab set in position including excavations, carting away, ect.	No	3		
	MANHOLES, ETC.				
44	Excavate for and build manhole size 1440 x 1440 x not exceeding 1000mm deep internally, formed of 150mm thick reinforced concrete (25MPa) bottom projecting 150mm all round with welded mesh Ref. 245 both top and bottom, one brick sides, 150mm high precast reinforced concrete (25MPa) cover slab and lid with welded mesh Ref. 245 both top and bottom laid loose on top of brickwork, finished on all exposed surfaces in 3.1 cement plaster and bottom graded to outlets in 3.1 cement mortar.	No	1		1
	Carried Forward Section No. 3 EXTERNAL WORKS Bill No. 1			R	_

	Brought Forward			R	
45	Excavate for and build manhole size 1440 x 1440 x exceeding 1000mm not exceeding 2000mm deep internally, formed of 150mm thick reinforced concrete (25MPa) bottom projecting 150mm all round with welded mesh Ref. 245 both top and bottom, one brick sides, 150mm high precast reinforced concrete (25MPa) cover slab and lid with welded mesh Ref. 245 both top and bottom laid loose on top of brickwork, finished on all exposed surfaces in 3.1 cement plaster and bottom graded to outlets in 3.1 cement mortar.	No	2		
	Cast iron covers and frames	NO	2		
46	Type 2A cast iron manhole cover and frame size 620mm diameter bedded on top of concrete slab in cement mortar.	No	3		
	<u>Testing</u>				
47	Allow for testing the soil drainage and sewer plumbing installation in accordance with the National Building Regulations.		Item		
	THE FOLLOWING IN RAINWATER TANKS AND TANKSTANDS (ALL TRADES)				
	Rainwater harvesting (Labour intensive)				
	Excavate in earth not exceeding 2m deep including trimming sides, levelling and ramming bottoms and deposit in spoil heaps for later re-use or cart away				
48	Reduced levels under solid floors.	m3	3		
49	Surface trenches.	m3	15		
	Excavations in earth of more difficult character				
50	Extra over excavations in earth for excavation in soft rock.	m3	2		
51	Extra over excavations in earth for excavation in hard rock.	m3	1		
	Carried Forward Section No. 3 EXTERNAL WORKS Bill No. 1			R	

	Brought Forward			R	
	Carting away of excavated material				
52	Load surplus or unsuitable material from spoil heaps and cart away to a dumping site to be located by the Contractor.	m3	9		
	Risk of collapse of excavations				
53	Allow for risk of collapse to sides of excavations not exceeding 1.5m deep including all necessary timber shoring, etc.	m2	43		
	Keeping excavations free of water				
54	Allow for keeping the excavations free from water.		Item		
	Filling, layerworks, etc.				
55	Earth filling from the excavations and/or stockpiles in backfilling to trenches, column bases, etc., compacted to 95% Mod AASHTO dry density.	m3	7		
56	Imported G7 filling, selected and supplied by the Contractor, including depositing in layers not exceeding 150mm thick and compacting to 95% modified AASHTO dry density to trenches, bases, etc.	m3	7		
	Compaction of surfaces				
57	Scarify in-situ material to a depth of 150mm and compact to 95% Mod AASHTO density.	m2	16		
	<u>Tests</u>				
58	Allow for Mod AASHTO density tests on filling.	No	4.00		
	Reinforced concrete 25MPa in:				
59	Strip foundations cast against excavated surfaces.	m3	5		
60	Surface beds cast in panels including temporary formwork.	m3	2		
	<u>Sundries</u>				
61	Float surface of concrete to a wood float finish.	m2	16		
	Carried Forward			R	
	Section No. 3 EXTERNAL WORKS Bill No. 1				

	Brought Forward			R	
	Rough formwork (use and waste) to concrete to:				
62	Edge, riser, etc not exceeding 300mm high.	m	32		
	High tensile welded steel mesh reinforcement :				
63	Ref: 395 cast into concrete surfaces.	m2	14		
64	Ref: 395 cast into concrete strip footings.	m2	29		
	Brickwork in stock bricks in 5:1 cement mortar :				
65	One brick wall.	m2	15		
66	One brick wall in foundations. (Provisional)	m2	15		
	Brickwork sundries :				
67	Galvanised brick reinforcement 150mm wide built horizontally into brickwork.	m	86		
	"Rustgold FBS / Qunu Travertine " or other equal approved FBX quality face bricks including jointing and square recess pointing 6 x 10mm joints				
68	Extra over ordinary brickwork for facing and pointing in stretcher bond.	m2	15		
69	Extra over ordinary brickwork for facing and pointing in stretcher bond in foundations. (Provisional)	m2	5		
	Face brick copings, lintols, cills, etc.				
70	Extra over brickwork for brick-on-edge header course coping including pointing to both faces and top.	m	32		
	Movement joints				
71	10mm Thick bitumen impregnated softboard built vertically between concrete and concrete or brickwork surfaces.	m2	10		
72	Rake out 10mm wide softboard for a depth of 10mm and seal with an approved 2 part polysulphide sealant.	m	18		
	Carried Forward Section No. 3 EXTERNAL WORKS Bill No. 1			R	

0 4			
o 16			
2 14			
o 3			
6			
3 11			
3 1			
	R		_
	o 3 o 6	0 3 0 6	3 11 3 1

	Brought Forward			R	
	Carting away of excavated material				
80	Load surplus or unsuitable material from spoil heaps and cart away to a dumping site to be located by the Contractor.	m3	12		
	Risk of collapse of excavations				
81	Allow for risk of collapse to sides of excavations not exceeding 1.5m deep including all necessary timber shoring, etc.	m2	10		
	Keeping excavations free of water				
82	Allow for keeping the excavations free from water.		Item		
	Foundation courses				
83	Imported G7 filling, selected and supplied by the Contractor, including depositing in layers not exceeding 150mm thick and compacting to 95% modified AASHTO dry density under solid floors.	m3	4		
84	Imported G5 filling, selected and supplied by the Contractor, including depositing in layers not exceeding 150mm thick and compacting to 98% modified AASHTO dry density under solid floors.	m3	4		
	Compaction of surfaces				
85	Scarify in-situ material to a depth of 150mm and compact to 93% Mod AASHTO density.	m2	27		
	<u>Tests</u>				
86	Allow for Mod AASHTO density tests on filling.	No	2.00		
	CONCRETE (Labour intensive)				
	Reinforced concrete 30MPa (19mm stone) in:				
87	Rafter slabs cast against excavated surfaces.	m3	8		
	Carried Forward Section No. 3 EXTERNAL WORKS Bill No. 1			R	

	Brought Forward			R	
	Testing				
88	Allow for preparing and curing a set of three test cubes, each size 150mm x 150mm x 150mm and pay all transport and testing costs undertaken by an approved independent laboratory. (Provisional)	Sets	2		
	Surface treatment				
89	Float surface of concrete to a wood float finish.	m2	27		
	Carried Forward				
	Section No. 3			R	
	EXTERNAL WORKS Bill No. 1				

	Brought Forward			R		
	<u>FORMWORK</u>					
	Edges, risers, ends and reveals					
90	Edge, riser, etc exceeding 300mm high.	m2	11			
	Projections, grooves, etc.					
91	Labour and material in forming 25 x 25mm chamfer to exposed top edge of concrete.	m	24			
	REINFORCEMENT (PROVISIONAL)					
	High tensile welded steel mesh reinforcement :					
92	Ref: 395 cast into concrete surfaces.	m2	27			
	PLUMBING AND DRAINAGE					
	ALTERATIONS TO EXISTING					
93	Locate, cut into and temporarily stop off 63mm diameter water pipe for insertion of reducing fitting (elsewhere).	No	2			
	Pipes, pipe fittings, etc.					
	Class 12 uPVC water supply pipe with bedding and filling in accordance with SABS 1200					
94	40mm Pipe.	m	90			
95	50mm Pipe.	m	12			
96	40mm Pipe and laying in ground not exceeding 1000mm deep.	m	10			
	Extra over uPVC pipes for the following fittings					
97	40mm Bend.	No	27			
98	50mm Bend.	No	5			
99	40mm Tee junction.	No	2			
100	63 x 40mm Straight reducer	No	2			
						_
	Carried Forward Section No. 3 EXTERNAL WORKS Bill No. 1			R		
						i

	Brought Forward			R	_
	Taps, valves, etc.				
101	40mm float valve kit fitted inside of tank.	No	3		
102	40mm In-line strainer.	No	2		
103	40mm Brass gate valve.	No	3		
104	40mm Brass non return valve.	No	1		
105	40mm Flanged resilient seal gate valve with cap top.	No	2		
106	40mm Flanged pressure reducing valve.	No	1		
	<u>Switch</u>				
107	Float switch fitted inside of tank.	No	2		
	Connections				
	Connection of new to existing pipes				
108	Connection of 40mm diameter HDPE to 40mm diameter galvanised pipes including all necessary reducers, saddles, etc.	No	2		
109	Connection of 40mm diameter HDPE to 0.75kw water pump including all necessary reducers, saddles, etc.	No	2		
110	Connection of 63mm diameter HDPE to 40mm diameter galvanised pipes including all necessary reducers, saddles, etc.	No	1		
	Rainwater tanks:				
111	20 000 Litre polyethylene rotomoulded vertical water storage tank provided complete with lid and overflow outlet, fitted with suitable adaptor and setting in position on concrete tankstand (elsewhere measured). (The tanks are to be filled with water for the Practical Completion inspection)	No	2		
112	Hole through side of tank for 40mm diameter pipe including adaptor.	No	4		
	Carried Forward Section No. 3 EXTERNAL WORKS Bill No. 1			R	

	Brought Forward			R	
	<u>Ties, cramps, etc.</u>				
113	38 x 1,6mm Galvanised hoop iron strap around tank, both ends fitted with once holed 30 x 30 x 3mm thick galvanised flat plate and bolted together with and including M10 bolt and nut.	No	3		
114	38 x 1,6mm Galvanised hoop iron tie down, 2500mm long, one end wrapped around tank strap and twice bolted, the other end folded over and bolted to top of concrete with and including 8 x 60mm masonry anchor.	No	12		
	Water supply valve or meter chambers				
115	Excavate for and build valve chamber size 565 x 665 x 550mm deep overall formed of precast concrete valve chamber units 1, 2, 3 and 4 with valve box lid-V and 19mm thick layer of 19mm stone in bottom including filling in and ramming.	No	2		
	Pump and Pumphouse				
116	Allow the Budgetary Allowance of R 15 000,00 (Fifteen Thousand Rand) for the installation of a 0.75kw water pump including housing, etc.		Item		15,000.00
	ELECTRICAL CONNECTION				
	Elevated Tank Electrical Works				
117	Allow the Budgetary Allowance of R 70 000,00 (Seventy Thousand Rand) for the electrical supply to the water pumps, float switches, ect.		Item		70,000.00
	PROVISION OF TEMPORARY TOILETS DURING THE CONSTRUCTION PERIOD				
	Portable toilets				
118	Supply and erecting of the portable chemical toilet during the duration of the contract.	No	5		
119	Servicing and maintain the five portable chemical toilets on a weekly basis during duration of the contract. (No = week)	No	20		
	Carried Forward			R	
	Section No. 3 EXTERNAL WORKS Bill No. 1				

	Brought Forward			R	
120	Removal of the portable chemical toilet on completion of the contract.	No	5		
	BOREHOLE INSTALLATION				
121	Provisional Sum of R300,000.00 (Three Hundred Thousand Rand) for the drilling of the borehole , to be carried out by a specialist contractor.		ltem		300,000.00
122	Allow for Profit.		Item		
123	Allow for Attendance.		Item		
	Carried to Summary			R	
	Section No. 3 EXTERNAL WORKS				
	Bill No. 1				

	FINAL SUMMARY			
Section No		Page No		Amount
1	PRELIMINARIES AND GENERAL	38		
2	BUILDING WORKS	72		
3	EXTERNAL WORKS	89		
	SUB TOTAL (A)		R	
	Allow the sum as indicated for Contingencies for 10%		R	
	COMMUNITY LIAISON OFFICER (CLO)			
	Provide the sum of R 39 000.00 (Thirty Nine Thousand Hundred Rand) for the employment of a CLO.(R 6 500.00 per month x contract period allowance)	Item		39,000.00
	Add for profit on the above if required.	Item		
	SUB TOTAL (B)		R	
	Add VAlue Added Tax @ 15%		R	
	Carried to Final Form of Tender		R	
	Carried to Final Futili di Telluer		K	