	М	9	No	20	Λ1	nη	033
_	IVII	J	IVU	. 20	vı	vv	ひひひ

Item No		Quantity	Rate	Amount
	SECTION 1			
	BILL NO. 1			
	PRELIMINARIES			
	MEANING OF TERMS "TENDER / TENDERER"			
	Any reference to the words "Tender" or "Tenderer" herein and/or in any other documentation shall be construed to have the same meaning as the words "Bid" or "Bidder"			
	PRELIMINARIES			
	The JBCC Preliminaries Code 2103, May 2005 edition for use with the JBCC Principal Building Agreement Edition 4.1 Code 2101, March 2005 is taken to be incorporated herein. The tenderer is deemed to have referred to these documents for the full intent and meaning of each clause. These clauses are referred to by number and heading only. Where standard clauses or options are not applicable to the contract such modifications or corrections as are necessary are given under each relevant clause. Where an item is not relevant to this specific contract such item is marked "N/A" signifying "Not Applicable"			
	PRICING OF PRELIMINARIES			
	Should Option A, as set out in clause B10.3.1 hereinafter be used for the adjustment of preliminaries then each item priced is to be allocated to one or more of the three categories Fixed, Value Related or Time Related and the respective amounts entered in the spaces provided under each item  Items not priced in these Preliminaries shall be deemed			
	to be included elsewhere in these Bills of Quantities  Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

	Brought Forward	R	
SECTION A: JBCC PRINCIPAL B	UILDING		
<u>AGREEMENT</u>			
DEFINITIONS			
A1.0 DEFINITIONS AND INTERPR	RETATION		
Clause 1.0			
Clause 1.1 Definition of <b>"Commence</b> n added:	nent Date" is		
"COMMENCEMENT DATE" means the working days after site hand over.	e date that is 5		
Clause 1.1 Definition of " <b>Construction</b> amended by replacing it with the follow			
CONSTRUCTION GUARANTEE" me at call obtained by the contractor from approved by the employer in terms of construction guarantee form as selected achedule	n an institution the <b>employer's</b>		
Clause 1.1 Definition of "Construction mended by replacing it with the follow			
CONSTRUCTION PERIOD" means to commencing on the commencement on the date of practical completion			
Clause 1.1 Definition of "Corrupt Prac	ctice" is added:		
"CORRUPT PRACTICE" means the or receiving or soliciting of anything of value action of a public official in the proper in contract execution	lue to influence		
Clause 1.1 Definition of " <b>Fraudulent F</b>	Practice" is added:		
Section No. 1	Carried Forward	R	
PRELIMINARIES AND GENERAL Bill No. 1			

В	Brought Forward	ļ i	₹
"FRAUDULENT PRACTICE" means a m of facts in order to influence a procureme the execution of a contract to the detrime tenderer and includes collusive practice a tenderers (prior to or after the tender sub designed to establish tender prices at articompetitive levels and to deprive the tender benefits of free and open competition	nispresentation ent process or ent of any among emission) ificial non-		
Clause 1.1 Definition of "Interest" is ame replacing it with the following:	ended by		
"INTEREST" means the interest rates ap contract, whether specifically indicated in clauses or not, will be in terms of the legi- Republic of South Africa, and in particular	the relevant islation of the		
(a) in respect of interest owed by the empiriterest rate as determined by the Minister and Constitutional Development from time terms of section 1(2) of the Prescribed Ract, 1975 (Act No. 55 of 1975), will apply	er of Justice e to time, in ate of Interest		
and			
(b) in respect of interest owed to the empinterest rate as determined by the Minister from time to time, in terms of section 80(1) Public Finance Management Act, 1999 (A) 1999), will apply	er of Finance, 1)(b) of the		
Clause 1.1 Definition of "Principal Agent by replacing it with the following:	<b>t</b> " is amended		
"PRINCIPAL AGENT" means the person appointed by the employer and named ir In the event of a principal agent not beir then all the duties and obligations of a pr as detailed in the agreement shall be fulf representative of the employer as named schedule	n the <b>schedule</b> . ng appointed, rincipal agent filled by a		
Clause 1.1 Definition of " <b>Security</b> " is ame replacing it with the following:	ended by		
	Carried Forward	F	2
Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

	Brought Forward		R	
	"SECURITY" means the form of security provided by the employer or contractor, as stated in the schedule, from which the contractor or employer may recover expense or loss			
	Clause 1.6 is amended by replacing the words "prepaid registered post, telefax or e-mail" with "prepaid registered post or telefax"			
	Clause 1.6.4 is amended by replacing it with the following:			
	No clause			
	Fixed: Value related: Time related:	Item		
	OBJECTIVE AND PREPARATION			
2	A2.0 OFFER, ACCEPTANCE AND PERFORMANCE			
	Clause 2.0			
	Fixed: Value related: Time related:	Item		
3	A3.0 DOCUMENTS			
	Clause 3.0			
	Clause 3.2.1 is amended by replacing 14.1 with 14.0			
	Clause 3.7 is amended by the addition of the following:			
	The <b>contractor</b> shall supply and keep a copy of the <b>JBCC</b> Series 2000 Principal Building Agreement and Preliminaries applicable to this contract on the <b>site</b> , to which the <b>employer</b> , <b>principal agent</b> and <b>agents</b> shall have access at all times			
	Clause 3.10 is amended by replacing the second reference to "principal agent" with the word "employer"			
	Fixed: Value related: Time related:	Item		
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

	Brought Forward		R	
4	A4.0 DESIGN RESPONSIBILITY			
	Clause 4.0			
	Clause 4.3 is amended by replacing it with the following:			
	No clause			
	Fixed: Value related: Time related:	Item		
5	A5.0 EMPLOYER'S AGENTS			
	Clause 5.0			
	Clause 5.1.2 is amended to include clauses 32.6.3, 34.3 and 34.4 in terms of which the employer has retained its authority and has not given a mandate to the principal agent and in terms of which the employer shall sign all documents.			
	Fixed: Value related: Time related:	Item		
6	A6.0 SITE REPRESENTATIVE			
	Clause 6.0			
	Fixed: Value related: Time			
	related:	Item		
7	A7.0 COMPLIANCE WITH REGULATIONS			
	Clause 7.0			
	Fixed: Value related: Time related:	Item		
8	A8.0 WORKS RISK			
	Clause 8.0			
	Fixed: Value related: Time			
	related:	Item		
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

		Brought Forward		R	
9	A9.0	INDEMNITIES			
	Clause	9.0			
	Fixed:_ related	Value related: Time	Item		
10	A10.0	WORKS INSURANCES			
	Clause	10.0			
	Clause clauses	10.0 is amended by the addition of the following s:			
	10.5 Da	amage to the Works			
	(a)	Without in any way limiting the <b>contractor's</b> obligations in terms of the contract, the <b>contractor</b> shall bear the full risk of damage to and/or destruction of the <b>works</b> by whatever cause during construction of the <b>works</b> and hereby indemnifies and holds harmless the <b>employer</b> against any such damage. The <b>contractor</b> shall take such precautions and security measures and other steps for the protection and security of the <b>works</b> as the <b>contractor</b> may deem necessary			
	(b)	The <b>contractor</b> shall at all times proceed immediately to remove or dispose of any debris arising from damage to or destruction of the <b>works</b> and to rebuild, restore, replace and/or repair the <b>works</b>			
	(c)	The <b>employer</b> shall carry the risk of damage to or destruction of the <b>works</b> and materials paid for by the <b>employer</b> that is the result of the excepted risks as set out in 10.6			
	(d)	Where the <b>employer</b> bears the risk in terms of this contract, the <b>contractor</b> shall, if requested to do so, reinstate any damage or destroyed portions of the <b>works</b> and the costs of such reinstatement shall be measured and valued in terms of 32.0 hereof			
	Section			R	
		MINARIES AND GENERAL			

	Brought Forward	₹
	Injury to Persons or loss of or damage to erties	
(a)	The <b>contractor</b> shall be liable for and hereby indemnifies the <b>employer</b> against any liability, loss, claim or proceeding whether arising in common law or by statute, consequent upon personal injuries to or the death of any person whomsoever arising out of or in the course of or caused by the execution of the <b>works</b> unless due to any act or negligence of any person for whose actions the <b>employer</b> is legally liable	
(b)	The <b>contractor</b> shall be liable for and hereby indemnifies the <b>employer</b> against any liability, loss, claim or proceeding consequent upon loss of or damage to any moveable or immovable or personal property or property contiguous to the <b>site</b> , whether belonging to or under the control of the <b>employer</b> or any other body or person, arising out of or in the course of or by reason of the execution of the <b>works</b> unless due to any act or negligence of any person for whose actions the <b>employer</b> is legally liable	
(c)	The <b>contractor</b> shall, upon receiving a <b>contract instruction</b> from the <b>principal agent</b> , cause the same to be made good in a perfect and workmanlike manner at his own cost and in default thereof the <b>employer</b> shall be entitled to cause it to be made good and to recover the cost thereof from the <b>contractor</b> or to deduct the same from amounts due to the <b>contractor</b>	
(d)	The <b>contractor</b> shall be responsible for the protection and safety of such portions of the premises placed under his control by the <b>employer</b> for the purpose of executing the <b>works</b> until the issue of the <b>certificate of</b> practical completion	
	Carried Forward	3
	on No. 1 LIMINARIES AND GENERAL	Ì

	Brought Forward	R	
(e)	Where the execution of the <b>works</b> involves the risk of removal of or interference with support to adjoining properties including land or structures or any structures to be altered or added to, the <b>contractor</b> shall obtain adequate insurance and will remain adequately insured or insured to the specific limit stated in the contract against the death of or injury to persons or damage to such property consequent on such removal or interference with the support until such portion of the <b>works</b> has been completed		
(f)	The <b>contractor</b> shall at all times proceed immediately at his own cost to remove or dispose of any debris and to rebuild, restore, replace and/or repair such property and to execute the <b>works</b>		
10.7	High risk insurance		
geolo an ar condi move	e event of the project being executed in a ogical area classified as a "High Risk Area", that is rea which is subject to highly unstable subsurface itions that might result in catastrophic ground ement evident by sinkhole or doline formation the wing will apply:		
10.7.	1 Damage to the works		
the work and he catas. The company	contractor shall, from the commencement date of vorks until the date of the certificate of practical pletion bear the full risk of and hereby indemnifies holds harmless the employer against any damage d/or destruction of the works consequent upon a strophic ground movement as mentioned above. contractor shall take such precautions and security sures and other steps for the protection of the cs as he may deem necessary		
conti dispo destr	n so instructed to do so by the <b>principal agent</b> , the <b>ractor</b> shall proceed immediately to remove and/or ose of any debris arising from damage to or ruction of the <b>works</b> and to rebuild, restore, replace or repair the <b>works</b> , at the <b>contractor's</b> own costs		
	Carried Forward	R	

Brought Forward		R	
10.7.2 Injury to persons or loss of or damage to property			
The <b>contractor</b> shall be liable for and hereby indemnifies and holds harmless the <b>employer</b> against any liability, loss, claim or proceeding arising at any time during the period of the contract whether arising in common law or by statute, consequent upon personal injuries to or the death of any person whomsoever resulting from, arising out of, or caused by a catastrophic ground movement as mentioned above  The <b>contractor</b> shall be liable for and hereby indemnifies the <b>employer</b> against any and all liability, loss, claim or proceeding consequent upon loss of or damage to any moveable or immovable or personal property or property contiguous to the <b>site</b> , whether belonging to or under the control of the <b>employer</b> or any			
other body or person whomsoever arising out of or caused by a catastrophic ground movement, as mentioned above, which occurred during the period of the contract			
10.7.3 It is the responsibility of the contractor to ensure that he has adequate insurance to cover his risk and iability as mentioned in 10.7.1 and 10.7.2. Without imiting the contractor's obligations in terms of the contract, the contractor shall, within twenty-one (21) calendar days of the commencement date but before commencement of the works, submit to the employer proof of such insurance policy, if requested to do so			
and all losses and/or damages of whatever nature suffered or incurred consequent upon the contractor's default of his obligations as set out in 10.7.1; 10.7.2 and 10.7.3. Such losses or damages may be recovered from the contractor or by deducting the same from any amounts still due under this contract or under any other contract presently or hereafter existing between the employer and the contractor and for this purpose all these contracts shall be considered one indivisible whole			
Fixed: Value related: Time related:	Item		
Carried Forward		R	
Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

	Brought Forward		R	
11	A11.0 LIABILITY INSURANCES			
	Clause 11.0			
	Fixed: Value related: Time related:	Item		
12	A12.0 EFFECTING INSURANCES			
	Clause 12.0			
	Fixed: Value related: Time related:	Item		
13	A13.0 No clause	N/A		
14	A14.0 SECURITY			
	Clause 14.0			
	Clauses 14.1 - 14.8 are amended by replacing them with the following:			
	14.1 The security to be submitted by the contractor to the employer will be as a payment reduction of up to ten per cent (10%) of the value certified in the payment certificate (excluding VAT)			
	14.1.1 The payment reduction of the value certified in a <b>payment certificate</b> shall be <i>mutatis mutandi</i> in terms of 31.8(A)			
	14.1.2 The <b>employer</b> shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the <b>employer</b> complies with the provisions of 33.4 in which event the <b>employer's</b> entitlement shall take precedence over his obligations to refund the payment reduction <b>security</b> or portions thereof to the <b>contractor</b>			
	14.2 Where security as a payment reduction of ten per cent (10%) of the value certified in the payment certificate (excluding VAT) has been selected:			
	Carried Forward Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1		R	

	Brought Forward		R		
	14.2.1 The payment reduction of the value certified in a <b>payment certificate</b> shall be <i>mutatis mutandi</i> in terms of 31.8(B)			1	
	14.2.2 The <b>employer</b> shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the <b>employer</b> complies with the provisions of 33.4 in which event the <b>employer's</b> entitlement shall take precedence over his obligations to refund the payment reduction <b>security</b> or portions thereof to the <b>contractor</b>				
	14.9 Should the <b>contractor</b> fail to furnish the <b>security</b> in terms of 14.2, the <b>employer</b> , in his sole discretion and without notification to the <b>contractor</b> , is entitled to change the <b>contractor's</b> selected form of <b>security</b> to that of a ten per cent (10%) payment reduction of the value certified in the <b>payment certificate</b> (excluding VAT), whereafter 14.7 shall be applicable				
	Fixed: Value related: Time related:	Item			
	EXECUTION				
15	A15.0 PREPARATION FOR AND EXECUTION OF THE WORKS				
	Clause 15.0				
	Clause 15.1.1 is amended by replacing it with:				
	No clause				
	Clause 15.1.2 is amended by replacing it with:				
	The <b>security</b> selected in terms of 14.0				
	Clause 15.1 is amended by the addition of the following clause:				
	15.1.4 An acceptable health and safety plan, required in terms of the Occupational Health and Safety Act, 1993 (Act 85 of 1993), within fourteen (14) calendar days of commencement date				
	Carried Forward  Section No. 1  PRELIMINARIES AND GENERAL  Bill No. 1		R		

	Brought Forward		R	
20	A20.0 NOMINATED SUBCONTRACTORS			
	Clause 20.0			
	Clause 20.1.3 is amended by replacing it with the following:			
	No clause			
	Note: See item B9.1 hereinafter for adjustment of attendance on <b>nominated subcontractors</b> executing work allowed for under provisional sums			
	Fixed: Value related: Time related:	Item		
21	A21.0 SELECTED SUBCONTRACTORS			
	Clause 21.0			
	Clause 21 is amended by replacing it with:			
	No clause			
	Fixed: Value related: Time related:	Item		
22	A22.0 EMPLOYER'S DIRECT CONTRACTORS			
	Clause 22.0			
	Fixed: Value related: Time related:	Item		
23	A23.0 CONTRACTOR'S DOMESTIC SUBCONTRACTORS			
	Clause 23.0			
	Fixed: Value related: Time related:	Item		
	Carried Forward Section No. 1		R	
	PRELIMINARIES AND GENERAL Bill No. 1			

	Brought Forward		R	
	COMPLETION			
24	A24.0 PRACTICAL COMPLETION			
	Clause 24.0			
	Fixed: Value related: Time related:	Item		
25	A25.0 WORKS COMPLETION			
	Clause 25.0			
	Fixed: Value related: Time related:	Item		
26	A26.0 FINAL COMPLETION			
	Clause 26.0			
	Fixed: Value related: Time related:	Item		
27	A27.0 LATENT DEFECTS LIABILITY PERIOD			
	Clause 27.0			
	Fixed: Value related: Time related:	Item		
28	A28.0 SECTIONAL COMPLETION			
	Clause 28.0			
	Fixed: Value related: Time related:	Item		
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			
				l

	Brought Forward		R	
29	A29.0 REVISION OF DATE FOR PRACTICAL COMPLETION			
	Clause 29.0			
	Clause 29.2.5 is amended by replacing it with:			
	No clause			
	Fixed: Value related: Time related:	Item		
30	A30.0 PENALTY FOR NON-COMPLETION			
	Clause 30.0			
	Fixed: Value related: Time related:	Item		
	PAYMENT			
31	A31.0 INTERIM PAYMENT TO THE CONTRACTOR			
	Clause 31.0			
	Clause 31.5.2 is amended by replacing "14.7.1" with "14.0 and 31.8"			
	Clause 31.8 is amended by replacing it with the following two alternative clauses:			
	Alternative A			
	31.8(A) Where a <b>security</b> is selected in terms of 14.1; the value of the <b>works</b> in terms of 31.4.1 and <b>materials and goods</b> in terms of 31.4.2 shall be certified in full. The value certified shall be subject to the following percentage adjustments:			
	31.8(A).1 Ninety-five percent (95%) of such value in interim <b>payment certificates</b> issued up to the date of <b>practical completion</b>			
	31.8(A).2 Ninety-seven and half percent (97.5%) of such value in interim <b>payment certificates</b> issued on the date of <b>practical completion</b> and up to but excluding the date of <b>final completion</b>			
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

EMIS No. 200100033

		Brought Forward		R	
interim paymen	y-nine percent (99%) of t certificates issued or If up to but excluding th rms of 34.6	n the date of <b>final</b>			
the final <b>payme</b> where the amount in such an even	undred percent (100%) nt certificate in terms of the certified is in favour the payment reduction evel applicable to the fi	of 34.6 except of the <b>employer</b> . n shall remain at			
Clause 31.12 is	amended by deleting t	he following:			
	e subject to the <b>emplo</b> x invoice for the amoun				
Fixed: related:	Value related:	Time	Item		
		Carried Forward		R	
Section No. 1 PRELIMINARIE Bill No. 1	S AND GENERAL				

EMIS No. 200100033

	Brought Forward		R	
32	A32.0 ADJUSTMENT TO THE CONTRACT VALUE			
	Clause 32.0			
	Clauses 32.5.1, 32.5.4 and 32.5.7 are amended by the addition of the following at the end of the sentence:			
	"due to no fault of the <b>contractor</b> "			
	Add the following clauses: 33.2.9 to 33.2.13:			
	33.2.9 the <b>contractor</b> 's failure or neglect to commence with the works on the dates prescribed in the contract			
	33.2.10 the <b>contractor's</b> failure or neglect to proceed with the works in terms of the contract			
	33.2.11 the <b>contractor's</b> failure or neglect for any reason to complete the works in accordance with the contract			
	33.2.12 the <b>contractor's</b> refusal or neglect to comply strictly with any of the conditions of contract or any contract instructions and/or orders in writing given in terms of the contract			
	33.2.13 the <b>contractor's</b> estate being sequestrated; liquidated or surrendered in terms of the insolvency laws in force within the Republic of South Africa.			
	Fixed: Value related: Time related:	Item		
33	A33.0 RECOVERY OF EXPENSE AND LOSS			
	Clause 33.0			
	Fixed: Value related: Time related:	Item		
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1		R	
				ı

	Brought Forward		R	
34	A34.0 FINAL ACCOUNT AND FINAL PAYMENT			
	Clause 34.0			
	Clause 34.1 is amended by removing "#" next to 34.1			
	Clause 34.2 is amended by inserting "#" next to 34.2			
	Clause 34.13 is amended by replacing "seven (7) calendar days" with "twenty-one (21) calendar days" and deleting the words "subject to the employer giving the contractor a tax invoice for the amount due"			
	Fixed: Value related: Time related:	Item		
35	A35.0 PAYMENT TO OTHER PARTIES			
	Clause 35.0			
	Fixed: Value related: Time related:	Item		
	CANCELLATION			
36	A36.0 CANCELLATION BY EMPLOYER - CONTRACTOR'S DEFAULT			
	Clause 36.0			
	Clause 36.1 is amended by the addition of the following clauses:			
	36.1.3 refuses or neglects to comply strictly with any of the conditions of contract			
	36.1.4 estate being sequestrated, liquidated or surrendered in terms of the insolvency laws in force within the Republic of South Africa			
	36.1.5 in the judgement of the <b>employer</b> , has engaged in <b>corrupt</b> or <b>fraudulent practices</b> in competing for or in executing the contract			
	Clause 36.3 is amended by removing the reference to "No clause" and replacing the words "principal agent" with "employer"			
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			
			i l	

	Brought Forward		R		
	Clause 36.0 is amended by the addition of the following clause:				
	36.3 Remove reference to "No clause", and replace "principal agent" with "employer"				
	36.7 Notwithstanding any clause to the contrary, on cancellation of this <b>agreement</b> either by the <b>employer</b> or the <b>contractor</b> ; or for any reason whatsoever, the <b>contractor</b> shall on written instruction, discontinue with the <b>works</b> on a date stated and withdraw himself from the <b>site</b> . The <b>contractor</b> shall not be entitled to refuse to withdraw from the <b>works</b> on the grounds of any lien or right of retention or on the grounds of any other right whatsoever				
	Fixed: Value related: Time related:	Item			
37	A37.0 CANCELLATION BY EMPLOYER - LOSS AND DAMAGE				
	Clause 37.0				
	Clause 37.3.5 is amended by replacing "ninety (90)" with "one hundred and twenty (120)"				
	Clause 37.0 is amended by the addition of the following clause:				
	37.3.5 Replace "ninety (90)" with "one hundred and twenty (120) and 38.5.4				
	Fixed: Value related: Time related:	Item			
38	A38.0 CANCELLATION BY CONTRACTOR - EMPLOYER'S DEFAULT				
	Clause 38.0				
	Clause 38.5.4 is amended by replacing "ninety (90)" with "one hundred and twenty (120)"				
	Clause 38.0 is amended by the addition of the following clause:				
	Carried Forward		R		
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1				
				1	

Brought Forward		R		
38.7 Notwithstanding any clause to the contrary, on cancellation of this <b>agreement</b> either by the <b>employer</b> or the <b>contractor</b> ; or for any reason whatsoever, the <b>contractor</b> shall on written instruction, discontinue with the <b>works</b> on a date stated and withdraw himself from the <b>site</b> . The <b>contractor</b> shall not be entitled to refuse to withdraw from the <b>works</b> on the grounds of any lien or right of retention or on the grounds of any other right whatsoever				
Fixed: Value related: Time	Item			
A39.0 CANCELLATION - CESSATION OF THE WORKS	item			
Clause 39.0				
Clause 39.3.5 is amended by the addition of the following at the end of the sentence:				
"within one hundred and twenty (120) <b>working days</b> of completion of such a report"				
Fixed: Value related: Time related:	Item			
Carried Forward Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1		R		
	38.7 Notwithstanding any clause to the contrary, on cancellation of this agreement either by the employer or the contractor; or for any reason whatsoever, the contractor shall on written instruction, discontinue with the works on a date stated and withdraw himself from the site. The contractor shall not be entitled to refuse to withdraw from the works on the grounds of any lien or right of retention or on the grounds of any other right whatsoever  Fixed: Value related: Time related:  A39.0 CANCELLATION - CESSATION OF THE WORKS  Clause 39.0  Clause 39.0  Clause 39.3.5 is amended by the addition of the following at the end of the sentence:  "within one hundred and twenty (120) working days of completion of such a report"  Fixed: Value related: Time related: Time related: Time  Carried Forward  Section No. 1  PRELIMINARIES AND GENERAL	38.7 Notwithstanding any clause to the contrary, on cancellation of this agreement either by the employer or the contractor; or for any reason whatsoever, the contractor shall on written instruction, discontinue with the works on a date stated and withdraw himself from the site. The contractor shall not be entitled to refuse to withdraw from the works on the grounds of any lien or right of retention or on the grounds of any other right whatsoever  Fixed: Value related: Time related: Time  Raso. Cancellation - Cessation of the following at the end of the sentence:  "within one hundred and twenty (120) working days of completion of such a report"  Fixed: Value related: Time related: Time related: Item Time  Item  Carried Forward  Section No. 1  PRELIMINARIES AND GENERAL	38.7 Notwithstanding any clause to the contrary, on cancellation of this agreement either by the employer or the contractor; or for any reason whatsoever, the contractor shall not writen instruction, discontinue with the works on a date stated and withdraw himself from the site. The contractor shall not be entitled to refuse to withdraw from the works on the grounds of any lien or right of retention or on the grounds of any other right whatsoever  Fixed: Value related: Time related: Time related: Value solve to working days of completion of such a report.  Clause 39.0 CANCELLATION - CESSATION OF THE WORKS  Clause 39.3.5 is amended by the addition of the following at the end of the sentence:  "within one hundred and twenty (120) working days of completion of such a report."  Fixed: Value related: Time related: Time related: Item Time related:	38.7 Notwithstanding any clause to the contrary, on cancellation of this agreement either by the employer or the contractor; or for any reason whatsoever, the contractor shall on written instruction, discontinue with the works on a date stated and withdraw himself from the site. The contractor shall not be entitled to refuse to withdraw from the works on the grounds of any lien or right of retention or on the grounds of any other right whatsoever  Fixed: Value related: Time

	Brought Forward		R	
	DISPUTE			
40	A40.0 DISPUTE SETTLEMENT			
	Clause 40.0			
	Clause 40.2.2 is amended by replacing "one (1) year" with "three (3) years"			
	Clause 40.6 is amended by removing the reference to:			
	No clause			
	Clause 40.7.1 is amended by replacing "(10)" with "(15)" and by the addition of the following:			
	Whether or not mediation resolves the dispute, the parties shall bear their own costs concerning the mediation and equally share the costs of the <b>mediator</b> and related costs			
	Fixed: Value related: Time related:	Item		
	SUBSTITUTE PROVISIONS			
41	A41.0 STATE CLAUSES			
	Clause 41.0			
	Fixed: Value related: Time related:	Item		
	CONTRACT VARIABLES			
42	A42.0 THE SCHEDULE (C1.2)			
	Clause 42.0			
	Tenderers are referred to the C1.2 CONDITIONS OF CONTRACT AND CONTRACT VARIABLES for variables pertaining to this contract			
	Fixed: Value related: Time	Item		
	related:	пеш		
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

	Brought Forward		R	1
	SECTION B: JBCC PRELIMINARIES			
	B1.0 DEFINITIONS AND INTERPRETATION			
43	B1.1 Definitions and interpretation			
	See also clause A1.0 of Section A for additional and/or amended definitions which shall apply equally to this Section			
	Fixed: Value related: Time related:	Item		
	B2.0 DOCUMENTS			
44	B2.1 Checking of documents			
	Fixed: Value related: Time related:	Item		
45	B2.2 Provisional bills of quantities			
	Fixed: Value related: Time related:	Item		
46	B2.3 Availability of construction documentation			
	Fixed: Value related: Time related:	Item		
47	B2.4 Interests of agents			
	Fixed: Value related: Time related:	Item		
48	B2.5 Priced documents			
	Fixed: Value related: Time related:	Item		
	Cominal Forward			
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1		R	

	Brought Forward	R	
.9 <b>B2.</b>	6 Tender submission		
	se 2.6 is amended by replacing "JBCC Form of der" with "Form of Offer and Acceptance DPW-		
Fixe	d: Value related: Time ed:	Item	
<u>B3.</u>	THE SITE		
0 <b>B3.</b>	Defined works area		
Fixe rela	d: Value related: Time ed:	Item	
1 <b>B3.</b>	Geotechnical investigation		
Fixe rela	d: Value related: Time ed:	Item	
2 <b>B3.</b>	Inspection of the site		
Fixe rela	d: Value related: Time ed:	Item	
3 <b>B3.</b> 4	Existing premises occupied		
Fixe rela	d: Value related: Time ed:	Item	
4 <b>B3.</b>	Previous work - dimensional accuracy		
Fixe rela	d: Value related: Time ed:	Item	
5 <b>B3.</b> 6	Previous work - defects		
Fixe rela	d: Value related: Time ed:	Item	
6 <b>B3.</b>	Services - known		
Fixe rela	d: Value related: Time ed:	Item	
	Carried Forward	R	
PRE	ion No. 1 LIMINARIES AND GENERAL No. 1		

	Brought Forward		R	
57	B3.8 Services - unknown			
	Fixed: Value related: Time related:	Item		
58	B3.9 Protection of trees			
	Fixed: Value related: Time related:	Item		
59	B3.10 Articles of value			
	Fixed: Value related: Time related:	Item		
60	B3.11 Inspection of adjoining properties			
	Fixed: Value related: Time related:	Item		
	B4.0 MANAGEMENT OF CONTRACT			
61	B4.1 Management of the works			
	Fixed: Value related: Time related: R	Item		
62	B4.2 Programme for the works			
	Fixed: Value related: Time related:	Item		
63	B4.3 Progress meetings			
	Fixed: Value related: Time related:	Item		
64	B4.4 Technical meetings			
	Fixed: Value related: Time related:	Item		
65	B4.5 Labour and plant records			
	Fixed: Value related: Time related:	Item		
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

### THE MVULA TRUST Archie Mbolekwa Junior Sec. School-FT Maintenance Programme

Eastern Cape - Flush Toilet Programme EMIS No. 200100033

	Brought Forward	R
	SAMPLES, SHOP DRAWINGS AND FACTURERS' INSTRUCTIONS	
B5.1	Samples of materials	
Fixed:_ related:	Value related: Time	Item
B5.2	Workmanship samples	
Fixed:_ related:	Value related: Time	Item
B5.3	Shop drawings	
Fixed:_ related:	Value related: Time	Item
B5.4	Compliance with manufacturers' instructions	
	Value related: Time	Item
B6.0	TEMPORARY WORKS AND PLANT	
B6.1	Deposits and fees	
Fixed:_ related:	Value related: Time	Item
B6.2	Enclosure of the works	
	Value related: Time	Item
B6.3	Advertising	
Fixed:_ related:	Value related: Time	Item
B6.4	Plant, equipment, sheds and offices	
Fixed:_ related:	Value related: Time	Item
	Carried Forward	R
Section PRELIM Bill No.	No. 1 IINARIES AND GENERAL	

	Brought Forward	R
74	B6.5 Main notice board	
	Fixed: Value related: Time	II
	related:	Item
75	B6.6 Subcontractors' notice board	
	Fixed: Value related: Time related:	Item
	B7.0 TEMPORARY SERVICES	
76	B7.1 Location	
	Fixed: Value related: Time related:	Item
77	B7.2 Water	
11		
	Fixed: Value related: Time related:	Item
78	B7.3 Electricity	
	Fixed: Value related: Time	
	related:	Item
79	B7.4 Telecommunication facilities	
	Fixed: Value related: Time	
	related:	Item
80	B7.5 Ablution facilities	
	Fixed: Value related: Time	Item
	related:	item
	B8.0 PRIME COST AMOUNTS	
81	B8.1 Responsibility for prime cost amounts	
	Fixed: Value related: Time related:	Item
	related	item
	Section No. 1	R
	PRELIMINARIES AND GENERAL	
	Bill No. 1	
	I and the second se	ı I II

	Brought Forward		R	
	B9.0 ATTENDANCE ON N/S SUBCONTRACTORS			
82	B9.1 General attendance			
	Fixed: Value related: Time related:	Item		
83	B9.2 Special attendance			
	Fixed: Value related: Time related:	Item		
84	B9.3 Commissioning - fuel, water and electricity			
	Fixed: Value related: Time related:	Item		
	B10.0 FINANCIAL ASPECTS			
85	B10.1 Statutory taxes, duties and levies			
	Fixed: Value related: Time related:	Item		
86	B10.2 Payment for preliminaries			
	Fixed: Value related: Time related:	Item		
87	B10.3 Adjustment of preliminaries			
	Clauses B10.3.1 and B10.3.2 are amended by replacing "within fifteen (15) working days of taking possession of the site" with "when submitting his priced bills of quantities / lump sum document"			
	Fixed: Value related: Time related:	Item		
88	B10.4 Payment certificate cash flow			
	Fixed: Value related: Time related:	Item		
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

	Brou	ght Forward		R
B11.0 GEN	<u>IERAL</u>			
B11.1 Prot	ection of the works			
Fixed:related:	Value related:	Time	Item	
B11.2 Proto	ection / isolation of existing / s orks	sectionally		
Fixed:related:	Value related:	Time	Item	
B11.3 Secu	urity of the works			
Fixed: related:	Value related:	Time	Item	
B11.4 Notic	ce before covering work			
Fixed:related:	Value related:	Time	Item	
B11.5 Dist	urbance			
Fixed:related:	Value related:	Time	Item	
B11.6 Envi	ronmental disturbance			
Fixed:related:	Value related:	Time	Item	
B11.7 Worl	ks cleaning and clearing			
Fixed:related:	Value related:	Time	Item	
8 B11.8 Vern	nin			
Fixed:related:	Value related:	Time	Item	
		ried Forward		R
Section No. PRELIMINAR	1 RIES AND GENERAL			
Bill No. 1				

	Brought Forward		R	ì
97	B11.9 Overhand work			ı
	Fixed: Value related: Time related:	Item		
98	B11.10 Instruction manuals and guarantees			ı
	Fixed: Value related: Time related:	Item		
99	B11.11 As built information			1
	Fixed: Value related: Time related:	Item		1
100	B11.12 Tenant installations			ı
	Fixed: Value related: Time related:	Item		
	B12.0 SCHEDULE OF VARIABLES			1
101	B12.1 Schedule of variables			ı
	Fixed: Value related: Time related:	Item		
	This <b>schedule</b> contains all variables referred to in this document and is divided into pre-tender and post-tender categories. The pre-tender category must be completed in full and included in the tender documents. Both the pre-tender and post-tender categories form part of these <b>Preliminaries</b>			
	Spaces requiring information must be filled in, shown as "not applicable" or deleted and not left blank. Where choices are offered, the non-applicable items are to be deleted. Where insufficient space is provided the information should be annexed hereto and cross-referenced to the applicable clause of the <b>schedule</b> . Key cross reference clauses are italicised in [] brackets			
	Carried Forward  Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1		R	

	Brought Forward	R	
12.1 PRE-TENDER INFO	DRMATION		
12.1.1 <b>Provisional bills of</b> [2.2] The quantities are p			
	YES		
12.1.2 Availability of construction docum	struction documentation entation is complete		
	YES		
12.1.3 Interests of agents [2.4] Details:			
12.1.4 <b>Defined works are</b> [3.1] Details:	a		
12.1.5 <b>Geotechnical investigation</b> [3.2] Details:	stigation		
12.1.6 <i>Existing premises</i> [3.4] Specific requirement			
12.1.7 <b>Previous work - di</b> [3.5] Details:	mensional accuracy		
12.1.8 <b>Previous work - de</b> [3.6] Details:	fects		
12.1.9 <b>Services - known</b> [3.7] Details:			
12.1.10 <b>Protection of trees</b> [3.9] Specific requirement			
Section No. 1	Carried Forward	R	
PRELIMINARIES AND GEN Bill No. 1	ERAL		

	Brought Forward	R	
12.1.11 <i>Inspection of adjoining pr</i> [3.11] Specific requirements:	roperties		
12.1.12 <i>Enclosure of the works</i> [6.2] Specific requirements:			
12.1.13 <i>Offices</i> [6.4.3] Specific requirements: The <b>contractor</b> shall provide remove on completion of the the exclusive use of the <b>pri</b> minimum size 4 x 3 x 3m hi insulated and ventilated, prolighting and fitted with board chair, drawing stool, drawing drawers for drawings. The collean and fit for use at all times.	e works an office for ncipal agent, gh internally, suitably ovided with electric ded floor, desk, g board and lock-up office shall be kept		
12.1.14 <i>Main notice board</i> [6.5] Specific requirements: The <b>contractor</b> shall provide directed, maintain and remote the <b>works</b> a notice board site boarding with flat smooth site edging bead 19mm thick roprojecting 12mm from face rounded on front edge. The securely fixed to hoarding, with provided, or fixed to and incomposition supporting structure of timb and braces. The board is to white and the bead and 12r lines dark green. All wording in dark green as per the conwording shall be inscribed it sans serif lettering	ove on completion of ize 3 x 3m as type cted of suitable curface and with und outer edges and of boarding and board shall be where hoarding is cluding a suitable er or tubular posts be painted ivory mm wide dividing g shall be inscribed at of arms for SA. All		
12.1.15 <b>Subcontractors' notice bo</b> [6.6] A notice board is required	pard		
Specific requirements:	NO		
Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1	Carried Forward	R	

EMIS No. 200100033

12.1.16 <i>Water</i> [7.2] Option A (by contractor)  Option B (by employer - free o	<b>NO</b> f charge)		
Option B (by <b>employer</b> - free o			
Option B (by <b>employer</b> - free o	f charge)		
	NO		
Option C (by <b>employer</b> - meter	ed)		
	YES		
12.1.17 <i>Electricity</i> [7.3] Option A (by <b>contractor</b> )			
	NO		
Option B (by <b>employer</b> - free o	f charge)		
	NO		
Option C (by <b>employer</b> - meter	ed)		
	YES		
12.1.18 <i>Telecommunications</i> [7.4] Telephone			
YES			
Facsimile			
	YES		
E-mail			
	YES		
Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1	Carried Forward	R	

	Brought Forward	R	
12.1.19 <i>[7.5]</i>	Option A (by contractor)		
	YES		
	Option B (by <b>employer</b> )		
	NO		
works	Protection of existing/sectionally occupied  Protection is required		
[]	NO		
40.4.04			
12.1.21 [9.2]	Special attendance Subcontractor (1) details:		
	Subcontractor (2) details:		
	Subcontractor (3) details:		
	Subcontractor (4) details:		
	2 Protection of the works Specific requirements:		
12.1.23 [11.5]	Specific requirements: The contractor shall keep the site, structures, etc well watered during operations to prevent dust and shall provide and erect and remove on completion of the works all necessary temporary dust screens all to the satisfaction of the principal agent		
	Environmental disturbance Specific requirements:		
12.2	POST-TENDER INFORMATION		
Section	Carried Forward	R	
	MINARIES AND GENERAL		

EMIS No. 200100033

		Brought Forward	R	
12.2.1 <b>Paym</b> [10.2] Option	ent of preliminaries n A (prorated)			
		NO		
Option	n B (calculated)			
		YES		
12.2.2 <b>Adjus</b> [10.3] Option	stment of preliminaries n A (three categories)			
		NO		
Option	n B (detailed breakdown	)		
		YES		
12.2.3 <i>Addit</i> Detail	ional agreed prelimina s·	ries items		
Detail	3.			
			_	
Section No. 1		Carried Forward	R	
	ES AND GENERAL			

	Brought Forward		R	
	SECTION C: SPECIFIC PRELIMINARIES			
	<b>Section C</b> contains specific preliminary items which apply to this contract except where N/A (Not Applicable) appears against an item			
102	C1.0 CONTRACT DRAWINGS			
	The drawings issued with the tender documents do not comprise the complete set but serve as a guide only for tendering purposes and for indicating the scope of the work to enable the tenderer to acquaint himself with the nature and extent of the <b>works</b> and the manner in which they are to be executed			
	Should any part of the drawings not be clearly understood by the tenderer he shall, before submitting his tender, obtain clarification in writing from the principal agent			
	Fixed: Value related: Time related:	Item		
103	C2.0 GENERAL PREAMBLES			
	The document "Specification of Materials and Methods to be used - PW371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014)." is obtainable on the Department's website (http://www.publicworks.gov.za/ under "Consultants Guidelines"), and shall be read in conjunction with the bills of quantities / lump sum document and be referred to for the full descriptions of work to be done and materials to be used			
	Fixed: Value related:	Item		
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

Brought Forward		R		1
C3.0 TRADE NAMES				ı
Wherever a trade name for any product has been described in the <b>bills of quantities / lump sum document</b> , the tenderer's attention is drawn to the fact that any other product of equal quality may be used subject to the written approval of the <b>principal agent</b> being obtained prior to the closing date for submission of tenders				
If prior written approval for an alternative product is not obtained, the product described shall be deemed to have been tendered for				
Fixed: Value related: Time related:	Item			
C4.0 HIV/AIDS AWARENESS				ı
It is required of the <b>contractor</b> to thoroughly study the HIV/AIDS Specification (PW 1544) of the Department that must be read together with and is deemed to be incorporated under this Section of the <b>bills of quantities / lump sum document</b> . Provision for pricing of HIV/AIDS awareness is made under items C10.1 to C10.5 hereafter and it is explicitly pointed out that all requirements of the aforementioned specification are deemed to be priced hereunder, as the said items represent the only method of measurement and no additional items or extras to the contract in this regard shall be entertained				
The contractor must take note that compliance with the HIV/AIDS Specification is compulsory. In the event of partial or total non-compliance, the principal agent, notwithstanding the provisions of clause A 31.0 of Section A or any other clause to the contrary, reserves the right to delay issuing any progress payment certificate until the contractor provides satisfactory proof of compliance. The contractor shall not be entitled to any compensation of whatsoever nature, including interest, due to such delay of payment				
Carried Forward  Section No. 1  PRELIMINARIES AND GENERAL  Bill No. 1		R		
	Wherever a trade name for any product has been described in the bills of quantities / lump sum document, the tenderer's attention is drawn to the fact that any other product of equal quality may be used subject to the written approval of the principal agent being obtained prior to the closing date for submission of tenders  If prior written approval for an alternative product is not obtained, the product described shall be deemed to have been tendered for  Fixed:	Wherever a trade name for any product has been described in the bills of quantities / lump sum document, the tenderer's attention is drawn to the fact that any other product of equal quality may be used subject to the written approval of the principal agent being obtained prior to the closing date for submission of tenders  If prior written approval for an alternative product is not obtained, the product described shall be deemed to have been tendered for  Fixed:	Wherever a trade name for any product has been described in the bills of quantities / lump sum document, the tenderer's attention is drawn to the fact that any other product of equal quality may be used subject to the written approval of the principal agent being obtained prior to the closing date for submission of fenders  If prior written approval for an alternative product is not obtained, the product described shall be deemed to have been tendered for  Fixed:	Wherever a trade name for any product has been described in the bills of quantities / lump sum document, the tenderer's attention is drawn to the fact that any other product of equal quality may be used subject to the written approval of the principal agent being obtained prior to the closing date for submission of tenders  If prior written approval for an alternative product is not obtained, the product described shall be deemed to have been tendered for  Fixed:

Brought Forward		R	
C4.1 AWARENESS CHAMPION  Selection, appointment, briefing and making available of an Awareness Champion including provision of all relevant services, all in accordance with the HIV/AIDS Specification  Fixed: Value related:  Time related:	ltem		
C4.2 AWARENESS WORKSHOPS  Selection and appointment of a competent Service  Provider approved by the principal  agent, provision of a Service Provider Workshop Plan and a suitable venue, conducting of awareness workshops by means of traditional and/or modern multi- media techniques, including follow-up courses, making available all tuition material and performing assessment procedures, all in accordance with the HIV/AIDS Specification  Fixed: Value related:			
Fixed: Value related: Time related:	Item		
C4.3 POSTERS, BOOKLETS, VIDEOS, ETC.  Provision, displaying, maintaining and replacing when necessary of four plastic laminated posters, booklets and educational videos, etc. for the duration of the construction period, all in accordance with the HIV/AIDS Specification  Fixed: Value related:  Time related:	ltem		
C4.4 ACCESS TO CONDOMS  Provision and maintenance of condom dispensers fixed in position, including male and female condoms, replenishing male and female condoms on a daily basis as required for the duration of the construction period, all in accordance with the HIV/AIDS  Specification			
Fixed:Value related:	Item		
Carried Forward		R	
Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			

Brought Forward		R	
C4.5 MONITORING  Monitoring HIV/AIDS awareness of workers, providing the principal agent with access to information including making available all reports, thoroughly completed and reflecting the correct information, for the duration of the construction period and close out, all in accordance with the HIV/AIDS Specification			
Fixed: Value related: Time related:	Item		
		_	
Carried to Cluster Summary Section No. 1		R	
PRELIMINARIES AND GENERAL Bill No. 1			

Item No		Unit	Quantity	Rate	Amount
	SECTION 2				
	BILL NO.1				
	<u>REFURBISHMENTS</u>				
	SUPPLEMENTARY PREAMBLES				
	For preambles see "Specifications of materials and methods to be used - PW 371"				
	SUPPLEMENTARY PREAMBLES				
	<u>View site</u>				
	Before submitting his tender the contractor shall visit the site and satisfy himself as to the nature and extent of the work to be done and the value of the materials contained in the buildings or portions of the buildings to be demolished. No claim for any variations of the contract sum in respect of the nature and extent of the work or of inferior or damaged materials will be entertained				
	Carried Forward Section No. 2 BUILDING WORKS Bill No. 1			R	

Brought Forward		R	
Existing structuresIn taking down and removing			
existing work, the utmostcare shall be observed			
to prevent any structural or otherdamage to the			
remaining portions of the building and			
theContractor shall provide all shoring,			
needling, strutting,etc. to ensure the stability of			
all structures during thealteration work. Any			
damage to the structure and/orbuilding as well			
as the rectification of same will be forthe			
Contracor's account.SUPPLEMENTARY			
PREAMBLESServicesSpecial care shall be			
exercised during the progress ofthe work to			
ensure that electrical installation, watersupply			
pipes, gas and oxygen supply pipes,			
telephoneand other services which may be			
encountered are notinterfered with and notice			
shall be given to theRepresentative Agent if any			
disconnection or alterationsbecome			
necessary.Dust and noiseThe Contractor is to			
take all necessary precautions tothe			
satisfaction of the Representative Agent to			
preventany nuisance from the dust and/or noise			
whilst carryingout the work.Disposal of			
debrisThe Contractor shall be responsible for			
the removal fromsite of all materials, debris and			
rubbish resulting fromthe work and the removal			
is deemed to be included inthe rates unless			
otherwise specified.			
<u>Explosives</u>			
No explosives whatsoever may be used for demolition purposes unless otherwise stated			
General			
The contractor shall correct out the whole of the works			
The contractor shall carry out the whole of the works with as little mess and noise as possible and with a			
with as little lifess and HUISE as DUSSIDIE and With a			
minimum of disturbance to adjoining premises and their			
	i I	1	1
minimum of disturbance to adjoining premises and their tenants. He shall provide proper protection and provide, erect and remove when directed, any temporary tarpaulins that may be necessary during the progress of			
minimum of disturbance to adjoining premises and their tenants. He shall provide proper protection and provide, erect and remove when directed, any temporary			
minimum of disturbance to adjoining premises and their tenants. He shall provide proper protection and provide, erect and remove when directed, any temporary tarpaulins that may be necessary during the progress of			
minimum of disturbance to adjoining premises and their tenants. He shall provide proper protection and provide, erect and remove when directed, any temporary tarpaulins that may be necessary during the progress of			
minimum of disturbance to adjoining premises and their tenants. He shall provide proper protection and provide, erect and remove when directed, any temporary tarpaulins that may be necessary during the progress of			
minimum of disturbance to adjoining premises and their tenants. He shall provide proper protection and provide, erect and remove when directed, any temporary tarpaulins that may be necessary during the progress of			
minimum of disturbance to adjoining premises and their tenants. He shall provide proper protection and provide, erect and remove when directed, any temporary tarpaulins that may be necessary during the progress of the works, all to the satisfaction of the principal agent			
minimum of disturbance to adjoining premises and their tenants. He shall provide proper protection and provide, erect and remove when directed, any temporary tarpaulins that may be necessary during the progress of		R	
minimum of disturbance to adjoining premises and their tenants. He shall provide proper protection and provide, erect and remove when directed, any temporary tarpaulins that may be necessary during the progress of the works, all to the satisfaction of the principal agent		R	
minimum of disturbance to adjoining premises and their tenants. He shall provide proper protection and provide, erect and remove when directed, any temporary tarpaulins that may be necessary during the progress of the works, all to the satisfaction of the principal agent  Carried Forward Section No. 2 BUILDING WORKS		R	
minimum of disturbance to adjoining premises and their tenants. He shall provide proper protection and provide, erect and remove when directed, any temporary tarpaulins that may be necessary during the progress of the works, all to the satisfaction of the principal agent  Carried Forward Section No. 2		R	

	Brought Forward	R
Water supply pipes and other pipencountered and found necessar shall be effectually stopped off or removed, and any new connection necessary shall be made with presatisfaction of the principal agent	ry to disconnect or cut, grubbed up and ons that may be oper fittings, to the	
Doors, fanlights, fittings, frames, be re-used shall be thoroughly or refixing including taking off, easing cramping up, re-wedging as required cramps, dowels, etc, and easing repairing ironmongery as necessed damaged in removal or subseque all nail and screw holes with tinter match timber, unless otherwise or re-varnishing is given separate	verhauled before ng and rehanging, nired and making good oiling, adjusting and ary, replacing any glass ently and stopping up ed plastic wood to lescribed. Re-painting	
Prices for taking out of doors, wire for removal of all beads, architrated		
Prices for taking out and removir shall include for removing door s and making good floor and wall f existing	tops, cabin hooks, etc	
With regard to building up of ope cement screeds and pavings, graetc, shall be levelled and prepare brickwork	anolithic, tops of walls,	
Making good of finishes shall inc the brick and concrete surfaces of finishes are applied, where nece	onto which the new	
The contractor will be required to affecting the existing buildings or held solely responsible for the addimensions where used in the man (doors, windows, fittings, etc)	n the site and he will be ccuracy of all such	
Alterations to the roof and roof tr with the carpentry and joinery an		
<u>LOCATIONS</u>		
A - Girls Ablution Blocks		
B - Boys Ablution Blocks		
C - Staff Ablution Blocks		
Section No. 2 BUILDING WORKS	Carried Forward	R

	Brought Forward			R	—
	Old materials to become the property of theContractorOld materials from the alterations, except wheredescribed to be re-used or handed over, become theproperty of the Contractor who must allow credit forsame in the Final Summary.Old materials to be carted awayOld materials from the alterations, except wheredescribed to be re-used or handed over, as well as allrubbish, etc. must regularly be carted away from siteand not be allowed to accumulate on or around the site.Old materials not to be re-usedNone of the old materials are to be re-used for newwork, except where specifically described as being setaside for re-use.Handing over of materialsWhere certain materials or articles from demolitions oralterations are described as to be handed over by theContractor to the Representative/ Agent, such materialsor articles shall be properly stored by the Contractor must obtain official receipt listing materials or articles and datesof handing over. If the Contractor fails to submit thereceipt when requested, it shall be deemed that thematerials or articles are still in his possession and hewill be held liable to the Department for the fullreplacement value thereof, which amount will bededucted from any monies due to the Contractor.  REMOVAL OF EXISTING WORK				
	Taking out, removing doors, windows,etc including thresholds				
1	Timber single door  A:10 B:7 C:2  Taking down and removing ceilings including cornices, timber brandering etc	No	19		
2	Ceilings, cornices etc  A: 66 B: 34 C: 0	m2	100		
	Roof structures				
3	Demolish and cart away timber purlins.  A: 20 B: 0 C: 0  INSPECTING, SERVICING, REMOVING OF EXISTING TOILET SEAT COVERS	m	20		
	Section No. 2 BUILDING WORKS Bill No. 1			R	

	Brought Forward			R	
	Inspect existing galvanised metal roof coverings for leaks, remove loose roof screws and replace with new 100mm long screws with and including new domed roof washer with sealant attached:				
4	Existing roof coverings A:83 B:42 C:0	m2	125		
	SUNDRIES				
5	Allowance cleaning and clearing before work commences on ablution block  A:0.00 B:0.00 C:1.00		Item		
6	Allowance for oil treatment of existing timber trusses, purlins and wall plates		Item		
7	A: 0.00 B: 0.00 C: 1.00  Allowance for isolated roof leaks		Item		
8	A: 0.00 B: 0.00 C: 1.00  Service and repair all pivot and locking mechanisms of existing steel windows  A: 10 B: 7 C: 0	No	17		
	Breaking down and removing brickwork etc				
9	One brick walls  A: 28  B: 21  C: 0	m2	49		
	Take out and remove doors, etc, including thresholds, set aside for handing over to the employer and prepare frame to receive new doors in similar position (doors measured elsewhere)				
10	Timber single door and frame not exceeding 2,5m² A:10 B:7 C:0	No	17		
11	Burglar bars: 1500 x 2100mm high A:1 B:1 C:0	No	2		
12	Steel window frame A:5 B:4 C:0	No	9		
	Carried Forward Section No. 2 BUILDING WORKS Bill No. 1			R	

	Brought Forward			R	
	Take out and remove broken window panes from steel windows and prepare frame to receive new glazing in similar position (glazing measured elsewhere)				
13	Window glass panes	m2	8		
	A:5 B:3 C:0				
	Taking out and removing ironmongery				
14	Mortice lockset from timber door	No	17		
	A:10 B:7 C:0				
15	Toilet paper holder from wall	No	17		
	A:10 B:7 C:0				
	Hacking up/off and removing granolithic, screeds, plaster, etc from concrete or brickwork and preparing surfaces for new screed, plaster, tile finishes, etc				
16	80mm Screed from floors	m2	100		
	A:66 B:34 C:0				
17	Internal plaster from walls and columns	m2	105		
	A:61 B:45 C:0				
	Hacking up/off and removing ceramic tiles including removing mortar bed or adhesive from concrete or brickwork and preparing surfaces for new screed, plaster, tile finish, etc				
18	Tiles to floors	m2	100		
	A:66 B:34 C:0				
19	Tiles to walls	m2	9		
	A:5 B:4 C:0				
	Taking out and removing piping, including cutting off as necessary, holderbats and making good floor and wall finishes (making good tiling and paintwork elsewhere)				
20	UPVC piping not exceeding 110mm internal diameter  A: 14 B: 12 C: 0	m	26		
	Carried Forward			R	
	Section No. 2 BUILDING WORKS				
	Bill No. 1				

	Brought Forward			R	
	Taking out and removing sanitary fittings, tanks, geysers, etc, including disconnecting from pipes, traps, etc and making good floor and wall finishes (making good tiling and paintwork elsewhere)				
21	Stainless steel wash hand basin  A:6  B:4  C:0	No	10		
22	Vitreous china WC pan with cistern and flush pipe  A: 10 B: 7 C: 0	No	17		
23	Vitreous china wall hung urinal with flush valve and flush pipe  A:0 B:3 C:0	No	3		
	MAKING GOOD OF FINISHES ETC				
	Making good face brickwork				
24	Cleaning of the facebrick on the outside and inside  A:95  B:67  C:0	m2	162		
	Making good paint work				
25	Internal walls	m2	156		
	A: 92 B: 64 C: 0 SUNDRIES				
26	Allowance for unblocking existing blocked sewer		Item		
	A: 0.00 B: 0.00 C: 1.00				
27	Allowance for testing, servicing and repair all Mechanical equipment on site		Item		
	A: 0.00 B: 0.00 C: 1.00				
28	Allow for detection of all services  A: 0.00 B: 0.00 C: 1.00		Item		
	Carried Forward to Summary of Section No. 2			R	
	Section No. 2 BUILDING WORKS Bill No. 1				

	Quantity	Rate	Amount
SECTION 2			
BILL NO.3			
CARPENTRY AND JOINERY			
SUPPLEMENTARY PREAMBLES			
For preambles see "Specifications of materials and methods to be used - PW 371"			
SUPPLEMENTARY PREAMBLES			
Particle board:			
Particle board shall comply with the following specifications:			
a) SABS 1300 Particle board: exterior and flooring type	•		
b) SABS 1301 Particle board: interior type			
Joinery:			
Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc			
Descriptions of hardwood joinery shall be deemed to include pelleting of bolt holes			
Fixing			
Items described as "nailed" shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete	d		
ROOFS ETC			
Plate nailed timber roof truss construction			
The following is applicable in respect of roof trusses:			
Trusses are at maximum 760mm centres			
The dimensions in the descriptions of the trusses are nominal and actual measurements are to be obtained from the Employer's Agent and/or the site before desig or fabrication commences	n		
Section No. 2 BUILDING WORKS Bill No. 2	ard	R	

Brought Forward	R	
DESCRIPTIONS		
The term "planted on" shall mean the nailing of one timber member to another		
The term "screwed on" shall mean the countersunk screwing of one timber member to another The term "plugged" shall mean the countersunk screwing of a timber member to and including plastic plugs in brickwork or concrete		
Descriptions of floors, ceilings, joinery, etc. shall be deemed to include for all square cutting. Descriptions of items given in linear metre shall be deemed to include for mitres, stopped ends, fitted intersections, etc.  Descriptions of rounded angles, rebates, grooves, chamfers, moulded edges, etc. shall be deemed to include for angles, ends, etc.		
PREFABRICATED ROOFS, ETC.		
a) The design, manufacture and transportation of the roof trusses, bracing, etc. shall be under the control of a registered Engineer in accordance with SABS 0243. It shall be required from the manufacturer of the trusses to lodge a written guarantee that his construction has been designed by a qualified Structural Engineer and that he is in possession of a capability certificate issued by the Institute for Timber Construction and approved by the Representative/Agent.		
b) Erection must be carried out as described in "The Erection and Bracing of Timber Roof Trusses" published by the Truss Plate Association of South Africa Ltd. and the National Timber Research Institute, CSIR.		
c) Descriptions of roof trusses shall be deemed to include for design, manufacture, supply, hoisting and fixing in position, trimming ends, notching, etc. and for any temporary and permanent bracing.		
Prefabricated plate nailed timber roof truss construction		
LOCATIONS		
A - Girls Ablution Blocks		
B - Boys Ablution Blocks		
C - Staff Ablution Blocks		
Carried Forward Section No. 2	R	
BUILDING WORKS Bill No. 2		

	Brought Forward			R	_
	Sawn softwood trusses				
1	Roof construction to pitched roof with 10 degree pitch approximately 13100 x 7100mm on plan sloping with 1000mm eaves overhang one one end, including wall plates, trusses, jack rafters, hip rafters, permanent bracing and purlins. Exposed rafters to be treated with approved creasote wood treatment  A:30  B:15  C:0	m2	45		
	DOORS, ETC.				
	Wrought hardwood flushback doors with sapele veneer hung to steel frames				
2	44mm "TDM" Framed and ledged door 813 x 2 032mm high  A: 10 B: 7 C: 0	No	17		
	Semi Solid doors with "Masonite" 3mm standard hardboard covering on both sides suitable for painting hung to steel frames				
3	40mm x 813 x 2032mm Standard meranti door	No	4		
	A:2 B:2 C:0				
	EAVES, VERGES, ETC				
	Pressed-fibre cement				
4	Fascias and barge boards A: 22 B: 14 C: 0	m	36		
	Carried Forward to Summary of Section No. 2			R	_
	Section No. 2 BUILDING WORKS Bill No. 2			IX.	=

Item No		Quantity	Rate	Amount
	SECTION 2			
	BILL NO. 4			
	CEILINGS, PARTITIONS AND ACCESS FLOORING			
	PREAMBLES			
	For preambles, refer to "Model Preambles for Trades", for specification of materials and methods to be used - refer to public works document no. PW371			
	SUPPLEMENTARY PREAMBLES			
	Proprietary items or materials Proprietary items or materials where specified are to be of the brand specified - or other approved - by the Employer's Agent			
	Descriptions Items described as "nailed" shall be deemed to be fixed with hardened steel nails or pins or shot pinned to brickwork or concrete Items described as "plugged" shall be deemed to include screwing to fibre, plastic or metal plugs in brickwork or concrete at not exceeding 600 mm centres, and where described as "bolted" the bolts have been given elsewhere			
	LOCATIONS			
	A - Girls Ablution Blocks			
	B - Boys Ablution Blocks			
	C - Staff Ablution Blocks			
	CEILINGS			
	"Aerolite" insulation			
1	75mm Insulation closely fitted and laid on top of brandering between roof timbers etc m2  A: 66 B: 34 C: 0	100		
	NAILED UP AND SCREW UP CEILINGS			
	Carried Forward Section No. 2 BUILDING WORKS Bill No. 3		R	

## THE MVULA TRUST Archie Mbolekwa Junior Sec. School-FT Maintenance Programme Eastern Cape - Flush Toilet Programme

	Brought Forward			R	
	4mm "Everite Nutec" plain boards screw fixed with white metal H-profile jointing strips over joints, 600mm centres with cross brandering at joints, ends of sheets and at light fittings, etc				
2	Ceilings including 38 x 50mm sawn softwood brandering  A:66 B:34 C:0	m2	100		
	Gypsum plasterboard cornices				
3	75mm coved cornice fixed to walls  A: 34 B: 24 C: 0	m	58		
	Trap door				
4	Extra over ceiling for 600 x 600mm trap door comprising A:2 B:2 C:0	No	4		
	Carried Forward to Summary of Section No. 2 Section No. 2 BUILDING WORKS Bill No. 3			R	

Item No			Quantity	Rate	Amount
	SECTION 2	j			
	BILL NO. 5				
	IRONMONGERY				
	PREAMBLES				
	For preambles, refer to "Model Preambles for Trades", for specification of materials and methods to be used - refer to public works document no. PW371				
	LOCATIONS				
	A - Girls Ablution Blocks				
	B - Boys Ablution Blocks				
	C - Staff Ablution Blocks				
	BATHROOM FITTINGS				
	"Kimberly Clark" or similar approved				
1	Standard vandalproof toilet roll holder  A: 10 B: 7 C: 0	No	17		
	<u>LOCKS</u>				
	"Union"				
2	"682-24-52 SC" three lever lockset  A: 10 B: 7 C: 0	No	17		
3	Padlock, 50mm Viro with two keys  A:1 B:1 C:0	No	2		
	PUSH PLATES AND KICKING PLATES				
	"Dorma"				
4	"dkp-ss-161" Stainless steel kick plate size 813 x 300mm high fixed to timber A : 10 B : 7 C : 0	No	17		
	LETTERS, NAMEPLATES, ETC				
	Carried Forward			D	
	Section No. 2 BUILDING WORKS Bill No. 4			R	

	Brought Forward			R	
	"Union"				
5	"AL5066-06ASE08" 152 x 152mm anodised aluminium plate with directional pictogram  A:6 B:6 C:0	No	12		
	SUNDRIES				
6	30mm Diameter rubber door stop plugged & screwed to floor	No	17		
	A: 10 B: 7 C: 0  "Kimberley-Clark"or Simlilar				
7	Stainless steel female she-bin plugged to wall	No	1		
,	A:1 B:0 C:0	NO	ı		
	Carried Forward to Summary of Section No. 2			R	
	Section No. 2			, r	+
	BUILDING WORKS Bill No. 4				

m o		C	Quantity	Rate	Amount
	SECTION 2				
	BILL NO.6				
	METALWORK				
	PREAMBLES				
	For preambles, refer to "Model Preambles for Trades", for specification of materials and methods to be used - refer to public works document no. PW371				
	SUPPLEMENTARY PREAMBLES				
	<u>Descriptions</u>				
	Descriptions of bolts shall be deemed to include nuts and washers				
	Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete				
	Metalwork described as holed for bolt(s) shall be deemed to exclude the bolts unless otherwise described				
	<u>LOCATIONS</u>				
	A - Girls Ablution Blocks				
	B - Boys Ablution Blocks				
	C - Staff Ablution Blocks				
	MILD STEEL DOOR FRAMES				
	1.6mm thick mild steel double rebated frame for 220mm wall				
1	Frame for door, size 813 x 2032mm high A:10 B:7 C:0	No	17		
2	Frame for door 900 x 2032mm high A:1 B:1 C:0	No	2		
	GALVANISED STEEL WINDOWS, DOORS, ETC				
	Carried Forward			R	
	Section No. 2 BUILDING WORKS Bill No. 5				

## THE MVULA TRUST Archie Mbolekwa Junior Sec. School-FT Maintenance Programme Eastern Cape - Flush Toilet Programme

	Brought Forward			R	
	Steel gates and frames				
3	Purpose made square hallow section mild steel security gate, size 813 x 2032mm High  A:1 B:1 C:0	No	2		
	Gate frame to consist of 50 x 50 x 2.5mm  rectangular tubing sections metre 45 degrees at corners before welded and secured against wall with 50 x 50 x 5mm with brackeets welded to frame and bolted to wall with 10mm (m10) raw bolts				
4	Door burglar bars for door size 1500 x 2100mm high complete with lock  A:1 B:1 C:0	No	2		
	Protective SHE-BIN cages (female toilets only)				
5	Allow the Provisional Amount of R12 800.00 (Twelve Thousand Eight Hundred Rand) for supply and installation of protective steel cage to female she-bins  A: 0.00 B: 0.00 C: 1.00		ltem		12,800.00
	Carried Forward to Summary of Section No. 2			R	
	Section No. 2 BUILDING WORKS				
	Bill No. 5				
					1

em lo			Quantity	Rate	Amount
	SECTION 2				
	BILL NO. 7				
	<u>PLASTERING</u>				
	SUPPLEMENTARY PREAMBLES				
	For preambles see "Specifications of materials and methods to be used - PW 371"				
	LOCATIONS				
	A - Girls Ablution Blocks				
	B - Boys Ablution Blocks				
	C - Staff Ablution Blocks				
	SCREEDS				
	3:1 Cement screeds wood floated on concrete				
1	25mm Thick on floors A: 66 B: 34 C: 0	m2	100		
	INTERNAL PLASTER				
	Cement plaster on brickwork				
2	On walls A: 71 B: 50 C: 0	m2	121		
3	On narrow widths A:5 B:4 C:0	m2	9		
	RHINOLITE				
	Cement plaster rendering coat with gypsum skim plaster finishing coat, on concrete				
4	On Ceilings A: 92 B: 64 C: 0	m2	156		
	Carried Forward to Summary of Section No. 2 Section No. 2			R	
	BUILDING WORKS Bill No. 6				

Item No		Quantity	Rate	Amount
	SECTION 2			
	BILL NO. 8			
	TILING			
	PREAMBLES			
	For preambles, refer to "Model Preambles for Trades", for specification of materials and methods to be used - refer to public works document no. PW371			
	LOCATIONS			
	A - Girls Ablution Blocks			
	B - Boys Ablution Blocks			
	C - Staff Ablution Blocks			
	WALL TILING			
	150 x 150 x 8mm "Johnson Matisse Code AS 002" or other approved Gloss white tiles fixed with adhesive to plaster (plaster elsewhere)and flush pointed with TAL light grey Epoxy grouting			
1	On walls m2 A: 66 B: 34 C: 0	100		
	FLOOR TILING			
	300 x 300mm Ceramic tiles fixed with an approved adhesive on prepared screeded floors with 3mm wide joints and flush pointed with tinted jointing compound and sealed with approved sealer			
2	On floors and landings m2  A: 66 B: 34 C: 0	100		
3	On skirtings not exceeding 150mm high  A: 68  B: 47  C: 0	115		
	Carried Forward to Summary of Section No. 2		R	
	Section No. 2 BUILDING WORKS Bill No. 7			

Item No		Quantity	Rate	Amount
	SECTION 2			
	BILL NO. 8			
	PLUMBING AND DRAINAGE (PROVISIONAL)			
	PREAMBLES			
	For preambles, refer to "Model Preambles for Trades", for specification of materials and methods to be used - refer to public works document no. PW371			
	NOTE:			
	All prices/rates to be net, excluding Value Added Tax			
	SUPPLEMENTARY PREAMBLES			
	uPVC pipes and fittings:			
	Soil, waste and vent pipes and fittings shall be solvent weld jointed			
	Copper pipes:			
	Pipes shall be hard drawn and half-hard pipes of the class stated. Class 0 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be "Cobra Watertech" type. Capillary solder fittings shall comply with ISO 2016. Only compression fittings shall be used in walls or in ground			
	Fixing of pipes			
	Unless specifically otherwise stated, descriptions of pipes shall be deemed to include fixing to walls etc, casting in, building in or suspending not exceeding 1m below suspension level			
	Carried Forward		R	
	Section No. 2 BUILDING WORKS Bill No. 8			

Brought Forward	R	
Reducing fittings		
Where fittings have reducing ends or branches they are described as "reducing". In the case of pipes with diameters not exceeding 60mm only the largest end or branch size is given. Should the contractor wish to use other fittings and bushes or reducers he may do so on the understanding that no claim in this regard will be entertained. In the case of pipes with diameters exceeding 60mm all sizes are given and no claim for extra bushes, reducers, etc will be entertained		
Wire gratings		
Descriptions of gutter outlets etc shall be deemed to include wire balloon gratings		
Exposed concrete surfaces		
Exposed surfaces of concrete stormwater channels, cover slabs, inspection eye marker slabs, gulley tops, cleaning eye tops, catchpits, inspection chambers, etc shall be finished smooth with plaster		
<u>Excavations</u>		
No claim for rock excavation will be entertained unless the contractor has timeously notified the quantity surveyor thereof prior to backfilling		
Soft rock and "hard rock" shall be as defined in "Earthworks"		
Laying, backfilling, bedding, etc. of pipes		
Pipes shall be laid and bedded and trenches shall be carefully backfilled in accordance with manufacturers' instructions		
Where no manufacturers' instructions exist pipes shall be laid in accordance with clauses 5.1 and 5.2 of each of the following: SABS 1200 L : Medium-pressure pipelines LD : Sewers LE : Stormwater drainage Pipe trenches etc shall be backfilled in accordance with clauses 3, 5.5, 5.6, 5.7 and 7 of SABS 1200 DB : Earthworks (Pipe trenches) Pipes shall be bedded in accordance with clauses 3.1 to 3.4.1, 5.1 to 5.3 and 7 of SABS 1200 LB : Bedding (Pipes). Unless otherwise described bedding of rigid pipes shall be class B bedding		
Carried Forward	R	
Section No. 2 BUILDING WORKS		

	Brought Forward			R	
	Flush pans		ii I		
	Flush pans shall have straight or side outlets and "P" or "S" traps as necessary				
	Stainless steel basins, sinks, wash troughs, urinals, etc.				
	Units shall have standard aprons on all exposed edges and tiling keys against walls where applicable				
	Waste unions				
	Descriptions of waste unions shall be deemed to include rubber or vulcanite plugs and chains fixed to fittings				
	LOCATIONS				
	A - Girls Ablution Blocks				
	B - Boys Ablution Blocks				
	C - Staff Ablution Blocks				
	RAINWATER DISPOSAL				
	Mr Gutter Ogee or similar approved pre-coated similar seamless gutter				
1	100 x 100 x 0.6mm thick chromodek steel gutter including matching rivet fixed mitres and end caps (measured elsewhere) internally sealed using silicon mastic, hung by nail fixed to internal pre-painted hangers at 800mm centres and laid to fall to outlets.	m	36		
	A: 22 B: 14 C: 0				
2	100 x 76 x 0.5mm thick chromodek fixed to walls with pre-painted downpipes cleats using nail-in anchor fixings	m	36		
	A: 22 B: 14 C: 0				
3	Extra over 125 x 100mm eaves gutter for outlet for 75 x 50mm pipe  A:4  B:2  C:0	No	6		
4	Extra over 75 x 100mm down pipe for eaves or plinth				
7	offset 750mm projection	No	6		
	A:4 B:2 C:0				
	Carried Forward			R	
	Section No. 2 BUILDING WORKS Bill No. 8				

		Brought Forward		R	_
5	Extra over 75 x 100mm down pipe for s  A:4 B:2 C:0	hoe No	6		
	SUBSOIL DRAINAGE				
	uPVC Pipes underground				
6	110mm pipes laid in and including trend exceeding 1m deep  A: 24 B: 18 C: 0	ches not m	42		
	SANITARY PLUMBING (SOIL AND	WASTE)			
	uPVC Pipes				
7	110mm Diameter pipes A: 12 B: 9 C: 0	m	21		
8	50mm Diameter pipes A: 10 B: 23 C: 0	m	33		
	Extra over for uPVC for fittings				
9	50mm Inspection eye junction A:4 B:4 C:0	No	8		
10	50mm - pipe fitting A: 2 B: 2 C: 0	No	4		
11	50mm GI two way vent valve  A:1 B:1 C:0	No	2		
12	110mm-50mm concentric/eccentric redu A:2 B:1 C:0	ucers No	3		
13	110mm bends fitting 45/90° A: 2 B: 1 C: 0	No	3		
14	110mm Pan connector A: 2 B: 2 C: 0	No	4		
	SANITARY FITTINGS				
					_
	Section No. 2 BUILDING WORKS Bill No. 8	Carried Forward		R	

	Brought Forward			R	
	Vaal or other approved				
15	Code 750200 Vaal "Protea" or similar low level WC suite comprising vitreous china washdown pan (Code 750100) and matching 9 litre cistern (Code 710533) complete with lid and fitments, and purpose made CP side-flush lever mounted to wall.	No	17		
	A:10 B:7 C:0				
16	Springbok white glazed porcelain WHB	No	10		
	A:6 B:4 C:0				
17	TU102 Flat Back Wall Mounted Trough Urinal Right- hand Outlet 1830x780x300mm as supplied or equal approved				
		No	1		
18	A:0 B:1 C:0  Vitreous china wallmounted "flatback" urinal (code 7053) supplied with 38mm c.p. domical grating (code 8787),c.p. spreader (code 8543) and two hanger brackets (code 8127), with "cobra watertech flushmaster junior" urinal flush valve (fj6.000)	No	3		
	A:0 B:3 C:0				
	WASTE UNIONS ETC				
	Cobra Watertech or other approved				
19	38mm basin or sink waste union A:10 B:7 C:0	No	17		
	TRAPS ETC				
	Cobra Watertech or other approved				
20	40mm 'Flexitrap' flexible rubber reseal 'S' or 'P' trap with clips complete  A:5 B:5 C:0	No	10		
	TAPS, VALVES, ETC				
	Cobra Watertech or other approved				
21	Cobra no 401 CP Basin set with 31mm chromium plated whb outlet  A:6  B:4  C:0	No	10		
	2.1				
	Carried Forward Section No. 2 BUILDING WORKS Bill No. 8			R	

	Brought Forward			R	
22	22mm Code FJ6.000 "Flushmaster Junior" urinal flushvalve complete with connector, spray rose (Code FJT 5.4) and wallplate.	No	3		
	A:0 B:3 C:0	.,,			1
	SANITARY PLUMBING				l
	<u>Sundries</u>				l
23	Testing waste pipe system A: 0.00 B: 0.00 C: 1.00		Item		ĺ
	WATER SUPPLIES				ı
	Galvanised steel pipes				l
24	25mm Pipes chased into brick walls A: 28 B: 28 C: 12	m	68		l
25	15mm Pipes chased into wall  A: 25 B: 25 C: 14	m	64		1
	Extra over galvanised steel pipes for steel fittings				ı
26	25mm Fittings A:4 B:4 C:4	No	12		l
	Class "O" copper pipes, chase into walls and make good for wall to receive paint				1
27	15mm Pipes A:0 B:25 C:4	m	29		l
28	15mm Fittings A: 10 B: 7 C: 0	No	17		
	Extra over class "O" copper pipes for capillary fittings				l
29	15mm Fittings A:10 B:7 C:0	No	17		
	<u>Sundries</u>				l
	Section No. 2 BUILDING WORKS Bill No. 8			R	

	Brought Forward		R	
	BUDGETARY ALLOWANCES			
30	Allow the Budgetary Allowance of R 5 000.00 for builders work in connection with the commissioning and servicing of decommissioned water supply services to be expanded in part or whole as directed by Principal Agent	ltem		
	A: 0.00 B: 0.00 C: 0.00			
	Carried Forward to Summary of Section No. 2		R	
	Section No. 2 BUILDING WORKS Bill No. 8			

Item No		Quantity	Rate	Amount
	SECTION 2			
	BILL NO. 9			
	GLAZING			
	SUPPLEMENTARY PREAMBLES			
	For preambles see "Specifications of materials and methods to be used - PW 371"			
	MIRRORS			
	NOTE:			
	Mirrors shall be of 6mm thick silvered GG quality polished float glass with rounded and polished edges and splayed corners.			
	Unless otherwise described, mirrors shall have four holes for and be screwed to and including approved patent plugs in plastered or tiled wall with countersunk steel screws tap-threaded for and including screw type chromium plated dome-headed caps and felt washers.			
	LOCATIONS			
	A - Girls Ablution Blocks			
	B - Boys Ablution Blocks			
	C - Staff Ablution Blocks			
1	800 x 600mm mirror with polished edges fixed to wall or over tiles with silicone and double sided tape, with silicone bead all around to seal gap between mirror and wall/tiles  A:4  B:2  C:0	6		
	GLAZING TO STEEL WITH PUTTY			
	4 mm Rough cast glass			
2	Panes exceeding 0,5m2 and not exceeding 2m2 m2 A: 45 B: 32 C: 0	77		
	Carried Forward Section No. 2 BUILDING WORKS Bill No. 9		R	

	Brought Forward		R		-
	SUNDRY ITEMS				
3	Allow the some of R5 000.00 to assess, service and replace (where necessary) window stays to all windows to be used in part or in whole as directed by the Principal Agent.	ltem		5,000.00	)
					_
	Carried Forward to Summary of Section No. 2 Section No. 2 BUILDING WORKS Bill No. 9		R		=

n		Quantity	Rate	Amount
	SECTION 2			
	BILL NO. 10			
	PAINTWORK			
	PREAMBLES			
	For preambles, refer to "Model Preambles for Trades", for specification of materials and methods to be used - refer to public works document no. PW371			
	SUPPLEMENTARY PREAMBLES			
	PREPARATORY WORK TO EXISTING WORK			
	Previously painted plastered surfaces			
	Surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied. Blistered or peeling paint shall be completely removed and cracks shall be opened, filled with a suitable filler and finished smooth			
	Previously painted metal surfaces			
	Surfaces shall be thoroughly rubbed and cleaned down. Blistered or peeling paint shall be completely removed down to bare metal			
	Previously painted wood surfaces			
	Surfaces shall be thoroughly cleaned down. Blistered or peeling paint shall be completely removed and cracks and crevices shall be primed, filled with suitable filler and finished smooth			
	LOCATIONS			
	A - Girls Ablution Blocks			
	B - Boys Ablution Blocks			
	C - Staff Ablution Blocks			
	PAINTWORK ETC TO PREVIOUSLY PAINTED WORK ON FLOATED			
	Carried Forward		R	
	Section No. 2 BUILDING WORKS Bill No. 10			

		Brought Forward			R	
One coat univers		oat and three coats super				
On internal walls			m2	311		
A : 184	B : 127	C:0				
ON METAL						
to remove all tra rust, loose and f areas with synth	ces of soap laking pain letic metal ndercoat ar	p, rinse with clean water p, remove all traces of t. Spot prime bare metal primer coat, apply one nd apply two coats				
On window frame	s		m2	36		
A : 23	B : 14	C:0				
On door burglar b	ars		m2	17		
A:9	B:9	C:0				
On door frames			m2	17		
A:9	B:9	C:0				
ON FIBRE-CEM	IENT , ETC	2				
One coat primer emulsion paint  On ceilings and c		oats interior quality PVA	m2	100		
A : 66		C:0				
ON WOOD						
Prepare, stop an oil based wood s		ee coats "Plascon" clear				
On doors			m2	55		
A : 35	B : 21	C:0				
Prepare and app	ly two coat	s of carbolineum				
On exposed roof	timbers B : 45	C:0	m2	45		
Carried Section No. 2	Forward to	Summary of Section No. 2			R	

	Section No. 2			
	BUILDING WORKS			
Bill	SECTION SUMMARY - BUILDING WORKS	Page		Amount
No		No		, meant
1	REFURBISHMENTS	45		
2	CARPENTRY AND JOINERY	48		
3	CEILINGS, PARTITIONS AND ACCESS FLOORING	50		
4	IRONMONGERY	52		
5	METALWORK	54		
6	PLASTERING	55		
7	TILING	56		
8	PLUMBING AND DRAINAGE	63		
9	GLAZING	65		
10	PAINTWORK	67		
	Carried to Cluster Summary		R	
	Section No. 2 BUILDING WORKS			

Item No		Unit	Quantity	Rate	Amount
	SECTION 3				
	BILL NO. 1				
	EXTERNAL WORKS (PROVISIONAL)				
	Note:				
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).				
	TEMPORARY BARRIERS, SCREENS,ECT.				
	TEMPORARY HOARDING				
	Note: Contractor to price for the taking down and carting away hoarding on completion.				
	Site clearance				
1	Allow for clearing site for the width of 1000mm where fencing runs are to be erected including removing trees, shrubs, etc., not exceeding 200mm girth, grubbing up roots and roughly levelling.	m	90		
2	External barricade screen, 1800mm high overall, comprising 100-125mm diameter tanalith treated gumpoles planted 650mm deep in ground at 3000mm centres comprising of six strands of 4mm galvanised straining wires (evenly spaced) secured to posts with doubled 2mm galvanised wire inserted through hole in post and turned a minimum of four turns around straining wire and yellow and orange barrier shade cloth fixed to straining wires with 20Mpa mass concrete base size 400 x 400 x 550mm thick with sloping top surface				
	including all necessary excavations, backfilling, risk of collapse and carting away surplus material, etc.	m	90		
	Carried Forward Section No. 3 EXTERNAL WORKS Bill No. 1			R	

	Brought Forward			R	 
	Hot dipped galvanised steel gates				
3	Security fence double gate, size 3000mm wide x 1800mm high, formed of 80 x 40 x 4mm wall thickness rectangular section framing all round with mitred and welded angles and diagonal cross brace, the gate covered with mesh security fencing secured with "Howgring" clips applied with "Howgring" pliers at 300mm centres to and including six rows of straining wires and yellow/orange barrier shade cloth.	No	1		
	THE FOLLOWING IN WALKWAYS				
	<u>EARTHWORKS</u>				
	Excavate in earth not exceeding 2m deep including trimming sides, levelling and ramming bottoms and deposit in spoil heaps for later re-use or cart away				
4	Reduced levels between buildings, retaining walls, etc.	m3	65		
	Carting away of excavated material				
5	Extra over all excavations for loading surplus or unsuitable material from spoil heaps and cart away to a dumping site to be located by the Contractor.	m3	65		
	<u>BASECOURSES</u>				
6	G7 Base course material, selected and supplied by the Contractor, deposited in layers not exceeding 150mm thick, watered and consolidated to 98% modified AASHTO density under pavings.	m3	58		
	<u>Sundries</u>				
7	Rip reduced platform level and recompact to 93% Mod. A.A.S.H.T.O. density.	m2	198		
	Prescribed Testing				
8	Provide and have filling compaction check tested by a Consulting Engineer's Laboratory and deliver the results to the Architect within 24 hours of the tests being completed.	No	10		
	Carried Forward			R	
	Section No. 3 EXTERNAL WORKS Bill No. 1				

Brought Forward R	
Carried Forward R	
Section No. 3 EXTERNAL WORKS	
Bill No. 1	

	Brought Forward			R	
	Weedkillers, insecticides, etc.				
	Soil insecticide in accordance with SANS 5859				
9	Under paving, etc.	m2	198		
	PRECAST CONCRETE PAVERS				
	Grey interlocking precast concrete pavers type S-A laid in herringbone pattern with header course perimeter margin				
10	50mm Thick laid on and including 25mm sand bed treated with weed killer and cement/sand mixture swept into joints on completion.	m2	198		
	<u>Sundries</u>				
11	Circular cutting on 50mm thick non bevelled concrete pavers.	m	30		
	Channelling, kerbing, edging, etc.				
	Precast concrete kerbing				
12	Precast semi-mountable concrete Fig 8B edge kerb size 300 x 175mm high cast in lengths not exceeding 1m and with expansion joints at not exceeding 10m centres finished smooth off the mould on all exposed surfaces bedded on and including minimum 50mm thick mass concrete 15 MPa base and backing including all necessary excavation, formwork, expansion joints, etc.	m	100		
13	Ditto, but circular on plan to not exceeding 4m radius.	m	30		
	THE FOLLOWING IN WATER SUPPLY				
	ALTERATIONS TO EXISTING				
14	Locate, cut into and temporarily stop off 40mm diameter water pipe for insertion of stop end (elsewhere).	No	1		
15	Locate, cut into and temporarily stop off 54mm diameter water pipe for insertion of Tee Junction (elsewhere).	No	1		
	Section No. 3 EXTERNAL WORKS Bill No. 1			R	

	Brought Forward			R	
16	Locate, cut into and temporarily stop off 63mm diameter water pipe for insertion of Tee Junction (elsewhere).	No	1		
	PIPEWORK, ETC.				
	Pipes, pipe fittings, etc.				
	Class 12 uPVC water supply pipe with bedding and filling in accordance with SABS 1200				
17	32mm Pipe and laying in ground not exceeding 1000mm deep.	m	180		
18	40mm Pipe and laying in ground not exceeding 1000mm deep.	m	120		
	Extra over uPVC pipes for the following fittings				
19	32mm bend.	No	24		
20	40mm bend.	No	12		
21	32mm Tee junction.	No	9		
22	40mm Tee junction.	No	6		
23	32 x 40 x 32mm Reducing tee.	No	1		
24	32 x 54 x 32mm Reducing tee.	No	1		
25	40 x 63 x 40mm Reducing tee.	No	1		
	Water supply valve or meter chambers				
26	Excavate for and build valve chamber size 460 x 460 x not exceeding 1000mm deep internally, formed of 300mm thick layer of well backfilling, 200mm high half brick corbelled sides with 75mm brickforce between each course including Type 3A cast iron valve cover and frame size 100 x 230 x 300 encased in a 300mm thick 25mpa mass concrete base.	No	3		
	Taps, valves, etc.				
27	32mm Gate valve.	No	3		
	Carried Forward Section No. 3 EXTERNAL WORKS Bill No. 1			R	

	Brought Forward			R	
28	32mm Non return valve.	No	1		
	<u>Testing</u>				
29	Allow for testing the water supply installation in accordance with the National Building Regulations.		Item		
	THE FOLLOWING IN SOIL DRAINAGE				
	Pipe depth categories and manholes, catchpits, etc. have been measured to the designed invert levels of same. The Contractor is to allow for in his rates for any additional excavation, bedding, backfilling, making up levels, etc. he deems necessary to make up any difference to actual depth.				
	EXISTING SERVICES				
	Jet or high pressure cleaning to be carried out on subsurface piping, rodding eyes, manholes, etc. to be carried out to the complete satisfaction of the Engineer.				
	<u>Pipes</u>				
30	110mm Pipe fixed to walls.	m	8		
31	110mm Pipe not exceeding 1000mm deep.	m	75		
32	110mm Pipe exceeding 1000mm not exceeding 2000mm deep.	m	30		
	Rodding eyes				
33	110mm Diameter PVC rodding eye.	No	15		
	Brick manholes				
34	Manhole not exceeding 1000mm deep.	No	4		
35	Manhole exceeding 1000mm not exceeding 2000mm deep.	No	2		
	ALTERATIONS TO EXISTING				
36	Cut into and stop off temporarily 110mm soil pipe for new manhole construction (elsewhere).	No	1		
	Carried Forward			R	
	Section No. 3 EXTERNAL WORKS Bill No. 1				

	Brought Forward			R	
37	Cut into and stop off temporarily 110mm soil pipe for insertion of Tee junction (elsewhere).	No	1		
	NEW WORKS				
	Class 34 Rigid uPVC socketed soil piping with bedding and filling in accordance with SABS 1200				
38	110mm Pipe and excavation not exceeding 1000mm deep.	m	30		
39	110mm Pipe and excavation exceeding 1000mm not exceeding 2000mm deep.	m	8		
	Extra over uPVC pipes for fittings				
40	110mm 90 Degree bend.	No	9		
41	110mm Junction.	No	2		
	Rodding eyes, etc.				
42	PVC Rodding eye and frame and joint to top of 110mm uPVC pipe.	No	2		
	<u>Sundries</u>				
43	300 x 300 x 75mm Precast concrete inspection eye marker slab set in position including excavations, carting away, ect.	No	3		
	MANHOLES, ETC.				
44	Excavate for and build manhole size 1440 x 1440 x not exceeding 1000mm deep internally, formed of 150mm thick reinforced concrete (25MPa) bottom projecting 150mm all round with welded mesh Ref. 245 both top and bottom, one brick sides, 150mm high precast reinforced concrete (25MPa) cover slab and lid with welded mesh Ref. 245 both top and bottom laid loose on top of brickwork, finished on all exposed surfaces in 3.1 cement plaster and bottom graded to outlets in 3.1 cement mortar.	No	1		
	Carried Forward Section No. 3 EXTERNAL WORKS Bill No. 1			R	

EMIS No. 200100033

	Brought Forward			R	Г
	Brought i of ward				
45	Excavate for and build manhole size 1440 x 1440 x exceeding 1000mm not exceeding 2000mm deep internally, formed of 150mm thick reinforced concrete (25MPa) bottom projecting 150mm all round with welded mesh Ref. 245 both top and bottom, one brick sides, 150mm high precast reinforced concrete (25MPa) cover slab and lid with welded mesh Ref. 245 both top and bottom laid loose on top of brickwork, finished on all exposed surfaces in 3.1 cement plaster and bottom				
	graded to outlets in 3.1 cement mortar.	No	2		
	Cast iron covers and frames				
46	Type 2A cast iron manhole cover and frame size 620mm diameter bedded on top of concrete slab in cement mortar.	No	3		
	<u>Testing</u>				
47	Allow for testing the soil drainage and sewer plumbing installation in accordance with the National Building Regulations.		Item		
	THE FOLLOWING IN RAINWATER TANKS AND TANKSTANDS (ALL TRADES)				
	Rainwater harvesting (Labour intensive)				
	Excavate in earth not exceeding 2m deep including trimming sides, levelling and ramming bottoms and deposit in spoil heaps for later re-use or cart away				
48	Reduced levels under solid floors.	m3	1		
49	Surface trenches.	m3	15		
	Excavations in earth of more difficult character				
50	Extra over excavations in earth for excavation in soft rock.	m3	2		
51	Extra over excavations in earth for excavation in hard rock.	m3	1		
					_
	Carried Forward			R	
	Section No. 3 EXTERNAL WORKS Bill No. 1				

	Brought Forward			R	
	Carting away of excavated material				
52	Load surplus or unsuitable material from spoil heaps and cart away to a dumping site to be located by the Contractor.	m3	9		
	Risk of collapse of excavations				
53	Allow for risk of collapse to sides of excavations not exceeding 1.5m deep including all necessary timber shoring, etc.	m2	43		
	Keeping excavations free of water				
54	Allow for keeping the excavations free from water.		Item		
	Filling, layerworks, etc.				
55	Earth filling from the excavations and/or stockpiles in backfilling to trenches, column bases, etc., compacted to 95% Mod AASHTO dry density.	m3	7		
56	Imported G7 filling, selected and supplied by the Contractor, including depositing in layers not exceeding 150mm thick and compacting to 95% modified AASHTO dry density to trenches, bases, etc.	m3	7		
	Compaction of surfaces				
57	Scarify in-situ material to a depth of 150mm and compact to 95% Mod AASHTO density.	m2	16		
	<u>Tests</u>				
58	Allow for Mod AASHTO density tests on filling.	No	4.00		
	Reinforced concrete 25MPa in:				
59	Strip foundations cast against excavated surfaces.	m3	5		
60	Surface beds cast in panels including temporary formwork.	m3	2		
	<u>Sundries</u>				
61	Float surface of concrete to a wood float finish.	m2	16		
	Carried Forward			R	
	Section No. 3 EXTERNAL WORKS Bill No. 1				

	Brought Forward			R	
	Rough formwork (use and waste) to concrete to:				
62	Edge, riser, etc not exceeding 300mm high.	m	32		
	High tensile welded steel mesh reinforcement :				
63	Ref: 395 cast into concrete surfaces.	m2	14		
64	Ref: 395 cast into concrete strip footings.	m2	29		
	Brickwork in stock bricks in 5:1 cement mortar :				
65	One brick wall.	m2	15		
66	One brick wall in foundations. (Provisional)	m2	15		
	Brickwork sundries :				
67	Galvanised brick reinforcement 150mm wide built horizontally into brickwork.	m	86		
	"Rustgold FBS / Qunu Travertine " or other equal approved FBX quality face bricks including jointing and square recess pointing 6 x 10mm joints				
68	Extra over ordinary brickwork for facing and pointing in stretcher bond.	m2	15		
69	Extra over ordinary brickwork for facing and pointing in stretcher bond in foundations. (Provisional)	m2	5		
	Face brick copings, lintols, cills, etc.				
70	Extra over brickwork for brick-on-edge header course coping including pointing to both faces and top.	m	32		
	Movement joints				
71	10mm Thick bitumen impregnated softboard built vertically between concrete and concrete or brickwork surfaces.	m2	10		
72	Rake out 10mm wide softboard for a depth of 10mm and seal with an approved 2 part polysulphide sealant.	m	18		
	Carried Forward			R	
	Section No. 3 EXTERNAL WORKS Bill No. 1				

Brought Forward			R		
<u>Ties, cramps, etc.</u>					
38 x 1,6mm Galvanised hoop iron strap around tank, both ends fitted with once holed 30 x 30 x 3mm thick galvanised flat plate and bolted together with and including M8 bolt and nut.	No	4			
38 x 1,6mm Galvanised hoop iron tie down, 1200mm long, one end wrapped around tank strap and twice bolted, the other end folded over and bolted to top of concrete with and including 8 x 60mm masonry anchor.	No	16			
250 Micron "Gunplas USB" green polyethylene sheeting :					
Laid flat under solid floor and over walls.	m2	14			
Rainwater tanks:					
5000 Litre polyethylene rotomoulded vertical water storage tank provided complete with lid and overflow outlet, fitted with suitable adaptor and setting in position on concrete tankstand (elsewhere measured). (The tanks are to be filled with water for the Practical Completion inspection)	No	1			
Hole through top of tank lid for 100mm diameter pipe.	No	2			
THE FOLLOWING IN ELEVATED TANKS AND GROUND STORAGE (ALL TRADES)					
EXCAVATIONS, FILLING, ETC.					
Excavate in earth not exceeding 2m deep including trimming sides, levelling and ramming bottoms and deposit in spoil heaps for later re-use or cart away					
Reduced levels under solid floors.	m3	11			
Excavations in earth of more difficult character					
Extra over excavations in earth for excavation in soft rock.	m3	1			
Carried Forward Section No. 3 EXTERNAL WORKS Bill No. 1			R		
	Ties, cramps, etc.  38 x 1,6mm Galvanised hoop iron strap around tank, both ends fitted with once holed 30 x 30 x 3mm thick galvanised flat plate and bolted together with and including M8 bolt and nut.  38 x 1,6mm Galvanised hoop iron tie down, 1200mm long, one end wrapped around tank strap and twice bolted, the other end folded over and bolted to top of concrete with and including 8 x 60mm masonry anchor.  250 Micron "Gunplas USB" green polyethylene sheeting: Laid flat under solid floor and over walls.  Rainwater tanks:  5000 Litre polyethylene rotomoulded vertical water storage tank provided complete with lid and overflow outlet, fitted with suitable adaptor and setting in position on concrete tankstand (elsewhere measured). (The tanks are to be filled with water for the Practical Completion inspection)  Hole through top of tank lid for 100mm diameter pipe.  THE FOLLOWING IN ELEVATED TANKS AND GROUND STORAGE (ALL TRADES)  EXCAVATIONS, FILLING, ETC.  Excavate in earth not exceeding 2m deep including trimming sides, levelling and ramming bottoms and deposit in spoil heaps for later re-use or cart away  Reduced levels under solid floors.  Excavations in earth of more difficult character  Extra over excavations in earth for excavation in soft rock.  Carried Forward  Section No. 3  EXTERNAL WORKS	Ties, cramps, etc.  38 x 1,6mm Galvanised hoop iron strap around tank, both ends fitted with once holed 30 x 30 x 3mm thick galvanised flat plate and bolted together with and including M8 bolt and nut.  No  38 x 1,6mm Galvanised hoop iron tie down, 1200mm long, one end wrapped around tank strap and twice bolted, the other end folded over and bolted to top of concrete with and including 8 x 60mm masonry anchor.  250 Micron "Gunplas USB" green polyethylene sheeting:  Laid flat under solid floor and over walls.  Rainwater tanks:  5000 Litre polyethylene rotomoulded vertical water storage tank provided complete with lid and overflow outlet , fitted with suitable adaptor and setting in position on concrete tankstand (elsewhere measured). (The tanks are to be filled with water for the Practical Completion inspection)  No  THE FOLLOWING IN ELEVATED TANKS AND GROUND STORAGE (ALL TRADES)  EXCAVATIONS, FILLING, ETC.  Excavate in earth not exceeding 2m deep including trimming sides, levelling and ramming bottoms and deposit in spoil heaps for later re-use or cart away  Reduced levels under solid floors.  Extra over excavations in earth for excavation in soft rock.  Carried Forward  Section No. 3  EXTERNAL WORKS	Ties, cramps, etc.  38 x 1,6mm Galvanised hoop iron strap around tank, both ends fitted with once holed 30 x 30 x 3mm thick galvanised flat plate and bolted together with and including M8 bott and nut.  38 x 1,6mm Galvanised hoop iron tie down, 1200mm long, one end wrapped around tank strap and twice bolted, the other end folded over and bolted to top of concrete with and including 8 x 60mm masonry anchor.  250 Micron "Gunplas USB" green polyethylene sheeting  Laid flat under solid floor and over walls.  Rainwater tanks:  5000 Litre polyethylene rotomoulded vertical water storage tank provided complete with lid and overflow outlet , fitted with suitable adaptor and setting in position on concrete tankstand (elsewhere measured). (The tanks are to be filled with water for the Practical Completion inspection)  Hole through top of tank lid for 100mm diameter pipe.  No  THE FOLLOWING IN ELEVATED TANKS AND GROUND STORAGE (ALL TRADES)  EXCAVATIONS, FILLING, ETC.  Excavate in earth not exceeding 2m deep including trimming sides, levelling and ramming bottoms and deposit in spoil heaps for later re-use or cart away  Reduced levels under solid floors.  m3 11  Excavations in earth of more difficult character  Extra over excavations in earth for excavation in soft rock.  Carried Forward  Section No. 3  EXTERNAL WORKS	Ties, cramps, etc.  38 x 1,6mm Galvanised hoop iron strap around tank, both ends fitted with once holed 30 x 30 x 3mm thick galvanised flat plate and bolted together with and including M8 bolt and nut.  38 x 1,6mm Galvanised hoop iron tie down, 1200mm long, one end wrapped around tank strap and twice bolted, the other end folded over and bolted to top of concrete with and including 8 x 60mm masonry anchor.  250 Micron "Gunplas USB" green polyethylene sheeting i.  Laid flat under solid floor and over walls.  700 Litre polyethylene rotomoulded vertical water storage tank provided complete with lid and overflow outlet, fitted with suitable adaptor and setting in position on concrete tankstand (elsewhere measured), (The tanks are to be filled with water for the Practical Completion inspection)  Hole through top of tank lid for 100mm diameter pipe.  No  1 THE FOLLOWING IN ELEVATED TANKS AND GROUND STORAGE (ALL TRADES)  EXCAVATIONS, FILLING, ETC.  Excavate in earth not exceeding 2m deep including trimming sides, levelling and ramming bottoms and deposit in spoil heaps for later re-use or cart away  Reduced levels under solid floors.  The stra over excavations in earth for excavation in soft rock.  Carried Forward  Section No. 3  EXTERNAL WORKS	Ties, cramps, etc.  38 x 1,6mm Galvanised hoop iron strap around tank, both ends fitted with once holed 30 x 30 x 3mm thick galvanised flat plate and bolted together with and including M8 both and nut.  38 x 1,6mm Galvanised hoop iron tie down, 1200mm long, one end wrapped around tank strap and twice bolted, the other end folded over and bolted to top of concrete with and including 8 x 60mm masomy anchor.  250 Micron "Gunplas USB" green polyethylene sheeting  Laid flat under solid floor and over walls.  700 Litre polyethylene rotomoulded vertical water storage tank provided complete with lid and overflow outlet, fifted with suitable adaptor and setting in position on concrete tankstand (elsewhere measured). (The tanks are to he filled with water for the Practical Completion inspection)  No 1  Hole through top of tank lid for 100mm diameter pipe.  No 2  THE FOLLOWING IN ELEVATED TANKS AND GROUND STORAGE (ALL TRADES)  EXCAVATIONS. FILLING. ETC.  Excavate in earth not exceeding 2m deep including trimming sides, levelling and ramming bottoms and deposit in spelling and ramming bottoms and deposit in spelling and ramming bottoms and deposit in spell neaps for later re-use or cart away.  Reduced levels under solid floors.  The cavations in earth of more difficult character Extra over excavations in earth for excavation in soft rock.  Carried Forward  Section No. 3  EXTERNAL WORKS

	Brought Forward			R	
	Carting away of excavated material				
80	Load surplus or unsuitable material from spoil heaps and cart away to a dumping site to be located by the Contractor.	m3	12		
	Risk of collapse of excavations				
81	Allow for risk of collapse to sides of excavations not exceeding 1.5m deep including all necessary timber shoring, etc.	m2	10		
	Keeping excavations free of water				
82	Allow for keeping the excavations free from water.		Item		
	Foundation courses				
83	Imported G7 filling, selected and supplied by the Contractor, including depositing in layers not exceeding 150mm thick and compacting to 95% modified AASHTO dry density under solid floors.	m3	4		
84	Imported G5 filling, selected and supplied by the Contractor, including depositing in layers not exceeding 150mm thick and compacting to 98% modified AASHTO dry density under solid floors.	m3	4		
	Compaction of surfaces				
85	Scarify in-situ material to a depth of 150mm and compact to 93% Mod AASHTO density.	m2	27		
	<u>Tests</u>				
86	Allow for Mod AASHTO density tests on filling.	No	2.00		
	CONCRETE (Labour intensive)				
	Reinforced concrete 30MPa (19mm stone) in:				
87	Rafter slabs cast against excavated surfaces.	m3	8		
	Carried Forward			R	
	Section No. 3 EXTERNAL WORKS Bill No. 1				

## THE MVULA TRUST

Archie Mbolekwa Junior Sec. School-FT Maintenance Programme
Eastern Cape - Flush Toilet Programme
EMIS No. 200100033

	Brought Forward			R	
	<u>Testing</u>				
88	Allow for preparing and curing a set of three test cubes, each size 150mm x 150mm x 150mm and pay all transport and testing costs undertaken by an approved independent laboratory. (Provisional)	Sets	2		
	Surface treatment				
89	Float surface of concrete to a wood float finish.	m2	27		
	Carried Forward Section No. 3 EXTERNAL WORKS Bill No. 1			R	

	Brought Forward			R	
	<u>FORMWORK</u>				
	Edges, risers, ends and reveals				
90	Edge, riser, etc exceeding 300mm high.	m2	11		
	Projections, grooves, etc.				
91	Labour and material in forming 25 x 25mm chamfer to exposed top edge of concrete.	m	24		
	REINFORCEMENT (PROVISIONAL)				
	High tensile welded steel mesh reinforcement :				
92	Ref: 395 cast into concrete surfaces.	m2	27		
	PLUMBING AND DRAINAGE				
	ALTERATIONS TO EXISTING				
93	Locate, cut into and temporarily stop off 63mm diameter water pipe for insertion of reducing fitting (elsewhere).	No	2		
	Pipes, pipe fittings, etc.				
	Class 12 uPVC water supply pipe with bedding and filling in accordance with SABS 1200				
94	40mm Pipe.	m	90		
95	50mm Pipe.	m	12		
96	40mm Pipe and laying in ground not exceeding 1000mm deep.	m	10		
	Extra over uPVC pipes for the following fittings				
97	40mm Bend.	No	27		
98	50mm Bend.	No	5		
99	40mm Tee junction.	No	2		
100	63 x 40mm Straight reducer	No	2		
	Carried Forward Section No. 3 EXTERNAL WORKS Bill No. 1			R	

	Brought Forward			R	
	Taps, valves, etc.				
101	40mm float valve kit fitted inside of tank.	No	3		
102	40mm In-line strainer.	No	2		
103	40mm Brass gate valve.	No	3		
104	40mm Brass non return valve.	No	1		
105	40mm Flanged resilient seal gate valve with cap top.	No	2		
106	40mm Flanged pressure reducing valve.	No	1		
	<u>Switch</u>				
107	Float switch fitted inside of tank.	No	2		
	<u>Connections</u>				
	Connection of new to existing pipes				
108	Connection of 40mm diameter HDPE to 40mm diameter galvanised pipes including all necessary reducers, saddles, etc.	No	2		
109	Connection of 40mm diameter HDPE to 0.75kw water pump including all necessary reducers, saddles, etc.	No	2		
110	Connection of 63mm diameter HDPE to 40mm diameter galvanised pipes including all necessary reducers, saddles, etc.	No	1		
	Rainwater tanks:				
111	20 000 Litre polyethylene rotomoulded vertical water storage tank provided complete with lid and overflow outlet, fitted with suitable adaptor and setting in position on concrete tankstand (elsewhere measured). (The tanks are to be filled with water for the Practical Completion inspection)	No	3		
112	Hole through side of tank for 40mm diameter pipe including adaptor.	No	6		
	Carried Forward Section No. 3 EXTERNAL WORKS Bill No. 1			R	

	Brought Forward			R	
	<u>Ties, cramps, etc.</u>				
113	38 x 1,6mm Galvanised hoop iron strap around tank, both ends fitted with once holed 30 x 30 x 3mm thick galvanised flat plate and bolted together with and including M10 bolt and nut.	No	3		
114	38 x 1,6mm Galvanised hoop iron tie down, 2500mm long, one end wrapped around tank strap and twice bolted, the other end folded over and bolted to top of concrete with and including 8 x 60mm masonry anchor.	No	12		
	Water supply valve or meter chambers				
115	Excavate for and build valve chamber size 565 x 665 x 550mm deep overall formed of precast concrete valve chamber units 1, 2, 3 and 4 with valve box lid-V and 19mm thick layer of 19mm stone in bottom including filling in and ramming.	No	2		
	Pump and Pumphouse				
116	Allow the Budgetary Allowance of R 15 000,00 (Fifteen Thousand Rand) for the installation of a 0.75kw water pump including housing, etc.		Item		15,000.00
	ELECTRICAL CONNECTION				
	Elevated Tank Electrical Works				
117	Allow the Budgetary Allowance of R 70 000,00 (Seventy Thousand Rand) for the electrical supply to the water pumps, float switches, ect.		Item		70,000.00
	PROVISION OF TEMPORARY TOILETS DURING THE CONSTRUCTION PERIOD				
	Portable toilets				
118	Supply and erecting of the portable chemical toilet during the duration of the contract.	No	5		
119	Servicing and maintain the five portable chemical toilets on a weekly basis during duration of the contract. (No = week)	No	20		
	Carried Forward			R	
	Section No. 3 EXTERNAL WORKS Bill No. 1				

## THE MVULA TRUST

Archie Mbolekwa Junior Sec. School-FT Maintenance Programme
Eastern Cape - Flush Toilet Programme
EMIS No. 200100033

	Brought Forward			R	
120	Removal of the portable chemical toilet on completion of the contract.	No	5		
	BOREHOLE INSTALLATION				
121	Provisional Sum of R300,000.00 (Three Hundred Thousand Rand) for the drilling of the borehole , to be carried out by a specialist contractor.		Item		300,000.00
122	Allow for Profit.		Item		
123	Allow for Attendance.		Item		
	Carried to Cluster Summary			R	
	Section No. 3 EXTERNAL WORKS Bill No. 1				

## THE MVULA TRUST

Archie Mbolekwa Junior Sec. School-FT Maintenance Programme
Eastern Cape - Flush Toilet Programme
EMIS No. 200100033

	FINAL SUMMARY			
Section No		Page No		Amount
1	PRELIMINARIES AND GENERAL	38		
2	BUILDING WORKS	68		
3	EXTERNAL WORKS	85		
	SUB TOTAL (A)		R	
	Allow the sum as indicated for Contingencies for 10%		R	
	COMMUNITY LIAISON OFFICER (CLO)			
	Provide the sum of R 39 000.00 (Thirty Nine Thousand Hundred Rand) for the employment of a CLO.(R 6 500.00 per month x contract period allowance)	Item		39,000.00
	Add for profit on the above if required.	Item		
	SUB TOTAL (B)		R	
	Add VAlue Added Tax @ 15%		R	
	Carried to Final Form of Tender		R	