	Quantity	Rate	Amou
SECTION No. 1 - PRELIMINARIES			
<u>BILL NO. 1</u>			
PRELIMINARIES			
MEANING OF TERMS "TENDER / TENDERER"			
Any reference to the words "Tender" or "Tenderer" herein and/or in any other documentation shall be construed to have the same meaning as the words "Bid" or "Bidder"			
PRELIMINARIES			
The JBCC Preliminaries Code 2103, May 2005 edition for use with the JBCC Principal Building Agreement Edition 4.1 Code 2101, March 2005 is taken to be incorporated herein. The tenderer is deemed to have referred to these documents for the full intent and meaning of each clause. These clauses are referred to by number and heading only. Where standard clauses or options are not applicable to the contract such modifications or corrections as are necessary are given under each relevant clause. Where an item is not relevant to this specific contract such item is marked "N/A" signifying "Not Applicable"			
PRICING OF PRELIMINARIES			
Should Option A, as set out in clause B10.3.1 hereinafter be used for the adjustment of preliminaries then each item priced is to be allocated to one or more of the three categories Fixed, Value Related or Time Related and the respective amounts entered in the spaces provided under each item			
Items not priced in these Preliminaries shall be deemed to be included elsewhere in these Bills of Quantities			
Carried to Collection		R	
Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL			

SECTION A: JBCC PRINCIPAL BUILDING AGREEMENT	
DEFINITIONS	
A1.0 DEFINITIONS AND INTERPRETATION	
Clause 1.0	
Clause 1.1 Definition of "Commencement Date " is added:	
"COMMENCEMENT DATE " means the date that is 5 working days after site hand over.	
Clause 1.1 Definition of "Construction Guarantee" is amended by replacing it with the following:	
"CONSTRUCTION GUARANTEE" means a guarantee at call obtained by the contractor from an institution approved by the employer in terms of the employer's construction guarantee form as selected in the schedule	
Clause 1.1 Definition of " Construction Period " is amended by replacing it with the following:	
"CONSTRUCTION PERIOD" means the period commencing on the commencement date and ending on the date of practical completion	
Clause 1.1 Definition of "Corrupt Practice" is added:	
"CORRUPT PRACTICE " means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution	
Clause 1.1 Definition of "Fraudulent Practice" is added:	
Carried to Collection	R
Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL	
PROVISIONAL BILLS OF QUANTITIES	

"FRAUDULENT PRACTICE" means a mispresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any tenderer and includes collusive practice among tenderers (prior to or after the tender submission) designed to establish tender prices at artificial non- competitive levels and to deprive the tenderer of the benefits of free and open competition			
Clause 1.1 Definition of "Interest " is amended by replacing it with the following:			
"INTEREST" means the interest rates applicable on this contract, whether specifically indicated in the relevant clauses or not, will be in terms of the legislation of the Republic of South Africa, and in particular:			
(a) in respect of interest owed by the employer, the interest rate as determined by the Minister of Justice and Constitutional Development from time to time, in terms of section 1(2) of the Prescribed Rate of Interest Act, 1975 (Act No. 55 of 1975), will apply;			
and			
(b) in respect of interest owed to the employer, the interest rate as determined by the Minister of Finance, from time to time, in terms of section 80(1)(b) of the Public Finance Management Act, 1999 (Act No. 1 of 1999), will apply			
Clause 1.1 Definition of "Principal Agent " is amended by replacing it with the following:			
"PRINCIPAL AGENT" means the person or entity appointed by the employer and named in the schedule. In the event of a principal agent not being appointed, then all the duties and obligations of a principal agent as detailed in the agreement shall be fulfilled by a representative of the employer as named in the schedule			
Clause 1.1 Definition of "Security" is amended by replacing it with the following:			
Carried to Collection		R	
Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL			
PROVISIONAL BILLS OF QUANTITIES			
-3-	I	ı I	I I

	"SECURITY" means the form of security provided by the employer or contractor, as stated in the schedule, from which the contractor or employer may recover expense or loss				
	Clause 1.6 is amended by replacing the words "prepaid registered post, telefax or e-mail" with "prepaid registered post or telefax"				
	Clause 1.6.4 is amended by replacing it with the following:				
	No clause				
	Fixed: Value related: Time related:	ltem			
	OBJECTIVE AND PREPARATION				
1	A2.0 OFFER, ACCEPTANCE AND PERFORMANCE				
	Clause 2.0				
	Fixed: Value related: Time related:	ltem			
2	A3.0 DOCUMENTS				
	Clause 3.0				
	Clause 3.2.1 is amended by replacing"14.1" with "14.0"				
	Clause 3.7 is amended by the addition of the following:				
	The contractor shall supply and keep a copy of the JBCC Series 2000 Principal Building Agreement and Preliminaries applicable to this contract on the site , to which the employer , principal agent and agents shall have access at all times				
	Clause 3.10 is amended by replacing the second reference to "principal agent " with the word "employer"				
	Fixed: Value related: Time related:	Item			
	Carried to Collection		R		
	Section No. 1				
	Bill No. 1 PRELIMINARIES AND GENERAL				
	PROVISIONAL BILLS OF QUANTITIES				
		1	1	ı I	i i

1	A4.0 DESIGN RESPONSIBILITY	
	Clause 4.0	
	Clause 4.3 is amended by replacing it with the following:	
	No clause	
	Fixed: Value related: Time related: Item	
2	A5.0 EMPLOYER'S AGENTS	
	Clause 5.0	
	Clause 5.1.2 is amended to include clauses 32.6.3, 34.3 and 34.4 in terms of which the employer has retained its authority and has not given a mandate to the principal agent and in terms of which the employer shall sign all documents.	
	Fixed:Value related:Time Item	
3	A6.0 SITE REPRESENTATIVE	
	Clause 6.0	
	Fixed: Value related: Time related: Item	
4	A7.0 COMPLIANCE WITH REGULATIONS	
	Clause 7.0	
	Fixed: Value related: Time related: Item	
5	A8.0 WORKS RISK	
	Clause 8.0	
	Fixed:Value related:Time Item	
	Carried to Collection R	
	Section No. 1 Bill No. 1	
	PRELIMINARIES AND GENERAL	
	PROVISIONAL BILLS OF QUANTITIES	

		INDEMNITIES			ł
	Clause	9.0			
	Fixed:_ related	Value related: Time	Item		
2	A10.0	WORKS INSURANCES			
	Clause	10.0			
	Clause clauses	10.0 is amended by the addition of the following			
	10.5 Da	amage to the Works			
	(a)	Without in any way limiting the contractor's obligations in terms of the contract, the contractor shall bear the full risk of damage to and/or destruction of the works by whatever cause during construction of the works and hereby indemnifies and holds harmless the employer against any such damage. The contractor shall take such precautions and security measures and other steps for the protection and security of the works as the contractor may deem necessary			
	(b)	The contractor shall at all times proceed immediately to remove or dispose of any debris arising from damage to or destruction of the works and to rebuild, restore, replace and/or repair the works			
	(c)	The employer shall carry the risk of damage to or destruction of the works and materials paid for by the employer that is the result of the excepted risks as set out in 10.6			
	(d)	Where the employer bears the risk in terms of this contract, the contractor shall, if requested to do so, reinstate any damage or destroyed portions of the works and the costs of such reinstatement shall be measured and valued in terms of 32.0 hereof			
	Section Bill No. PRELIN			R	<u> </u>
	PROVI	SIONAL BILLS OF QUANTITIES			

R

10.6 Injury to Persons or loss of or damage to Properties

- (a) The contractor shall be liable for and hereby indemnifies the employer against any liability, loss, claim or proceeding whether arising in common law or by statute, consequent upon personal injuries to or the death of any person whomsoever arising out of or in the course of or caused by the execution of the works unless due to any act or negligence of any person for whose actions the employer is legally liable
- (b) The contractor shall be liable for and hereby indemnifies the employer against any liability, loss, claim or proceeding consequent upon loss of or damage to any moveable or immovable or personal property or property contiguous to the site, whether belonging to or under the control of the employer or any other body or person, arising out of or in the course of or by reason of the execution of the works unless due to any act or negligence of any person for whose actions the employer is legally liable
- (c) The contractor shall, upon receiving a contract instruction from the principal agent, cause the same to be made good in a perfect and workmanlike manner at his own cost and in default thereof the employer shall be entitled to cause it to be made good and to recover the cost thereof from the contractor or to deduct the same from amounts due to the contractor
- (d) The contractor shall be responsible for the protection and safety of such portions of the premises placed under his control by the employer for the purpose of executing the works until the issue of the certificate of practical completion

Carried to Collection

Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL

PROVISIONAL BILLS OF QUANTITIES

R

- (e) Where the execution of the works involves the risk of removal of or interference with support to adjoining properties including land or structures or any structures to be altered or added to, the contractor shall obtain adequate insurance and will remain adequately insured or insured to the specific limit stated in the contract against the death of or injury to persons or damage to such property consequent on such removal or interference with the support until such portion of the works has been completed
- (f) The **contractor** shall at all times proceed immediately at his own cost to remove or dispose of any debris and to rebuild, restore, replace and/or repair such property and to execute the **works**

10.7 High risk insurance

In the event of the project being executed in a geological area classified as a "High Risk Area", that is an area which is subject to highly unstable subsurface conditions that might result in catastrophic ground movement evident by sinkhole or doline formation the following will apply:

10.7.1 Damage to the works

The contractor shall, from the commencement date of the works until the date of the certificate of practical completion bear the full risk of and hereby indemnifies and holds harmless the **employer** against any damage to and/or destruction of the **works** consequent upon a catastrophic ground movement as mentioned above. The contractor shall take such precautions and security measures and other steps for the protection of the works as he may deem necessary

When so instructed to do so by the **principal agent**, the **contractor** shall proceed immediately to remove and/or dispose of any debris arising from damage to or destruction of the **works** and to rebuild, restore, replace and/or repair the **works**, at the **contractor's** own costs

Carried to Collection

Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL

PROVISIONAL BILLS OF QUANTITIES

0.7.2 Injury to persons or loss of or damage to roperty	
the contractor shall be liable for and hereby demnifies and holds harmless the employer against my liability, loss, claim or proceeding arising at any time uring the period of the contract whether arising in bommon law or by statute, consequent upon personal juries to or the death of any person whomsoever sulting from, arising out of, or caused by a tastrophic ground movement as mentioned above	
the contractor shall be liable for and hereby demnifies the employer against any and all liability, ss, claim or proceeding consequent upon loss of or amage to any moveable or immovable or personal operty or property contiguous to the site , whether elonging to or under the control of the employer or any her body or person whomsoever arising out of or bused by a catastrophic ground movement, as entioned above, which occurred during the period of e contract	
0.7.3 It is the responsibility of the contractor to ensure at he has adequate insurance to cover his risk and ability as mentioned in 10.7.1 and 10.7.2. Without niting the contractor's obligations in terms of the ontract, the contractor shall, within twenty-one (21) alendar days of the commencement date but before ommencement of the works , submit to the employer oof of such insurance policy, if requested to do so	

10.7.4 The **employer** shall be entitled to recover any and all losses and/or damages of whatever nature suffered or incurred consequent upon the **contractor's** default of his obligations as set out in 10.7.1; 10.7.2 and 10.7.3. Such losses or damages may be recovered from the **contractor** or by deducting the same from any amounts still due under this contract or under any other contract presently or hereafter existing between the **employer** and the **contractor** and for this purpose all these contracts shall be considered one indivisible whole

Fixed:	Value related:	Time
related:		

Item

R

Carried to Collection

Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL

PROVISIONAL BILLS OF QUANTITIES

1	A11.0 LIABILITY INSURANCES			
	Clause 11.0			
	Fixed:Value related:Time related:	ltem		
2	A12.0 EFFECTING INSURANCES			
	Clause 12.0			
	Fixed: Value related: Time related:	ltem		
3	A13.0 No clause	N/A		
4	A14.0 SECURITY			
	Clause 14.0			
	Clauses 14.1 - 14.8 are amended by replacing them with the following:			
	14.1 The security to be submitted by the contractor to the employer will be as a payment reduction of up to ten per cent (10%) of the value certified in the payment certificate (excluding VAT)			
	14.1.1 The payment reduction of the value certified in a payment certificate shall be <i>mutatis mutandi</i> in terms of 31.8(A)			
	14.1.2 The employer shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his obligations to refund the payment reduction security or portions thereof to the contractor			
	14.2 Where security as a payment reduction of ten per cent (10%) of the value certified in the payment certificate (excluding VAT) has been selected:			
	14.2.1 The payment reduction of the value certified in a payment certificate shall be <i>mutatis mutandi</i> in terms of 31.8(B)			
	Carried to Collection Section No. 1		R	
	Bill No. 1 PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			

	14.2.2 The employer shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his obligations to refund the payment reduction security or portions thereof to the contractor			
	14.9 Should the contractor fail to furnish the security in terms of 14.2, the employer , in his sole discretion and without notification to the contractor , is entitled to change the contractor's selected form of security to that of a ten per cent (10%) payment reduction of the value certified in the payment certificate (excluding VAT), whereafter 14.7 shall be applicable			
	Fixed: Value related: Time related:	ltem		
	EXECUTION			
1	A15.0 PREPARATION FOR AND EXECUTION OF THE WORKS			
	Clause 15.0			
	Clause 15.1.1 is amended by replacing it with:			
	No clause			
	Clause 15.1.2 is amended by replacing it with:			
	The security selected in terms of 14.0			
	Clause 15.1 is amended by the addition of the following clause:			
	15.1.4 An acceptable health and safety plan, required in terms of the Occupational Health and Safety Act, 1993 (Act 85 of 1993), within fourteen (14) calendar days of commencement date			
	Clause 15.2.1 is amended by replacing it with the following clause:			
	Carried to Collection		R	
	Section No. 1 Bill No. 1			
	PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			

	Give the contractor possession of the site within ten (10) working days of the contractor complying with the terms of 15.1.4			
	Fixed: Value related: Time			
	related:	Item		
1	A16.0 ACCESS TO THE WORKS			
	Clause 16.0			
	Fixed: Value related: Time related:	ltem		
2	A17.0 CONTRACT INSTRUCTIONS			
	Clause 17.0			
	Clause 17.1.11 is amended by deleting the words "and the appointment of nominated and selected subcontractors "			
	Fixed: Value related: Time related:			
	related:	ltem		
3	A18.0 SETTING OUT OF THE WORKS			
	Clause 18.0			
	Fixed: Value related:	14		
	Time related:	Item		
4	A19.0 ASSIGNMENT			
	Clause 19.0			
	Fixed: Value related: Time related:	ltem		
				 \vdash
	Carried to Collection		R	
	Section No. 1			 ⊨
	Bill No. 1 PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			

1	A20.0 NOMINATED SUBCONTRACTORS		
	Clause 20.0		
	Clause 20.1.3 is amended by replacing it with the following:		
	No clause		
	Note: See item B9.1 hereinafter for adjustment of attendance on nominated subcontractors executing work allowed for under provisional sums		
	Fixed: Value related: Time related:	Item	
2	A21.0 SELECTED SUBCONTRACTORS		
	Clause 21.0		
	Clause 21 is amended by replacing it with:		
	No clause		
	Fixed: Value related: Time related:	Item	
3	A22.0 EMPLOYER'S DIRECT CONTRACTORS		
	Clause 22.0		
	Fixed: Value related: Time related:	Item	
4	A23.0 CONTRACTOR'S DOMESTIC SUBCONTRACTORS		
	Clause 23.0		
	Fixed: Value related: Time related:	Item	
	Carried to Collection Section No. 1		۲
	Bill No. 1 PRELIMINARIES AND GENERAL		
	PROVISIONAL BILLS OF QUANTITIES		

	COMPLETION			
1	A24.0 PRACTICAL COMPLETION			
	Clause 24.0			
	Fixed: Value related: Time related:	ltem		
2	A25.0 WORKS COMPLETION			
	Clause 25.0			
	Fixed: Value related: Time related:	ltem		
3	A26.0 FINAL COMPLETION			
	Clause 26.0			
	Fixed: Value related: Time related:	ltem		
4	A27.0 LATENT DEFECTS LIABILITY PERIOD			
	Clause 27.0			
	Fixed: Value related: Time related:	ltem		
5	A28.0 SECTIONAL COMPLETION			
	Clause 28.0			
	Fixed: Value related: Time related:	ltem		
6	A29.0 REVISION OF DATE FOR PRACTICAL COMPLETION			
	Clause 29.0			
	Clause 29.2.5 is amended by replacing it with:			
	No clause			
	Fixed: Value related: Time related:	ltem		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			
		1	I	

4					
1	A30.0 PENALTY FOR NON-COMPLETION				
	Clause 30.0				
	Fixed: Value related: Time related:	Item			
	PAYMENT				
2	A31.0 INTERIM PAYMENT TO THE CONTRACTOR				
	Clause 31.0				
	Clause 31.5.2 is amended by replacing "14.7.1" with "14.0 and 31.8"				
	Clause 31.8 is amended by replacing it with the following two alternative clauses:				
	Alternative A				
	31.8(A) Where a security is selected in terms of 14.1; the value of the works in terms of 31.4.1 and materials and goods in terms of 31.4.2 shall be certified in full. The value certified shall be subject to the following percentage adjustments:				
	31.8(A).1 Ninety-five percent (95%) of such value in interim payment certificates issued up to the date of practical completion				
	31.8(A).2 Ninety-seven and half percent (97.5%) of such value in interim payment certificates issued on the date of practical completion and up to but excluding the date of final completion				
	31.8(A).3 Ninety-nine percent (99%) of such value in interim payment certificates issued on the date of final completion and up to but excluding the final payment certificate in terms of 34.6				
	31.8(A).4 One hundred percent (100%) of such value in the final payment certificate in terms of 34.6 except where the amount certified is in favour of the employer . In such an event the payment reduction shall remain at the adjustment level applicable to the final payment certificate				
	Carried to Collection		R		
	Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL				
	PROVISIONAL BILLS OF QUANTITIES				

	Clause 31.12 is amended by deleting the following:			
	Payment shall be subject to the employer giving the contractor a tax invoice for the amount due			
	Fixed: Value related: Time related:	ltem		
1	A32.0 ADJUSTMENT TO THE CONTRACT VALUE			
	Clause 32.0			
	Clauses 32.5.1, 32.5.4 and 32.5.7 are amended by the addition of the following at the end of the sentence:			
	"due to no fault of the contractor"			
	Add the following clauses: 33.2.9 to 33.2.13:			
	33.2.9 the contractor 's failure or neglect to commence with the works on the dates prescribed in the contract			
	33.2.10 the contractor's failure or neglect to proceed with the works in terms of the contract			
	33.2.11 the contractor's failure or neglect for any reason to complete the works in accordance with the contract			
	33.2.12 the contractor's refusal or neglect to comply strictly with any of the conditions of contract or any contract instructions and/or orders in writing given in terms of the contract			
	33.2.13 the contractor's estate being sequestrated; liquidated or surrendered in terms of the insolvency laws in force within the Republic of South Africa.			
	Fixed: Value related: Time related:	ltem		
2	A33.0 RECOVERY OF EXPENSE AND LOSS			
	Clause 33.0			
	Fixed: Value related: Time related:	ltem		
	Carried to Collection		R	
	Section No. 1 Bill No. 1			
	PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			

1	A34.0 FINAL ACCOUNT AND FINAL PAYMENT			
	Clause 34.0			
	Clause 34.1 is amended by removing "#" next to 34.1			
	Clause 34.2 is amended by inserting "#" next to 34.2			
	Clause 34.13 is amended by replacing "seven (7) calendar days" with "twenty-one (21) calendar days" and deleting the words "subject to the employer giving the contractor a tax invoice for the amount due"			
	Fixed:Value related:Time related:	Item		
2	A35.0 PAYMENT TO OTHER PARTIES			
	Clause 35.0			
	Fixed: Value related: Time related:	Item		
	CANCELLATION			
3	A36.0 CANCELLATION BY EMPLOYER - CONTRACTOR'S DEFAULT			
	Clause 36.0			
	Clause 36.1 is amended by the addition of the following clauses:			
	36.1.3 refuses or neglects to comply strictly with any of the conditions of contract			
	36.1.4 estate being sequestrated, liquidated or surrendered in terms of the insolvency laws in force within the Republic of South Africa			
	36.1.5 in the judgement of the employer , has engaged in corrupt or fraudulent practices in competing for or in executing the contract			
	Clause 36.3 is amended by removing the reference to "No clause" and replacing the words " principal agent" with " employer"			
	Carried to Collection		R	
	Section No. 1 Bill No. 1			_
	PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			

	Clause 36.0 is amended by the addition of the following clause:			
	36.3 Remove reference to "No clause", and replace "principal agent" with "employer"			
	36.7 Notwithstanding any clause to the contrary, on cancellation of this agreement either by the employer or the contractor ; or for any reason whatsoever, the contractor shall on written instruction, discontinue with the works on a date stated and withdraw himself from the site . The contractor shall not be entitled to refuse to withdraw from the works on the grounds of any lien or right of retention or on the grounds of any other right whatsoever			
	Fixed: Value related: Time related:	ltem		
1	A37.0 CANCELLATION BY EMPLOYER - LOSS AND DAMAGE			
	Clause 37.0			
	Clause 37.3.5 is amended by replacing "ninety (90)" with "one hundred and twenty (120)"			
	Clause 37.0 is amended by the addition of the following clause:			
	37.3.5 Replace "ninety (90)" with "one hundred and twenty (120) and 38.5.4			
	Fixed: Value related: Time related:	ltem		
2	A38.0 CANCELLATION BY CONTRACTOR - EMPLOYER'S DEFAULT			
	Clause 38.0			
	Clause 38.5.4 is amended by replacing "ninety (90)" with "one hundred and twenty (120)"			
	Clause 38.0 is amended by the addition of the following clause:			
				<u> </u>
	Carried to Collection		R	
	Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			

	38.7 Notwithstanding any clause to the contrary, or cancellation of this agreement either by the emplo or the contractor ; or for any reason whatsoever, th contractor shall on written instruction, discontinue the works on a date stated and withdraw himself fr the site . The contractor shall not be entitled to ref to withdraw from the works on the grounds of any or right of retention or on the grounds of any other whatsoever	yer ie with rom use lien			
	Fixed: Value related: related:	Time	ltem		
1	A39.0 CANCELLATION - CESSATION OF THE WORKS				
	Clause 39.0				
	Clause 39.3.5 is amended by the addition of the following at the end of the sentence:				
	"within one hundred and twenty (120) working day completion of such a report"	rs of			
	Fixed:Value related: related:	Time	ltem		
					<u> </u>
	Carried to Col Section No. 1	lection		R	 ╞
	Bill No. 1 PRELIMINARIES AND GENERAL				
	PROVISIONAL BILLS OF QUANTITIES				

	DISPUTE			
1	A40.0 DISPUTE SETTLEMENT			
	Clause 40.0			
	Clause 40.2.2 is amended by replacing "one (1) year" with "three (3) years"			
	Clause 40.6 is amended by removing the reference to:			
	No clause			
	Clause 40.7.1 is amended by replacing "(10)" with "(15)" and by the addition of the following:			
	Whether or not mediation resolves the dispute, the parties shall bear their own costs concerning the mediation and equally share the costs of the mediator and related costs			
	Fixed: Value related: Time related:	Item		
	SUBSTITUTE PROVISIONS			
2	A41.0 STATE CLAUSES			
	Clause 41.0			
	Fixed: Value related: Time related:	ltem		
	CONTRACT VARIABLES			
3	A42.0 THE SCHEDULE (C1.2)			
	Clause 42.0			
	Tenderers are referred to the C1.2 CONDITIONS OF CONTRACT AND CONTRACT VARIABLES for variables pertaining to this contract			
	Fixed: Value related: Time			
	related:	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1			
	PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			

	SECTION B: JBCC PRELIMINARIES			
	B1.0 DEFINITIONS AND INTERPRETATION			
1	B1.1 Definitions and interpretation			
	See also clause A1.0 of Section A for additional and/or amended definitions which shall apply equally to this Section			
	Fixed: Value related: Time related:	Item		
	B2.0 DOCUMENTS			
2	B2.1 Checking of documents			
	Fixed: Value related: Time related:	Item		
3	B2.2 Provisional bills of quantities			
	Fixed: Value related: Time related:	Item		
4	B2.3 Availability of construction documentation			
	Fixed: Value related: Time related:	Item		
5	B2.4 Interests of agents			
	Fixed: Value related: Time related:	ltem		
6	B2.5 Priced documents			
	Fixed: Value related: Time related:	ltem		
7	B2.6 Tender submission			
	Clause 2.6 is amended by replacing "JBCC Form of Tender" with "Form of Offer and Acceptance DPW- 07(EC)"			
	Fixed: Value related: Time related:	Item		
	Carried to Collection Section No. 1		R	
	Bill No. 1 PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			

	<u>B3.0</u>	THE SITE				
1	B3.1	Defined works area				
	Fixed:_ related	Value related:	Time	ltem		
2	B3.2	Geotechnical investigation				
	Fixed:_ related	Value related:	Time	ltem		
3	B3.3	Inspection of the site				
	Fixed:_ related	Value related:	Time	ltem		
4	B3.4	Existing premises occupied				
	Fixed:_ related	Value related:	Time	ltem		
5	B3.5	Previous work - dimensional accuracy				
	Fixed:_ related	Value related:	Time	ltem		
6	B3.6	Previous work - defects				
	Fixed:_ related	Value related:	Time	ltem		
7	B3.7	Services - known				
	Fixed:_ related	Value related:	Time	ltem		
8	B3.8	Services - unknown				
	Fixed:_ related	Value related:	Time	ltem		
9	B3.9	Protection of trees				
	Fixed:_ related	Value related:	Time	ltem		
			lleation			
	Section		nection		R	=
	Bill No. PRELIN	1 /INARIES AND GENERAL				
	PROVI	SIONAL BILLS OF QUANTITIES				

1	B3.10 Articles of value			
	Fixed: Value related: Time related:	e Item		
2	B3.11 Inspection of adjoining properties			
	Fixed: Value related: Time related:	e Item		
	B4.0 MANAGEMENT OF CONTRACT			
3	B4.1 Management of the works			
	Fixed: Value related: Time related: R	ltem		
4	B4.2 Programme for the works			
	Fixed: Value related: Time related:	ltem		
5	B4.3 Progress meetings			
	Fixed: Value related: Time related:	ltem		
6	B4.4 Technical meetings			
	Fixed: Value related: Time related:	ltem		
7	B4.5 Labour and plant records			
	Fixed: Value related: Time related:	e Item		
	B5.0 SAMPLES, SHOP DRAWINGS AND MANUFACTURERS' INSTRUCTIONS			
8	B5.1 Samples of materials			
	Fixed: Value related: Time related:	e Item		
	Carried to Collection	on	R	
	Section No. 1 Bill No. 1			
	PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			

1	B5.2	Workmanship samples				
	Fixed:_ related	Value related: :	Time	ltem		
2	B5.3	Shop drawings				
	Fixed:_ related	Value related: :	Time	ltem		
3	B5.4	Compliance with manufacturers' instruc	ctions			
	Fixed:_ related	Value related: :	_ Time	ltem		
	<u>B6.0</u>	TEMPORARY WORKS AND PLANT				
4	B6.1	Deposits and fees				
	Fixed:_ related	Value related:	Time	ltem		
5	B6.2	Enclosure of the works				
	Fixed:_ related	Value related: :	Time	ltem		
6	B6.3	Advertising				
	Fixed:_ related	Value related: :	Time	ltem		
7	B6.4	Plant, equipment, sheds and offices				
	Fixed:_ related	Value related:	_ Time	ltem		
8	B6.5	Main notice board				
	Fixed:_ related	Value related:	Time	ltem		
9	B6.6	Subcontractors' notice board				
	Fixed:_ related	Value related: :	_ Time	ltem		
			llastian			
	Sectior		nection		R	
	Bill No. PRELII	1 MINARIES AND GENERAL				
	PROVI	SIONAL BILLS OF QUANTITIES				

	B7.0 TEMPORARY SERVICES			
1	B7.1 Location			
	Fixed: Value related: Time related:	ltem		
2	B7.2 Water			
	Fixed: Value related: Time related:	Item		
3	B7.3 Electricity			
	Fixed: Value related: Time related:	ltem		
4	B7.4 Telecommunication facilities			
	Fixed: Value related: Time related:	Item		
5	B7.5 Ablution facilities			
	Fixed: Value related: Time related:	Item		
	B8.0 PRIME COST AMOUNTS			
6	B8.1 Responsibility for prime cost amounts			
	Fixed: Value related: Time related:	ltem		
	B9.0 ATTENDANCE ON N/S SUBCONTRACTORS			
7	B9.1 General attendance			
	Fixed: Value related: Time related:	Item		
8	B9.2 Special attendance			
	Fixed: Value related: Time related:	Item		
	Carried to Collection		R	
	Section No. 1		ĸ	
	Bill No. 1 PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			

1	B9.3 Commissio	oning - fuel, water and o	electricity			
	Fixed: related:	_ Value related:	Time	Item		
	B10.0 FINANCIA	L ASPECTS				
2	B10.1 Statutory ta	axes, duties and levies				
	Fixed: related:	_ Value related:	Time	Item		
3	B10.2 Payment fo	or preliminaries				
	Fixed: related:	_ Value related:	Time	Item		
4	B10.3 Adjustmen	t of preliminaries				
	"within fifteen (15) w	d B10.3.2 are amended vorking days of taking p en submitting his priced um document"	ossession			
	Fixed: related:	_ Value related:	Time	Item		
5	B10.4 Payment ce	ertificate cash flow				
	Fixed: related:	_ Value related:	Time	Item		
	B11.0 GENERAL	:				
6	B11.1 Protection	of the works				
	Fixed: related:	_ Value related:	Time	Item		
7	B11.2 Protection occupied works	/ isolation of existing /	sectionally			
	Fixed: related:	_ Value related:	Time	Item		
		Carried	to Collection		R	
	Section No. 1 Bill No. 1 PRELIMINARIES AI	ND GENERAL				
	PROVISIONAL BIL	LS OF QUANTITIES				

1	B11.3 Security of the works			
	Fixed: Value related: Time related:	ltem		
2	B11.4 Notice before covering work			
	Fixed: Value related: Time related:	ltem		
3	B11.5 Disturbance			
	Fixed: Value related: Time related:	ltem		
4	B11.6 Environmental disturbance			
	Fixed: Value related: Time related:	ltem		
5	B11.7 Works cleaning and clearing			
	Fixed: Value related: Time related:	ltem		
6	B11.8 Vermin			
	Fixed: Value related: Time related:	ltem		
7	B11.9 Overhand work			
	Fixed: Value related: Time related:	ltem		
8	B11.10 Instruction manuals and guarantees			
	Fixed: Value related: Time related:	ltem		
9	B11.11 As built information			
	Fixed: Value related: Time related:	ltem		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			

B11.12 Tenant installations		
Fixed: Value related: Time related:	Item	
B12.0 SCHEDULE OF VARIABLES		
2 B12.1 Schedule of variables		
Fixed: Value related: Time related:	Item	
This schedule contains all variables referred to in this document and is divided into pre-tender and post-tender categories. The pre-tender category must be completed in full and included in the tender documents. Both the pre-tender and post-tender categories form part of these Preliminaries		
Spaces requiring information must be filled in, shown as "not applicable" or deleted and not left blank. Where choices are offered, the non-applicable items are to be deleted. Where insufficient space is provided the information should be annexed hereto and cross- referenced to the applicable clause of the schedule . Key cross reference clauses are italicised in [] brackets		
12.1 PRE-TENDER INFORMATION		
12.1.1 Provisional bills of quantities[2.2] The quantities are provisional		
YES		
12.1.2 Availability of construction documentation[2.3] Construction documentation is complete		
YES		
12.1.3 <i>Interests of agents</i> [2.4] Details:		
12.1.4 Defined works area [3.1] Details:		
Carried to Collection		R
Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL		
PROVISIONAL BILLS OF QUANTITIES		

12.1.5 Geotechnical investigation [3.2] Details:		
12.1.6 <i>Existing premises occupied</i> [3.4] Specific requirements:		
12.1.7 Previous work - dimensional accuracy [3.5] Details:		
12.1.8 Previous work - defects [3.6] Details:		
12.1.9 Services - known [3.7] Details:		
12.1.10 <i>Protection of trees</i> [3.9] Specific requirements:		
12.1.11 <i>Inspection of adjoining properties</i> [3.11] Specific requirements:		
12.1.12 <i>Enclosure of the works</i> [6.2] Specific requirements:		
 12.1.13 Offices [6.4.3] Specific requirements: The contractor shall provide, maintain and remove on completion of the works an office for the exclusive use of the principal agent, minimum size 4 x 3 x 3m high internally, suitably insulated and ventilated, provided with electric lighting and fitted with boarded floor, desk, chair, drawing stool, drawing board and lock-up drawers for drawings. The office shall be kept clean and fit for use at all times 		
Carried to Collection	R	
Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL		
PROVISIONAL BILLS OF QUANTITIES		

 12.1.14 <i>Main notice board</i> [6.5] Specific requirements: The contractor shall provide, erect where directed, maintain and remove on completion of the works a notice board size 3 x 3m as type Drawing GEN 063, constructed of suitable boarding with flat smooth surface and with edging bead 19mm thick round outer edges and projecting 12mm from face of boarding and rounded on front edge. The board shall be securely fixed to hoarding, where hoarding is provided, or fixed to and including a suitable supporting structure of timber or tubular posts and braces. The board is to be painted ivory white and the bead and 12mm wide dividing lines dark green. All wording shall be inscribed in dark green as per the coat of arms for SA. All wording shall be inscribed in dark green painted sans serif lettering 12.1.15 Subcontractors' notice board 	
[6.6] A notice board is required	
NO	
Specific requirements:	
12.1.16 <i>Water</i>	
[7.2] Option A (by contractor)	
NO	
Option B (by employer - free of charge)	
NO	
Option C (by employer - metered)	
YES	
Carried to Collection	R
Section No. 1	
Bill No. 1 PRELIMINARIES AND GENERAL	
PROVISIONAL BILLS OF QUANTITIES	

12.1.17 Electricity		
[7.3] Option A (by contractor)		
NO		
Option B (by employer - free of charge)		
NO		
Option C (by employer - metered)		
YES		
12.1.18 Telecommunications		
[7.4] Telephone		
YES		
Facsimile		
YES		
E-mail		
YES		
12.1.19 Ablution facilities		
[7.5] Option A (by contractor)		
YES		
Option B (by employer)		
NO		
12.1.20 Protection of existing/sectionally occupied		
works		
[11.2] Protection is required		
NO		
Carried to Collection Section No. 1	R	
Bill No. 1		
PRELIMINARIES AND GENERAL		
PROVISIONAL BILLS OF QUANTITIES		
1 I	· II	I

12.1.21 Special attendance		
[9.2] Subcontractor (1) details:		
Subcontractor (2) details:		
Subcontractor (3) details:		
Subcontractor (4) details:		
12.1.22 <i>Protection of the works</i> [11.1] Specific requirements:		
12.1.23 Disturbance		
[11.5] Specific requirements:		
The contractor shall keep the site, structures, etc well watered during operations to prevent		
dust and shall provide and erect and remove on		
completion of the works all necessary		
temporary dust screens all to the satisfaction of		
the principal agent		
12.1.24 Environmental disturbance		
[11.6] Specific requirements:		
12.2 POST-TENDER INFORMATION		
12.2.1 Payment of preliminaries		
[10.2] Option A (prorated)		
NO		
Option B (calculated)		
YES		
Carried to Collection	R	
Section No. 1		
Bill No. 1		
PRELIMINARIES AND GENERAL		
PROVISIONAL BILLS OF QUANTITIES		
1	i l	n I

12.2.2 <i>Adjustment of preliminaries</i> [10.3] Option A (three categories)		
NO		
Option B (detailed breakdown)		
YES		
12.2.3 Additional agreed preliminaries items Details:		
Carried to Collection	R	
Section No. 1 Bill No. 1		
PRELIMINARIES AND GENERAL		
PROVISIONAL BILLS OF QUANTITIES		
-33-		

	SECTION C: SPECIFIC PRELIMINARIES			
	Section C contains specific preliminary items which apply to this contract except where N/A (Not Applicable) appears against an item			
1	C1.0 CONTRACT DRAWINGS			
	The drawings issued with the tender documents do not comprise the complete set but serve as a guide only for tendering purposes and for indicating the scope of the work to enable the tenderer to acquaint himself with the nature and extent of the works and the manner in which they are to be executed			
	Should any part of the drawings not be clearly understood by the tenderer he shall, before submitting his tender, obtain clarification in writing from the principal agent			
	Fixed: Value related: Time related:	ltem		
2	C2.0 GENERAL PREAMBLES			
	The document "Specification of Materials and Methods to be used - PW371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014)." is obtainable on the Department's website (http://www.publicworks.gov.za/ under "Consultants Guidelines"), and shall be read in conjunction with the bills of quantities / lump sum document and be referred to for the full descriptions of work to be done and materials to be used			
	Fixed: Value related: Time related:	ltem		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			

1	C3.0 TRADE NAMES			
	Wherever a trade name for any product has been described in the bills of quantities / lump sum document , the tenderer's attention is drawn to the fact that any other product of equal quality may be used subject to the written approval of the principal agent being obtained prior to the closing date for submission of tenders			
	If prior written approval for an alternative product is not obtained, the product described shall be deemed to have been tendered for			
	Fixed: Value related: Time related:	ltem		
2	C4.0 HIV/AIDS AWARENESS			
	It is required of the contractor to thoroughly study the HIV/AIDS Specification (PW 1544) of the Department that must be read together with and is deemed to be incorporated under this Section of the bills of quantities / lump sum document . Provision for pricing of HIV/AIDS awareness is made under items C10.1 to C10.5 hereafter and it is explicitly pointed out that all requirements of the aforementioned specification are deemed to be priced hereunder, as the said items represent the only method of measurement and no additional items or extras to the contract in this regard shall be entertained			
	The contractor must take note that compliance with the HIV/AIDS Specification is compulsory. In the event of partial or total non-compliance, the principal agent , notwithstanding the provisions of clause A 31.0 of Section A or any other clause to the contrary, reserves the right to delay issuing any progress payment certificate until the contractor provides satisfactory proof of compliance. The contractor shall not be entitled to any compensation of whatsoever nature, including interest, due to such delay of payment			
	Carried to Collection		R	
	Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			

C4.1 AWARENESS CHAMPION Selection, appointment, briefing and making available of an Awareness Champion including provision of all relevant services, all in accordance with the HIV/AIDS Specification Fixed: Value related: Time related:	Item		
C4.2 AWARENESS WORKSHOPS Selection and appointment of a competent Service Provider approved by the principal agent , provision of a Service Provider Workshop Plan and a suitable venue, conducting of awareness workshops by means of traditional and/or modern multi- media techniques, including follow-up courses, making available all tuition material and performing assessment procedures, all in accordance with the HIV/AIDS Specification Fixed: Value related:			
Time related:	Item		
C4.3 POSTERS, BOOKLETS, VIDEOS, ETC. Provision, displaying, maintaining and replacing when necessary of four plastic laminated posters, booklets and educational videos, etc. for the duration of the construction period, all in accordance with the HIV/AIDS Specification Fixed: Value related: Time related:	Item		
C4.4 ACCESS TO CONDOMS Provision and maintenance of condom dispensers fixed in position, including male and female condoms, replenishing male and female condoms on a daily basis as required for the duration of the construction period, all in accordance with the HIV/AIDS Specification			
Fixed:Value related:	14		
Time related:	Item		
Carried to Collection		R	
Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL			
PROVISIONAL BILLS OF QUANTITIES			

C4.5 MONITORING Monitoring HIV/AIDS awareness of the principal agent with access to making available all reports, thorou reflecting the correct information, for construction period and close out with the HIV/AIDS Specification	information including ghly completed and or the duration of the t, all in accordance			
Fixed: Value relate Time related:	d:	ltem		
Section No. 1	Carried to Collection		R	
Bill No. 1 PRELIMINARIES AND GENERAL				
PROVISIONAL BILLS OF QUANT	ITIES			
	07			

Section No. 1		
Bill No. 1		
PRELIMINARIES AND GENERAL		
COLLECTION		
	Page No	Amount
Total Brought Forward from Page No.	1	
	2	
	3	
	4	
	5	
	6	
	7	
	8	
	9	
	10	
	11	
	12	
	13	
	14	
	15	
	16	
	17	
	18	
	19	
	20	
Carried Forward Section No. 1		R
Bill No. 1 PRELIMINARIES AND GENERAL		
PROVISIONAL BILLS OF QUANTITIES		

Section No. 1				
Bill No. 1				
PRELIMINARIES AND GENERAL				
COLLECTION				
	Page		Amount	
Brought Forward	No	R		
Total Brought Forward from Page No.	21			
	22			+
	23			
	24			
	25			
	26			
	27			
	28			
	29			
	30			
	31			
	32			
	33			
	34			
	35			
	36			
	37			
				-
Carried Forward to Summary of Section No. 1 Section No. 1		R		
Bill No. 1 PRELIMINARIES AND GENERAL				
PROVISIONAL BILLS OF QUANTITIES				

ltem No		Quantity	Rate	Amount	
-	BILL No. 2				
	HEALTH AND SAFETY REQUIREMENTS				
	Note:				
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).				
	The contractor's prices for all items throughout these bills of quantities shall take account of and include where applicable for all of the obligations, requirements and specifications given in the General Preambles and in any supplementary preambles and/or specifications.				
	Prior to pricing the principal contractor must familiarize him/herself with the Occupational Health and Safety Act No. 85 Of 1993, Construction Regulations 2014, other relevant Regulations and Standards as well as project specific Health & Safety specifications.				
	The items in this Bill do not contain quantities hence the Contractor must insert his own quantities based on his individual requirements to comply with the Health and Safety obligations and demands of the Occupational Health and Safety Act No. 85 of 1993, Construction Regulations 2014, other relevant Regulations and Standards as well as project specific Health & Safety Specifications.				
	OCCUPATIONAL HEALTH AND SAFETY				
	<u>General:</u>				
1	Preparation of Contractor's site specific Health and Safety Plan.	ltem			
2	Submission of the Health and Safety File.	Item			
3	Principal Contractor's initial obligations in respect of the OHS Act and Construction Regulations.	ltem			
	Carried to Collection		R		
	Section No. 1 Bill No. 2 HEALTH AND SAFETY				_
	PROVISIONAL BILLS OF QUANTITIES				

1	Principal Contractor's time related obligations in respect of the OHS Act and Construction Regulations for the entire construction period.		Item		
2	Provision of full time Health and Safety Officer for the entire construction period.		ltem		
3	Induction training of personnel.	No			
4	Provision of first aid boxes.	No			
	Provision for Personal Protective Equipment and Protective Clothing:				
5	Reflective vests.	No			
6	Hard hats.	No			
7	Protective foot wear.	No			
8	Ear Plugs.	No			
9	Dust Masks.	No			
	<u>Costs of Medical Certificates and Medical</u> Surveillance:				
10	Initial (baseline) medical examinations.	No			
11	Exit Examinations.	No			
	Noise Monitoring:				
12	Establishment of noise zones.	No			
13	Audiograms.	No			
	Carried to Collection			R	[
	Section No. 1				╞
	Bill No. 2 HEALTH AND SAFETY				
	PROVISIONAL BILLS OF QUANTITIES				

Section No. 1				
Bill No. 2				
HEALTH AND SAFETY				
COLLECTION				
Total Brought Forward from Page No.	Page No 40 41		Amount	
Carried Forward to Summary of Section No. 1 Section No. 1 Bill No. 2 HEALTH AND SAFETY PROVISIONAL BILLS OF QUANTITIES		R		

1	SECTION SUMMARY - SECTION NO.1 - PRELIMINIARIES AND G	ENERAL		
Bill No		Page No		Amount
1	PRELIMINARIES AND GENERAL	39		
2	HEALTH AND SAFETY	42		
	Corried to Final Summary			
	Carried to Final Summary Section No. 1		R	
	PROVISIONAL BILLS OF QUANTITIES			

ltem No		Quantity	Rate	Amount
	SECTION No. 2 - BUILDING WORKS			
	BILL No. 1			
	ALTERATIONS, DEMOLITIONS, ETC.			
	Note:			
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).			
	DEMOLITIONS			
	Ordinary demolitions			
	Reference hereunder to cart away shall mean carting off site to a dumping site to be located by the Contractor.			
	CARPENTRY AND JOINERY			
	Skirting			
1	Take down and cart away timber skirting.	52		
	Timber doors and frames			
2	Take out from prefabricated wall and cart away singletimber door and frame size 813mm wide x 1800mm highincluding preparing reveals to receive new frame(elsewhere).	5		
3	Take out from prefabricated wall and cart away single timber door and frame size 900mm wide x 2100mm high including preparing reveals to receive new frame (elsewhere).	5		
	CEILINGS AND PARTITIONS			
	Carried to Collection Section No. 2		R	
	Bill No. 1 ALTERATIONS			
	PROVISIONAL BILLS OF QUANTITIES			

	Internally			
1	Take down and cart away fibre cement ceilings approximately 2800mm from ground level including all cornices, brandering, supporting structures, etc.m2	57		
2	Take down and cart away gypsum coved cornice. m	126		
	FLOOR COVERINGS			
3	Strip from concrete floors vinyl floor tiling and cart away including preparing screed for new floor covering (elsewhere).	48		
	PLUMBING AND DRAINAGE			
	<u>Piping, fittings, etc.</u>			
4	Take off from walls, ceilings, etc. and cart away copper/polycrop water supply piping, fittings, valves, etc. of various diameters including temporary stopping of supply where necessary.	117		
5	Take off from walls, ceilings, etc. and cart away PVCwaste water piping and fittings of various diameters.m	78		
	Sanitaryware			
6	Demolish and cart away white glazed WC pan and cistern complete including stopping off water supply. No	28		
7	Demolish and cart away white glazed bowl urinal including flushing system including stopping off water supply.	4		
8	Demolish and cart away stainless steel sink or washtrough including stopping off water supply. No	11		
	Sundries			
9	Take down and cart away toilet roll holders.No	28		
	TILING			
	Carried to Collection		R	
	Section No. 2 Bill No. 1			
	ALTERATIONS			
	PROVISIONAL BILLS OF QUANTITIES			

	<u>Floors</u>				
1	Hack up ceramic floor tiling and cart away including preparing surface to receive new tiling (elsewhere).	m2	143		
2	Hack up 100mm high ceramic skirting and cart away including preparing surface to receive new tiling (elsewhere).	m	74		
	Walls				
3	Hack up ceramic wall tiling and cart away including preparing surface to receive new tiling (elsewhere).	m2	10		
	Carried to Collecti Section No. 2	ion		R	
	Bill No. 1 ALTERATIONS				
	PROVISIONAL BILLS OF QUANTITIES				
					I

Section No. 2				
Bill No. 1				
ALTERATIONS				
COLLECTION				
Total Brought Forward from Page No.	Page No 44 45 46		Amount	
Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 1 ALTERATIONS		R		
PROVISIONAL BILLS OF QUANTITIES				

ltem No		Quantity	Rate	Amount
	BILL No. 2			
	WATERPROOFING			
	Note:			
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).			
	WATERSTOPS, SEALING STRIPS, JOINT SEALANTS, ETC.			
	Sundry elements			
1	Seal with an approved anti-fungicidal white silicone sealant junction between sanitary fitting and worktop and/or wall tiling. m	62		
	Carried Forward to Summary of Section No. 2		R	
	Section No. 2 Bill No. 2			
	WATERPROOFING			
	PROVISIONAL BILLS OF QUANTITIES			

ltem No			Quantity	Rate	Amount	
	BILL No. 3					
	CARPENTRY AND JOINERY					
	Note:					
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).					
	JOINERY					
	<u>Skirtings</u>					
1	16 x 76mm Wrought meranti hollow-backed skirting plugged to wall, with 19mm matching quadrant bead at junction with floor.	m	52			
	<u>Doors, windows, sashes, etc.</u>					
	Semi-solid flush panel doors :					
2	40mm Semi-solid core flush door, size 813 x 1732mm high, hung 150mm above floor finish, with commercial grade veneer both sides and concealed edge strips.	No	5			
	Wrot hardwood :					
3	44mm Thick framed, ledged, braced and battened door size 813 x 2032mm high, comprising 44 x 144mm stiles and top rail, 22 x 150mm middle rail, 22 x 230mm bottom rail and 2 No. 22 x 75mm diagonal braces and filled flush on one side between framing with 22mm thick tongued, grooved and V-jointed both sides vertical boarding in narrow matched widths and fitted with and including 44 x 70mm splayed and rebated weatherboard, countersunk brass screwed on at maximum 200mm centres.	No	5			
	Frames, rails, skirtings, etc.					
	Carried to Collection Section No. 2 Bill No. 3 CARPENTRY AND JOINERY PROVISIONAL BILLS OF QUANTITIES			R		

	<u>Meranti timber door frames</u>				
	<u>Note :</u>				
	All units are to constructed using 70 x 108mm hardwood timber with 19 x 19mm quadrant bead to external face				
1	70 x 108mm Rebated meranti jab linings fixed to walls.	m	18		
2	Framed frame, to suit single door size 813 x 2032mm high overall.	No	5		
	<u>Sundries</u>				
3	19mm Hardwood quadrant moulding planted on.	m	43		
4	10 x 140mm Door frame anchor countersunk and pelleted in timber frame, at approximately 600mm centres, including forming mortice in brickwork or concrete.	No	90		
	Carried to Collection			R	
	Section No. 2 Bill No. 3				
	CARPENTRY AND JOINERY				
	PROVISIONAL BILLS OF QUANTITIES				

Section No. 2				
Bill No. 3				
CARPENTRY AND JOINERY				
COLLECTION				
Total Brought Forward from Page No.	Page No 49 50		Amount	
Carried Forward to Summary of Section No. 2		R		
Section No. 2 Bill No. 3 CARPENTRY AND JOINERY				
PROVISIONAL BILLS OF QUANTITIES				

ltem No		Quantity	Rate	Amount
	BILL No. 4			
	CEILINGS, PARTITIONS AND ACCESS FLOORING			
	Note:			
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).			
	INTERNAL NAILED UP CEILINGS			
	<u>4mm Thick fibre-cement boards with and including 6 x</u> <u>32mm wrought meranti coverstrips over joints:</u>			
1	Ceilings including 38 x 50mm sawn softwood brandering at 400mm centres with cross brandering at joints, ends of sheets and at light fittings, etc. m2	191		
	Trap doors			
2	Extra over 4mm thick fibre cement board ceiling for forming trap door, size 630 x 630mm in clear, formed with 38 x 50mm sawn S.A. pine framing covered with ceiling boarding and set in 38 x 76mm wrought S.A. pine rebated kerb, including all necessary additional supports, trimmers, etc. No	1		
	Carried to Collection Section No. 2		R	
	Bill No. 4 CEILINGS, PARTITIONS AND ACCESS FLOORING			
	PROVISIONAL BILLS OF QUANTITIES			

Paper covered gypsum cornice with skimmed joints plugged to walls including mitres, etc.: 1 75mm Coved cornice. m 126	1	<u>Cornices</u>	ĺ			
		Paper covered gypsum cornice with skimmed joints plugged to walls including mitres, etc.:				
	1	75mm Coved cornice. n	n	126		
Carried to Collection R					R	
Bill No. 4 CEILINGS, PARTITIONS AND ACCESS FLOORING		Bill No. 4				
PROVISIONAL BILLS OF QUANTITIES		PROVISIONAL BILLS OF QUANTITIES				
-53-						

Section No. 2			
Bill No. 4			
CEILINGS, PARTITIONS AND ACCESS FLOORING			
COLLECTION			
COLLECTION Total Brought Forward from Page No.	Page No 52 53		Amount
Carried Forward to Summary of Section No. 2 Section No. 2		R	
Bill No. 4 CEILINGS, PARTITIONS AND ACCESS FLOORING			
PROVISIONAL BILLS OF QUANTITIES			

ltem No		Quantity	Rate	Amount
	BILL No. 5			
	FLOOR COVERINGS, WALL LININGS, ETC.			
	Note:			
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).			
	FLOOR COVERINGS			
	Vinyl floor coverings			
	<u>300 x 300 x 2,5mm Semi-flexible reinforced vinyl quartz</u> floor tiles			
1	Sealed to prepared floors with adhesive. m2	48		
	Polish, sealers, etc.			
	<u>Clean by stripping and sealing and apply three coats</u> water based copolymer emulsion or other approved sealer			
2	Vinyl flooring. m2	48		
	Carried Forward to Summary of Section No. 2		R	
	Section No. 2 Bill No. 5 FLOOR COVERINGS, WALL LININGS, ETC.			
	PROVISIONAL BILLS OF QUANTITIES			

ltem No		Quantity	Rate	Amount
	BILL No. 6			
	IRONMONGERY			
	Note:			
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).			
	IRONMONGERY TO TIMBER			
	<u>Hinges, bolts, etc.</u>			
1	100 x 75mm Heavy duty brass butt hinges. No	25		
	<u>Hooks</u>			
2	150mm Brass cabin hook and eye screwed to and including 69 x 69 x 32mm chamfered hardwood block plugged to wall. No	5		
	Push plates, kicking plates, indicator plates, etc.			
	<u>3mm Thick x 32mm high blue perspex signs with white</u> painted numerals or letters, countersunk tap screwed to steel door frame			
3	Sign with "MALE ABLUTIONS" enscribed. No	1		
4	Sign with "FEMALE ABLUTIONS" enscribed. No	1		
5	Sign with "DISABLE ABLUTIONS" enscribed. No	1		
6	Sign with "STAFF" enscribed. No	2		
	Door stops			
7	Black rubber door stop plugged to wall or floor. No	10		
	Carried to Collection		R	
	Section No. 2 Bill No. 6			
	IRONMONGERY			
	PROVISIONAL BILLS OF QUANTITIES			

1	<u>Locksets, etc. provided with two keys and to be</u> <u>masterkeyed</u>				
1	"Union 2277-78SS" or equally approved three lever upright mortice lockset with stainless steel forend and striking plate finish.	No	5		
2	"Union CZ80941SC" or equally approved satin chrome W/C indicator bolt.	No	5		
	<u>Handles, furniture, etc.</u>				
3	"Dormakaba DPH301 B" or other equal approved 325 x 25mm Stainless steel straight tubular pull handle with flange fixing. (Sets)	No	10		
	Stops, holders, hooks, etc.				
4	"Dormakaba DHC-SS-030A" or other equal approved stainless steel single hat and coat hook plugged to door.	No	5		
	Sundries				
5	50mm Plastic key tag.	No	10		
	Carried to Collection			R	 T
	Section No. 2 Bill No. 6 IRONMONGERY				F
	PROVISIONAL BILLS OF QUANTITIES				

Section No. 2				
Bill No. 6				
IRONMONGERY				
COLLECTION				
Total Brought Forward from Page No.	Page 56 57		Amount	
Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 6 IRONMONGERY		R		
PROVISIONAL BILLS OF QUANTITIES				

ltem No		Quantity	Rate	Amount	
	BILL No. 7				
	METALWORK				
	Note:				
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).				
	STEEL				
	<u>Stairs, balustrading, cat ladders, grilles, gates, framework, etc.</u>				
	GATES				
	Hot dipped galvanised mild steel				
1	Single gate, size 900mm wide x 2050mm high, the leaf formed of 25 x 25 x 2mm wall thickness mild steel square tubing framing all round with mitred and welded angles, the gate filled in with 12 x 12mm mild steel bars welded, at each end, perimeter framing at not exceeding 100mm centres, the leaf fitted with lock housing (lock elsewhere measured) formed of 2.5mm thick mild steel flat plate, the leaf fitted with a set of hinges fixed to brickwall with and including masonry anchors.(G1) No	5			
	Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 7 METALWORK		R		
	PROVISIONAL BILLS OF QUANTITIES				

ltem No		Quantity	Rate	Amount	
	BILL No. 8				
	PLASTERING				
	Note:				
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).				
	SCREEDS				
	GRANOLITHIC				
	1:3 Cement screeds and paving				
1	25mm Thick screed in patching to floors. m2	5			
	Carried Forward to Summary of Section No. 2 Section No. 2		R		
	Bill No. 8 PLASTERING				
	PROVISIONAL BILLS OF QUANTITIES				

ltem No			Quantity	Rate	Amount
	BILL No. 9				
	TILING				
	Note:				
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).				
	INTERNAL FLOOR TILING				
	<u>Ceramic tiles, size 600 x 600mm (P.C. Amount</u> <u>R300.00/m2) sealed to plastered surfaces with 3mm</u> <u>wide joints and grouted in tinted grout:</u>				
1	On floors.	m2	143		
	INTERNAL WALL TILING				
	<u>Ceramic tiles, size 600 x 600mm (P.C. Amount</u> <u>R300.00/m2) sealed to plastered surfaces with 3mm</u> wide joints and grouted in tinted grout:				
2	On walls.	m2	10		
	<u>Treads, risers, cills, copings, skirtings, etc.</u> <u>Ceramic tiles, size 600 x 600mm (P.C. Amount</u> <u>R300.00/m2) sealed to plastered surfaces with 3mm</u> <u>wide joints and grouted in tinted grout:</u>				
3	Cut tile skirting, 100mm high.	m	74		
	<u>Miscellaneous</u>				
4	10mm Thick aluminium edge trim.	m	74		
	Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 9 TILING			R	
	PROVISIONAL BILLS OF QUANTITIES				

ltem No			Quantity	Rate	Amount
	<u>BILL No. 10</u>				
	PLUMBING AND DRAINAGE (PROVISIONAL)				
	Note:				
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).				
	PIPEWORK, ETC.				
	Pipes, pipe fittings, etc.				
	WATER SUPPLIES				
	Class 10 polycop pipes with straight compression fittings				
1	15mm Pipe and fixing to walls, floors, in roofs, in concrete, etc. including any necessary proprietary holderbats, fixings, etc.	m	62		
2	22mm Ditto.	m	99		
3	15mm Pipe chased into brickwork.	m	86		
4	22mm Ditto.	m	52		
	Extra over copper pipes for brass compression fittings				
5	15mm Fittings.	No	155		
6	22mm Fittings.	No	122		
	<u>Connections</u>				
	Connection of new to existing pipes				
7	Connection of 32mm diameter HDPE to 22mm diameter polycop pipes including all necessary reducers, saddles, etc.	No	3		
	Carried to Collection Section No. 2 Bill No. 10 PLUMBING AND DRAINAGE			R	
	PROVISIONAL BILLS OF QUANTITIES				

	<u>Testing :</u>			
1	Allow for testing the preceding water supply installation in accordance with the National Building Regulations.		Item	
	SOIL DRAINAGE			
	uPVC Pipes with solvent welded straight joints :			
2	50mm Pipes.	m	55	
3	110mm Pipes.	m	78	
	Extra over uPVC pipes for solvent welded fittings :			
4	50mm Plain bend.	No	30	
5	110mm Plain bend.	No	42	
6	50mm Access bend.	No	15	
7	110mm Access bend.	No	28	
	<u>Gulleys, grease traps, etc.</u>			
8	100mm Diameter uPVC gulley trap with universal gulley head set flush in with finished pavement level including encasing in 15MPa concrete 100mm thick all round.	No	3	
9	430 x 430 x 175mm Precast concrete gulley top, bedded over gulley in cement mortar.	No	3	
	<u>Testing :</u>			
10	Allow for testing the preceding sanitary plumbing installation in accordance with the National Building Regulations.		ltem	
	SANITARY FITTINGS, TANKS, GEYSERS, ETC.			
	Sanitary fittings, etc.			
	Existing sanitary fittings			
11	Tighten loose or replace missing bolts to hanger brackets, etc. to white glazed urinal and leave secure on completion.	No	1	
	Carried to Collection			R
	Section No. 2 Bill No. 10 PLUMBING AND DRAINAGE			
	PROVISIONAL BILLS OF QUANTITIES			

	White glazed vitreous china ware :	Ĩ			
1	Rectangular washhand basin, size 560 x 405mm, with one tapholes, one taphole stopper, integrated overflow and chainstay hole, mounted to wall on and including two proprietary semi-concealed cast iron wall brackets with 10mm bolts.	No	11		
2	Close coupled washdown suite with 90 degree outlet open rim pan and matching 9 litre front single flush cistern complete with lid, fitments and flushpipe bedded to floor in 1:4 cement mortar mixture.	No	28		
3	"Vaal 704001" or equally approved wall hung flat back urinal, size overall 610 x 3850mm, complete with chromium plated back inlet spreader and 38mm chromium plated domical grating hung on and including two proprietary hanger brackets.	No	4		
	Sanitary fitting sundries				
4	Satin chrome thief proof toilet roll holder, TR2, plugged to wall.	No	28		
5	Heavy-duty double-flap hinged toilet seat and cover.	No	28		
6	150 x 150mm White glazed soap dish.	No	11		
	Grade 304 stainless steel ware :				
7	Grab rail 1200mm long with two flanges "SR 1" plugged to wall with and including stainless steel screws.	No	1		
8	Dog leg grab rail with three flanges "DL3" plugged to wall with and including stainless steel screws.	No	1		
	Taps, valves, etc.				
	Solid cast brass taps, valves, etc.				
9	15mm Brass ball-o-stop.	No	43		
10	15mm Chromium plated brass metered bib tap with non- hold open feature and flow control.	No	11		
	Carried to Collection			R	
	Bill No. 10 PLUMBING AND DRAINAGE				
	PROVISIONAL BILLS OF QUANTITIES				
I					

1	"Flushmaster Junior FJ 6.000" or other equal approved 22mm chromium plated exposed type urinal flushvalve with "FJT 5.5" chromium plated flushpipe, integral non hold-open feature and ball-o-flo valve, with wall plate.	No	4		
2	22mm Brass non-return valve.	No	3		
	<u>Sundries</u>				
3	Service tap, mixer, etc. including changing washers and leave in perfect working condition.	No	1		
	<u>Waste unions, traps, etc.</u>				
	<u>Outlets, traps, etc :</u>				
4	38mm Chromium plated brass slotted sink waste outlet with plug, chain and chain stay.	No	11		
5	38mm Chromium plated urinal waste outlet.	No	5		
6	38mm Butyl rubber flexible deepseal sink P-trap.	No	11		
7	50mm Chromium plated brass basin bottle trap.	No	5		
	Carried to Collection			R	
	Section No. 2 Bill No. 10				
	PLUMBING AND DRAINAGE				
	PROVISIONAL BILLS OF QUANTITIES				

Section No. 2				
Bill No. 10				
PLUMBING AND DRAINAGE				
COLLECTION				
COLLECTION Total Brought Forward from Page No.	Page No 62 63 64 65		Amount	
Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 10 PLUMBING AND DRAINAGE PROVISIONAL BILLS OF QUANTITIES		R		

ltem No		Quantity	Rate	Amount
	BILL No. 11			
	GLAZING			
	Note:			
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).			
	GLAZING			
	Glass tops, shelves, doors, mirrors, etc.			
1	4mm Thick polished float glass mirror, size 450 x600mm, four times plugged to wall with and including chromium plated dome headed screws.No	11		
	Carried Forward to Summary of Section No. 2		R	
	Section No. 2 Bill No. 11 GLAZING			
	PROVISIONAL BILLS OF QUANTITIES			

ltem No		Quantity	Rate	Amount
_	BILL No. 12			
	PAINTWORK			
	Note:			
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).			
	REDECORATION OF EXISTING			
	PREVIOUSLY PAINTED CONCRETE, PLASTER, ETC			
	Scrape down loose or peeling paint, clean off surface contaminants with a sugar soap solution, allow to dry, stop all holes, minor cracks, etc. and apply one coat plaster primer and two coats exterior acrylic emulsion sheen paint on:			
1	External fibre cement walls. m2	300		
	Scrape down loose or peeling paint, clean off surface contaminants with a sugar soap solution, allow to dry, stop all holes, minor cracks, etc. and apply one coat plaster primer and two coats interior washable acrylic washable emulsion sheen paint on:			
2	Internal fibre cement walls. m2	315		
	PREVIOUSLY UNPAINTED CERAMIC OR STAINLESS STEEL			
	Thoroughly wash down with approved disinfectant solution and leave clean :			
3	Urinals. No	1		
	NEW WORKS			
	PAINT ON TIMBER			
	Carried to Collection		R	
	Section No. 2 Bill No. 12 PAINTWORK			
	PROVISIONAL BILLS OF QUANTITIES			

	Prime or oil on :				
1	Backs of frames or linings not exceeding 300mm girth.	m	43		
	<u>Prepare and apply one coat pink wood primer, one</u> <u>undercoat and two coats water based eggshell enamel</u> <u>on :</u>				
2	Surfaces of flush panel doors.	m2	36		
3	Surfaces of frames and linings.	m2	11		
	Prepare and apply three coats exterior quality clear polyurethane varnish on :				
4	Skirtings, cornices or rails not exceeding 300mm girth.	m	52		
	PAINT ON METALWORK				
	<u>One coat steel etch primer, one coat universal</u> undercoat and two coats gloss enamel paint on :				
5	Steel security gates (both sides measured).	m2	19		
	PAINT ON FIBRE-CEMENT				
	Prime nail heads and H-section jointing strips and apply one coat universal undercoat and two coats eggshell enamel paint on :				
6	Internal fibre cement board ceilings including priming cover strips.	m2	191		
	Carried to Collection			R	T
	Section No. 2 Bill No. 12				+
	PAINTWORK				
	PROVISIONAL BILLS OF QUANTITIES				

Section No. 2				
Bill No. 12				
PAINTWORK				
COLLECTION				
Total Brought Forward from Page No.	Page 68 69		Amount	
Carried Forward to Summary of Section No. 2		R		
Section No. 2 Bill No. 12 PAINTWORK				
PROVISIONAL BILLS OF QUANTITIES				

ltem No		Quantity	Rate	Amount	
	<u>BILL No. 14</u>				
	EXTERNAL WORKS (PROVISIONAL)				
	Note:				
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).				
	TEMPORARY BARRIERS, SCREENS, ECT.				
	TEMPORARY HOARDING				
	Note: Contractor to price for the taking down and carting away hoarding on completion.				
	<u>Site clearance</u>				
1	Allow for clearing site for the width of 1000mm where fencing runs are to be erected including removing trees, shrubs, etc., not exceeding 200mm girth, grubbing up roots and roughly levelling.	100			
2	External barricade screen, 1800mm high overall, comprising 100-125mm diameter tanalith treated gumpoles planted 650mm deep in ground at 3000mm centres comprising of six strands of 4mm galvanised straining wires (evenly spaced) secured to posts with doubled 2mm galvanised wire inserted through hole in post and turned a minimum of four turns around straining wire and yellow and orange barrier shade cloth fixed to straining wires with 20Mpa mass concrete base size 400 x 400 x 550mm thick with sloping top surface including all necessary excavations, backfilling, risk of				
	collapse and carting away surplus material, etc. m	100			
	Carried to Collection		R		
	Section No. 2 Bill No. 13 EXTERNAL WORKS				_
	PROVISIONAL BILLS OF QUANTITIES				

,			1	, ,	1	
	Hot dipped galvanised steel gates					
1	Security fence double gate, size 3000mm wide x 1800mm high, formed of 80 x 40 x 4mm wall thickness rectangular section framing all round with mitred and welded angles and diagonal cross brace, the gate covered with mesh security fencing secured with "Howgring" clips applied with "Howgring" pliers at 300mm centres to and including six rows of straining wires and yellow/orange barrier shade cloth.	No	1			
	THE FOLLOWING IN WALKWAYS					
	EARTHWORKS					
	Excavate in earth not exceeding 2m deep including trimming sides, levelling and ramming bottoms and deposit in spoil heaps for later re-use or cart away					
2	Reduced levels between buildings, retaining walls, etc.	m3	15			
	Carting away of excavated material					
3	Extra over all excavations for loading surplus or unsuitable material from spoil heaps and cart away to a dumping site to be located by the Contractor.	m3	15			
	BASECOURSES					
4	G7 Base course material, selected and supplied by the Contractor, deposited in layers not exceeding 150mm thick, watered and consolidated to 98% modified AASHTO density under pavings.	m3	15			
	<u>Sundries</u>					
5	Rip reduced platform level and recompact to 93% Mod. A.A.S.H.T.O. density.	m2	100			
	Prescribed Testing					
6	Provide and have filling compaction check tested by a Consulting Engineer's Laboratory and deliver the results to the Architect within 24 hours of the tests being completed.	No	5			
	Carried to Collection			R		
	Section No. 2					
	Bill No. 13 EXTERNAL WORKS					
	PROVISIONAL BILLS OF QUANTITIES					

	Weedkillers, insecticides, etc.				
	Soil insecticide in accordance with SANS 5859				
1	Under paving, etc.	m2	100		
	PRECAST CONCRETE PAVERS				
	<u>Grey interlocking precast concrete pavers type S-A laid</u> in herringbone pattern with header course perimeter margin				
2	50mm Thick laid on and including 25mm sand bed treated with weed killer and cement/sand mixture swept into joints on completion.	m2	100		
	Sundries				
3	Circular cutting on 50mm thick non bevelled concrete pavers.	m	5		
	Channelling, kerbing, edging, etc.				
	Precast concrete kerbing				
4	Precast semi-mountable concrete Fig 8B edge kerb size 300 x 175mm high cast in lengths not exceeding 1m and with expansion joints at not exceeding 10m centres finished smooth off the mould on all exposed surfaces bedded on and including minimum 50mm thick mass concrete 15 MPa base and backing including all necessary excavation, formwork, expansion joints, etc.	m	50		
5	Ditto, but circular on plan to not exceeding 4m radius.	m	5		
	THE FOLLOWING IN WATER SUPPLY				
	ALTERATIONS TO EXISTING				
6	Locate, cut into and temporarily stop off 40mm diameter water pipe for insertion of stop end (elsewhere).	No	1		
7	Locate, cut into and temporarily stop off 54mm diameter water pipe for insertion of Tee Junction (elsewhere).	No	1		
8	Locate, cut into and temporarily stop off 63mm diameter water pipe for insertion of Tee Junction (elsewhere).	No	1		
	Carried to Collection			R	
	Section No. 2 Bill No. 13 EXTERNAL WORKS				
	PROVISIONAL BILLS OF QUANTITIES				

Pipes, pipe fittings, etc. Class 12 uPVC water supply pipe with bedding and filling in accordance with SABS 1200 1 32mm Pipe and laying in ground not exceeding 1000mm deep. m 2 40mm Pipe and laying in ground not exceeding 1000mm deep. m 3 32mm bend. No 4 40mm bend. No 100 5 32mm Tee junction. No 8 6 40mm Tee junction. No 8 7 32 x 40 x 32mm Reducing tee. No 1 8 32 x 54 x 32mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 10 Excavate for and build valve chamber size 460 x 460 x not exceeding 1000mm deep internally, formed of 300mm thick layer of well backfilling , 200mm high half birk corbelied sides with 75mm brickforce between each course including Type 3A cast iron valve cover and frame size 100 x 200 x 300 cast iron valve cover and frame size 100 x 200 x 300 cast iron valve cover and frame size 100 x 200 x 300 cast iron valve cover and frame size 100 x 200 x 300 cast iron valve cover and frame size 100 x 200 x 300 cast iron valve cover and frame size 100 x 200 x 300 cast iron valve cover and frame size 100 x 200 x 300 cast iron valve cover and frame size 100 x 200 x 300 cast iron valve cover and fram ber size 100 x 200 x 300 cast iron valve	1	PIPEWORK, ETC.			·	
filling in accordance with SABS 1200 1 32mm Pipe and laying in ground not exceeding 1000mm deep. m 150 2 40mm Pipe and laying in ground not exceeding 1000mm deep. m 100 Extra over uPVC pipes for the following fittings m 100 3 32mm bend. No 20 4 40mm bend. No 10 5 32mm Tee junction. No 8 6 40mm Tee junction. No 5 7 32 x 40 x 32mm Reducing tee. No 1 8 32 x 54 x 32mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 10 Excavate for and build valve chambers ize 460 x 460 x not exceeding 1000mm deep interally, forme of 300mm thick layer of well backfilling. 200mm high half brick corbelled sides with 75mm bickforce between each course including Type 3A cast iron valve cover and frame size 100 x 230 x 300 encased in a 300mm thick 25mpa mas concrete base. No 4 11 32mm Gate valve. No 1 1 12		<u>Pipes, pipe fittings, etc.</u>				
1000mm deep. m 150 2 40mm Pipe and laying in ground not exceeding 1000mm deep. m 100 Extra over uPVC pipes for the following fittings m 100 3 32mm bend. No 20 4 40mm bend. No 10 5 32mm Tee junction. No 8 6 40mm Tee junction. No 5 7 32 x 40 x 32mm Reducing tee. No 1 8 32 x 54 x 32mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 10 Excavate for and build valve chamber size 460 x 460 x not exceeding 1000mm deep internally, formed of 300mm thick layer of well backfilling, 200mm high half Mater supply valve. 11 32mm Gate valve. No 4 12 32mm Non return valve. No 1 12 32mm Non return valve. No 1 12 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
1000mm'deep. m 100 Extra over uPVC pipes for the following fittings 100 3 32mm bend. No 4 40mm bend. No 5 32mm Tee junction. No 6 40mm Tee junction. No 7 32 x 40 x 32mm Reducing tee. No 8 32 x 54 x 32mm Reducing tee. No 9 40 x 63 x 40mm Reducing tee. No 10 Excavate for and build valve chamber size 460 x 460 x not exceeding 1000mm deep internally, formed of 300mm thick layer of well backfilling , 200mm high half South thick 25mp amass concrete base. 10 Excavate, for and build valve chamber size 460 x 460 x not exceeding 1000mm deep internally, formed of 300mm thick layer of well backfilling , 200mm high half South TSmm brickforce between each course including Type 3A cast in on valve cover and frame size 100 x 230 x 300 encased in a 300mm thick 25mpa mass concrete base. No 11 32mm Gate valve. No 1 12 32mm Non return valve. No 1 12 32mm Non return valve. No 1 12 32mm Non return valve. No 1	1		m	150		
3 32mm bend. No 20 4 40mm bend. No 10 5 32mm Tee junction. No 8 6 40mm Tee junction. No 5 7 32 x 40 x 32mm Reducing tee. No 1 8 32 x 54 x 32mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 4 10 Excavate for and build valve chamber size 460 x 460 x not exceeding 1000mm diph half brick corbelled sides with 75mm brickforce between each course including Type 3A cast inon valve cover and frame size 100 x 230 x 300 encased in a 300mm thick layer the size texceeding texceeding texceeding texceeding texceeding texceeding t	2		m	100		
4 40mm bend. No 10 5 32mm Tee junction. No 8 6 40mm Tee junction. No 5 7 32 x 40 x 32mm Reducing tee. No 1 8 32 x 54 x 32mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 Accavate for and build valve chamber size 460 x 460 x not exceeding 1000mm tink layer of well backfling , 200mm high half brick corbelled sides with 75mm brickforce between each course including Type 3A cast iron valve cover and frame size 100 x 230 x 300 encased in a 300mm tink layer to x320 x 300 encased in a 300mm tink layer to x320 x 300 encased in a 300mm tink layer to x320 x 300 encased in a 300mm tink layer to x320 x 300 encased in a 300mm tink layer to x320 x 300 encased in a 300mm tink layer to x320 x 300 encased in a 300mm t		Extra over uPVC pipes for the following fittings				
5 32mm Tee junction. No 8 6 40mm Tee junction. No 5 7 32 x 40 x 32mm Reducing tee. No 1 8 32 x 54 x 32mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 10 Excavate for and build valve chamber size 460 x 460 x not exceeding 1000mm deep internally, formed of 300mm thick layer of well backfilling , 200mm high half brick corbelled sides with 75mm brickforce between each course including Type 3A cast inon valve cover and frame size 100 x 230 x 300 encased in a 300mm thick 25mpa mass concrete base. No 4 11 32mm Gate valve. No 4 12 32mm Non return valve. No 1 Carried to Collection Section No. 2 Bill No. 13 EXTERNAL WORKS	3	32mm bend.	No	20		
6 40mm Tee junction. No 5 7 32 x 40 x 32mm Reducing tee. No 1 8 32 x 54 x 32mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 10 Excavate for and build valve chamber size 460 x 460 x not exceeding 1000mm deep internally, formed of 300mm thick layer of well backfilling , 200mm high half brick corbelled sides with 75mm brickforce between each course including Type 3A cast iron valve cover and frame size 100 x 230 x 300 encased in a 300mm thick 25mpa mass concrete base. No 4 11 32mm Gate valve. No 4 12 32mm Non return valve. No 1 Carried to Collection Section No. 2 Bill No. 13 EXTERNAL WORKS R	4	40mm bend.	No	10		
7 32 x 40 x 32mm Reducing tee. No 1 8 32 x 54 x 32mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 Atom thick layer of metter chambers size 460 x 460 x not exceeding 1000mm deep internally, formed of 300mm thick layer of well backfilling , 200mm high half brick corbelled sides with 75mm brickforce between each course including Type 3A cast iron valve cover and frame size 100 x 230 x 300 encased in a 300mm thick 25mpa mass concrete base. No 4 11 32mm Gate valve. No 1 1 12 32mm Non return valve. No 1 1 12 Section No. 2 1 1 1 13 EXTERNAL WORKS 1 1	5	32mm Tee junction.	No	8		
8 32 x 54 x 32mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 9 40 x 63 x 40mm Reducing tee. No 1 Water supply valve or meter chambers No 1 10 Excavate for and build valve chamber size 460 x 460 x not exceeding 1000mm deep internally, formed of 300mm thick layer of well backfilling , 200mm high half brick corbelled sides with 75mm brickforce between each course including Type 3A cast iron valve cover and frame size 100 x 230 x 300 encased in a 300mm thick 25mpa mass concrete base. No 4 11 32mm Gate valve. No 4 12 32mm Non return valve. No 1 Carried to Collection Section No. 2 Bill No. 13 EXTERNAL WORKS	6	40mm Tee junction.	No	5		
9 40 x 63 x 40mm Reducing tee. No 1 Water supply valve or meter chambers	7	32 x 40 x 32mm Reducing tee.	No	1		
Water supply valve or meter chambers 10 Excavate for and build valve chamber size 460 x 460 x not exceeding 1000mm deep internally, formed of 300mm thick layer of well backfilling , 200mm high half brick corbelled sides with 75mm brickforce between each course including Type 3A cast iron valve cover and frame size 100 x 230 x 300 encased in a 300mm thick 25mpa mass concrete base. No 11 Taps, valves, etc. 11 32mm Gate valve. 12 32mm Non return valve. No 1 Section No. 2 Bill No. 13 ExternAL WORKS R	8	32 x 54 x 32mm Reducing tee.	No	1		
10 Excavate for and build valve chamber size 460 x 460 x not exceeding 1000mm deep internally, formed of 300mm thick layer of well backfilling , 200mm high half brick corbelled sides with 75mm brickforce between each course including Type 3A cast iron valve cover and frame size 100 x 230 x 300 encased in a 300mm thick 25mpa mass concrete base. No 4 11 Taps, valves, etc. No 4 11 32mm Gate valve. No 4 12 32mm Non return valve. No 1 Carried to Collection Section No. 2 Bill No. 13 EXTERNAL WORKS R	9	40 x 63 x 40mm Reducing tee.	No	1		
not exceeding 1000mm deep internally, formed of 300mm thick layer of well backfilling , 200mm high half brick corbelled sides with 75mm brickforce between each course including Type 3A cast iron valve cover and frame size 100 x 230 x 300 encased in a 300mm thick 25mpa mass concrete base. No 4 11 Taps, valves, etc. No 4 11 32mm Gate valve. No 4 12 32mm Non return valve. No 1 Carried to Collection R		Water supply valve or meter chambers				
11 32mm Gate valve. No 4 12 32mm Non return valve. No 1 1 Carried to Collection R	10	not exceeding 1000mm deep internally, formed of 300mm thick layer of well backfilling , 200mm high half brick corbelled sides with 75mm brickforce between each course including Type 3A cast iron valve cover and frame size 100 x 230 x 300 encased in a 300mm	No	4		
12 32mm Non return valve. No 1		<u>Taps, valves, etc.</u>				
Carried to Collection R	11	32mm Gate valve.	No	4		
Section No. 2 Bill No. 13 EXTERNAL WORKS	12	32mm Non return valve.	No	1		
Section No. 2 Bill No. 13 EXTERNAL WORKS						
Section No. 2 Bill No. 13 EXTERNAL WORKS						
Section No. 2 Bill No. 13 EXTERNAL WORKS		Carried to Collection			R	
PROVISIONAL BILLS OF QUANTITIES		Section No. 2 Bill No. 13			K	
		PROVISIONAL BILLS OF QUANTITIES				

	Testing				
1	Allow for testing the water supply installation in accordance with the National Building Regulations.		ltem		
	THE FOLLOWING IN SOIL DRAINAGE				
	Pipe depth categories and manholes, catchpits, etc. have been measured to the designed invert levels of same. The Contractor is to allow for in his rates for any additional excavation, bedding, backfilling, making up levels, etc. he deems necessary to make up any difference to actual depth.				
	EXISTING SERVICES				
	Jet or high pressure cleaning to be carried out on subsurface piping, rodding eyes, manholes, etc. to be carried out to the complete satisfaction of the Engineer.				
	<u>Pipes</u>				
2	110mm Pipe fixed to walls.	m	10		
3	110mm Pipe not exceeding 1000mm deep.	m	100		
4	110mm Pipe exceeding 1000mm not exceeding 2000mm deep.	m	40		
	Rodding eyes				
5	110mm Diameter PVC rodding eye.	No	20		
	Brick manholes				
6	Manhole not exceeding 1000mm deep.	No	5		
7	Manhole exceeding 1000mm not exceeding 2000mm deep.	No	2		
	ALTERATIONS TO EXISTING				
8	Cut into and stop off temporarily 110mm soil pipe for new manhole construction (elsewhere).	No	1		
9	Cut into and stop off temporarily 110mm soil pipe for insertion of Tee junction (elsewhere).	No	1		
	Carried to Collection Section No. 2			R	 L
	Bill No. 13 EXTERNAL WORKS				
	PROVISIONAL BILLS OF QUANTITIES				

	NEW WORKS				
	<u>Class 34 Rigid uPVC socketed soil piping with bedding</u> and filling in accordance with SABS 1200				
1	110mm Pipe and excavation not exceeding 1000mm deep.	m	40		
2	110mm Pipe and excavation exceeding 1000mm not exceeding 2000mm deep.	m	10		
	Extra over uPVC pipes for fittings				
3	110mm 90 Degree bend.	No	13		
4	110mm Junction.	No	3		
	Rodding eyes, etc.				
5	PVC Rodding eye and frame and joint to top of 110mm uPVC pipe.	No	3		
	Sundries				
6	300 x 300 x 75mm Precast concrete inspection eye marker slab set in position including excavations, carting away, ect.	No	4		
	MANHOLES, ETC.				
7	Excavate for and build manhole size 1440 x 1440 x not exceeding 1000mm deep internally, formed of 150mm thick reinforced concrete (25MPa) bottom projecting 150mm all round with welded mesh Ref. 245 both top and bottom, one brick sides, 150mm high precast reinforced concrete (25MPa) cover slab and lid with welded mesh Ref. 245 both top and bottom laid loose on top of brickwork, finished on all exposed surfaces in 3.1 cement plaster and bottom graded to outlets in 3.1 cement mortar.	No	1		
	Carried to Collection			R	
	Section No. 2 Bill No. 13 EXTERNAL WORKS				
	PROVISIONAL BILLS OF QUANTITIES				

1	Excavate for and build manhole size 1440 x 1440 x exceeding 1000mm not exceeding 2000mm deep internally, formed of 150mm thick reinforced concrete (25MPa) bottom projecting 150mm all round with welded mesh Ref. 245 both top and bottom, one brick sides, 150mm high precast reinforced concrete (25MPa) cover slab and lid with welded mesh Ref. 245 both top and bottom laid loose on top of brickwork, finished on all exposed surfaces in 3.1 cement plaster and bottom graded to outlets in 3.1 cement mortar.	No	2		
	Cast iron covers and frames				
2	Type 2A cast iron manhole cover and frame size 620mm diameter bedded on top of concrete slab in cement mortar.	No	3		
	Testing				
3	Allow for testing the soil drainage and sewer plumbing installation in accordance with the National Building Regulations.		Item		
	<u>THE FOLLOWING IN RAINWATER TANKS AND</u> <u>TANKSTANDS (ALL TRADES)</u>				
	Rainwater harvesting (Labour intensive)				
	Excavate in earth not exceeding 2m deep including trimming sides, levelling and ramming bottoms and deposit in spoil heaps for later re-use or cart away				
4	Reduced levels under solid floors.	m3	1		
5	Surface trenches.	m3	15		
	Excavations in earth of more difficult character				
6	Extra over excavations in earth for excavation in soft rock.	m3	2		
7	Extra over excavations in earth for excavation in hard rock.	m3	1		
	Carried to Collection			R	
	Section No. 2 Bill No. 13 EXTERNAL WORKS				
	PROVISIONAL BILLS OF QUANTITIES				

I		1	1		1
	Carting away of excavated material				
1	Load surplus or unsuitable material from spoil heaps and cart away to a dumping site to be located by the Contractor.	m3	9		
	Risk of collapse of excavations				
2	Allow for risk of collapse to sides of excavations not exceeding 1.5m deep including all necessary timber shoring, etc.	m2	43		
	Keeping excavations free of water				
3	Allow for keeping the excavations free from water.		ltem		
	Filling, layerworks, etc.				
4	Earth filling from the excavations and/or stockpiles in backfilling to trenches, column bases, etc., compacted to 95% Mod AASHTO dry density.	m3	7		
5	Imported G7 filling, selected and supplied by the Contractor, including depositing in layers not exceeding 150mm thick and compacting to 95% modified AASHTO dry density to trenches, bases, etc.	m3	7		
	Compaction of surfaces				
6	Scarify in-situ material to a depth of 150mm and compact to 95% Mod AASHTO density.	m2	16		
	<u>Tests</u>				
7	Allow for Mod AASHTO density tests on filling.	No	4.00		
	Reinforced concrete 25MPa in:				
8	Strip foundations cast against excavated surfaces.	m3	5		
9	Surface beds cast in panels including temporary formwork.	m3	2		
	<u>Sundries</u>				
10	Float surface of concrete to a wood float finish.	m2	16		
	Carried to Collection			R	
	Section No. 2				
	Bill No. 13 EXTERNAL WORKS				
	PROVISIONAL BILLS OF QUANTITIES				
I		1	I		I

1		1	1	
	Rough formwork (use and waste) to concrete to:			
1	Edge, riser, etc not exceeding 300mm high.	m	32	
	High tensile welded steel mesh reinforcement :			
2	Ref: 395 cast into concrete surfaces.	m2	14	
3	Ref: 395 cast into concrete strip footings.	m2	29	
	Brickwork in stock bricks in 5:1 cement mortar :			
4	One brick wall.	m2	15	
5	One brick wall in foundations. (Provisional)	m2	15	
	Brickwork sundries :			
6	Galvanised brick reinforcement 150mm wide built horizontally into brickwork.	m	86	
	<u>"Rustgold FBS / Qunu Travertine " or other equal</u> approved FBX quality face bricks including jointing and square recess pointing 6 x 10mm joints			
7	Extra over ordinary brickwork for facing and pointing in stretcher bond.	m2	15	
8	Extra over ordinary brickwork for facing and pointing in stretcher bond in foundations. (Provisional)	m2	5	
	Face brick copings, lintols, cills, etc.			
9	Extra over brickwork for brick-on-edge header course coping including pointing to both faces and top.	m	32	
	Movement joints			
10	10mm Thick bitumen impregnated softboard built vertically between concrete and concrete or brickwork surfaces.	m2	10	
11	Rake out 10mm wide softboard for a depth of 10mm and seal with an approved 2 part polysulphide sealant.	m	18	
	Carried to Collection			R
	Bill No. 13 EXTERNAL WORKS			
	PROVISIONAL BILLS OF QUANTITIES			

	<u>Ties, cramps, etc.</u>				
1	38 x 1,6mm Galvanised hoop iron strap around tank, both ends fitted with once holed 30 x 30 x 3mm thick galvanised flat plate and bolted together with and including M8 bolt and nut.	No	4		
2	38 x 1,6mm Galvanised hoop iron tie down, 1200mm long, one end wrapped around tank strap and twice bolted, the other end folded over and bolted to top of concrete with and including 8 x 60mm masonry anchor.	No	16		
	<u>250 Micron "Gunplas USB" green polyethylene sheeting</u> <u>:</u>				
3	Laid flat under solid floor and over walls.	m2	14		
	Rainwater tanks:				
4	5000 Litre polyethylene rotomoulded vertical water storage tank provided complete with lid and overflow outlet , fitted with suitable adaptor and setting in position on concrete tankstand (elsewhere measured). (The tanks are to be filled with water for the Practical Completion inspection)	No	4		
5	Hole through top of tank lid for 100mm diameter pipe.	No	4		
5		NO	-		
	THE FOLLOWING IN SECURITY FENCING				
	SECURITY FENCING				
	The Contractor is to allow in his rates for any site clearance, preparation of ground, etc. in order to carry out the work successfully.				
	<u>"Clearvu" or equally approved fencing products to be executed in strict accordance with the Manufacturer's instructions</u>				
	Fencing				
6	High security galvanised, marine fusion bond coated, mesh fencing panel, size 3350 x 1800mm high fixed to posts (elsewhere).	No	11		
	Carried to Collection			R	
	Section No. 2				╞
	Bill No. 13 EXTERNAL WORKS				
	PROVISIONAL BILLS OF QUANTITIES				

1	High security galvanised, marine fusion bond coated, mesh fencing panel, size 2300 x 1800mm high fixed to posts (elsewhere).	No	1		
	Posts				
2	Intermediate locking taper post, marine fusion bond coated, 2400mm long, with UV stabilised polymer cap including embedding in 400 x 400 x 600mm (25Mpa) concrete base including all necessary excavations, backfilling, etc.	No	11		
3	End or corner square post, marine fusion bond coated, 2400mm long, with UV stabilised polymer cap including embedding in 400 x 400 x 600mm (25Mpa) concrete base including all necessary excavations, backfilling, etc.	No	4		
4	Square gate post, marine fusion bond coated, 2400mm long, with UV stabilised polymer cap and gate mooring bracket including embedding in 400 x 400 x 600mm (25Mpa) concrete base including all necessary excavations, backfilling, etc.	No	2		
	Gates				
5	Single gate, size 1000 x 1800mm high overall formed of square section perimeter framing, rails, etc. and the gate covered with high security galvanised, marine fusion bond coated, mesh including locking mechanism, hinges, drop bolts, etc. as per manufacturer's specifications.	No	1		
	Accessories				
6	100mm High, marine fusion bond coated, steel shark spikes in 1500mm lengths pre-drilled and bolted to top of fencing panels (elsewhere).	m	40		
7	"Union 3122" or other approved 51mm brass padlock with stainless steel shackle.	No	1		
	Sundries				
8	Extra over excavations in earth (concrete bases) for excavation in soft rock.	m3	0.1		
	Carried to Collection			R	
	Section No. 2 Bill No. 13 EXTERNAL WORKS				
	PROVISIONAL BILLS OF QUANTITIES				

1	Extra over excavations in earth (concrete bases) for excavation in hard rock.	m3	0.1		
	THE FOLLOWING IN ELEVATED TANKS AND GROUND STORAGE (ALL TRADES)				
	EXCAVATIONS, FILLING, ETC.				1
	Excavate in earth not exceeding 2m deep including trimming sides, levelling and ramming bottoms and deposit in spoil heaps for later re-use or cart away				
2	Reduced levels under solid floors.	m3	11		1
	Excavations in earth of more difficult character				
3	Extra over excavations in earth for excavation in soft rock.	m3	1		
	Carting away of excavated material				
4	Load surplus or unsuitable material from spoil heaps and cart away to a dumping site to be located by the Contractor.	m3	12		
	Risk of collapse of excavations				
5	Allow for risk of collapse to sides of excavations not exceeding 1.5m deep including all necessary timber shoring, etc.	m2	10		
	Keeping excavations free of water				1
6	Allow for keeping the excavations free from water.		ltem		
	Foundation courses				
7	Imported G7 filling, selected and supplied by the Contractor, including depositing in layers not exceeding 150mm thick and compacting to 95% modified AASHTO dry density under solid floors.	m3	4		
8	Imported G5 filling, selected and supplied by the Contractor, including depositing in layers not exceeding 150mm thick and compacting to 98% modified AASHTO dry density under solid floors.	m3	4		
					_
	Carried to Collection Section No. 2			R	=
	Bill No. 13 EXTERNAL WORKS				1
	PROVISIONAL BILLS OF QUANTITIES				1

	Compaction of surfaces				
1	Scarify in-situ material to a depth of 150mm and compact to 93% Mod AASHTO density.	m2	27		
	<u>Tests</u>				
2	Allow for Mod AASHTO density tests on filling.	No	2.00		
	CONCRETE (Labour intensive)				
	Reinforced concrete 30MPa (19mm stone) in:				
3	Rafter slabs cast against excavated surfaces.	m3	8		
	Testing				
4	Allow for preparing and curing a set of three test cubes, each size 150mm x 150mm x 150mm and pay all transport and testing costs undertaken by an approved independent laboratory. (Provisional)	Sets	2		
	Surface treatment				
5	Float surface of concrete to a wood float finish.	m2	27		
	Carried to Collection			R	
	Section No. 2 Bill No. 13				
	EXTERNAL WORKS				
	PROVISIONAL BILLS OF QUANTITIES				

1	FORMWORK				
	Edges, risers, ends and reveals				
1	Edge, riser, etc exceeding 300mm high.	m2	11		
	Projections, grooves, etc.				
2	Labour and material in forming 25 x 25mm chamfer to exposed top edge of concrete.	m	24		
	REINFORCEMENT (PROVISIONAL)				
	High tensile welded steel mesh reinforcement :				
3	Ref: 395 cast into concrete surfaces.	m2	27		
	PLUMBING AND DRAINAGE				
	ALTERATIONS TO EXISTING				
4	Locate, cut into and temporarily stop off 63mm diameter water pipe for insertion of reducing fitting (elsewhere).	No	2		
	<u>Pipes, pipe fittings, etc.</u>				
	<u>Class 12 uPVC water supply pipe with bedding and</u> <u>filling in accordance with SABS 1200</u>				
5	40mm Pipe.	m	90		
6	50mm Pipe.	m	12		
7	40mm Pipe and laying in ground not exceeding 1000mm deep.	m	10		
	Extra over uPVC pipes for the following fittings				
8	40mm Bend.	No	27		
9	50mm Bend.	No	5		
10	40mm Tee junction.	No	2		
11	63 x 40mm Straight reducer	No	2		
	Carried to Collection Section No. 2			R	
	Bill No. 13 EXTERNAL WORKS				
	PROVISIONAL BILLS OF QUANTITIES				

	Taps, valves, etc.			
1	40mm float valve kit fitted inside of tank.	3		
2	40mm In-line strainer. No	2		
3	40mm Brass gate valve.	3		
4	40mm Brass non return valve.	0 1		
5	40mm Flanged resilient seal gate valve with cap top.	2		
6	40mm Flanged pressure reducing valve.	0 1		
	<u>Switch</u>			
7	Float switch fitted inside of tank.	2		
	<u>Connections</u>			
	Connection of new to existing pipes			
8	Connection of 40mm diameter HDPE to 40mm diameter galvanised pipes including all necessary reducers, saddles, etc.	2		
9	Connection of 40mm diameter HDPE to 0.75kw water pump including all necessary reducers, saddles, etc.	2		
10	Connection of 63mm diameter HDPE to 40mm diameter galvanised pipes including all necessary reducers, saddles, etc.) 1		
	Rainwater tanks:			
11	20 000 Litre polyethylene rotomoulded vertical water storage tank provided complete with lid and overflow outlet, fitted with suitable adaptor and setting in position on concrete tankstand (elsewhere measured). (The tanks are to be filled with water for the Practical Completion inspection)) 3		
12	Hole through side of tank for 40mm diameter pipe including adaptor.	6		
	Carried to Collection		R	
	Section No. 2 Bill No. 13 EXTERNAL WORKS			
	PROVISIONAL BILLS OF QUANTITIES			

	<u>Ties, cramps, etc.</u>					
1	38 x 1,6mm Galvanised hoop iron strap around tank, both ends fitted with once holed 30 x 30 x 3mm thick galvanised flat plate and bolted together with and including M10 bolt and nut.	No	3			
2	38 x 1,6mm Galvanised hoop iron tie down, 2500mm long, one end wrapped around tank strap and twice bolted, the other end folded over and bolted to top of concrete with and including 8 x 60mm masonry anchor.	No	12			
	Water supply valve or meter chambers					
3	Excavate for and build valve chamber size 565 x 665 x 550mm deep overall formed of precast concrete valve chamber units 1, 2, 3 and 4 with valve box lid-V and 19mm thick layer of 19mm stone in bottom including filling in and ramming.	No	2			
	Pump and Pumphouse					
4	Allow the Budgetary Allowance of R 15 000,00 (Fifteen Thousand Rand) for the installation of a 0.75kw water pump including housing, etc.		ltem		15,000.0)0
	ELECTRICAL CONNECTION					
	Elevated Tank Electrical Works					
5	Allow the Budgetary Allowance of R 30 000,00 (Thirty Thousand Rand) for the electrical supply to the water pumps, float switches, ect.		Item		30,000.0)0
	PROVISION OF TEMPORARY TOILETS DURING THE CONSTRUCTION PERIOD					
	Portable toilets					
6	Supply and erecting of the portable chemical toilet during the duration of the contract.	No	5			
7	Servicing and maintain the five portable chemical toilets on a weekly basis during duration of the contract. (No = week)	No	20			
8	Removal of the portable chemical toilet on completion of the contract.	No	5			
						—
	Carried to Collection Section No. 2			R		_
	Bill No. 13 EXTERNAL WORKS					
	PROVISIONAL BILLS OF QUANTITIES					

Sect	ion No. 2				
Bill N	No. 13				
EXT	ERNAL WORKS				
<u>COL</u>	LECTION				
		Page No		Amount	
Tota	l Brought Forward from Page No.	71			
		72			
		73			
		74			[
		75			
		76			
		77			
		78			
		79			
		80			
		81			
		82			
		83			
		84			
		85			
		86			
	Carried Forward to Summary of Section No. 2		R		
Sec	tion No. 2 No. 13				
	ERNAL WORKS				
PR	OVISIONAL BILLS OF QUANTITIES				

	SECTION SUMMARY - SECTION NO.2 - BUILDING WORKS				
Bill No		Page No		Amount	
1	ALTERATIONS	47			
2	WATERPROOFING	48			-
3	CARPENTRY AND JOINERY	51			-
4	CEILINGS, PARTITIONS AND ACCESS FLOORING	54			-
5	FLOOR COVERINGS, WALL LININGS, ETC.	55			-
6	IRONMONGERY	58			-
7	METALWORK	59			-
8	PLASTERING	60			-
9	TILING	61			-
10	PLUMBING AND DRAINAGE	66			-
11	GLAZING	67			-
12	PAINTWORK	70			-
13	EXTERNAL WORKS	87			-
					-
	Carried to Final Summary		R		
	Section No. 2				
	PROVISIONAL BILLS OF QUANTITIES				

ltem No		Quantity	Rate	Amount
	<u>SECTION NO.3 - PROVISIONAL SUMS ,</u> BUDGETARY ALLOWANCES, ECT.			
	BILL NO.1			
	PROVISIONAL SUMS, BUDGETARY ALLOWANCES, ETC.			
	Note:			
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).			
	PROVISIONAL SUM			
	ELECTRICAL INSTALLATION			
1	Provided the Provisional sum of R 60 000.00 (Sixty Thousand Rand) for the refurbishment of existing electrical installations including replacing lights, plugs and sockets, ect.	Item		60,000.00
2	Add for profit on the above, if desired.	ltem		
3	Allow for attendance on the above, if desired.	ltem		
	COMMUNITY LIAISON OFFICER (CLO)			
4	Provide the sum of R 39 000.00 (Thirty Nine Thousand Hundred Rand) for the employment of a CLO.(R 6 500.00 per month x contract period allowance)	Item		39,000.00
5	Add for profit on the above if required.	ltem		
	BUDGETARY ALLOWANCE			
	Carried to Collection		R	
	Bill No. 1 PROVISIONAL SUMS, BUDGETARY ALLOWANCES,EC			
	PROVISIONAL BILLS OF QUANTITIES			

	REPAIRS TO EXISTING PREFABRICATED ABLUTIONS			
1	Allow the Budgetary Allowance of R 150 000.00 (One Hundred and Fifty Thousand Rand) for the repairs existing prefabricated toilet block structures, to be detailed at a later stage.	Item		150,000.00
	Carried to Collection Section No. 3		R	
	Bill No. 1 PROVISIONAL SUMS, BUDGETARY ALLOWANCES,EC			
	PROVISIONAL BILLS OF QUANTITIES			

Section No. 3				
Bill No. 1				
PROVISIONAL SUMS, BUDGETARY ALLOWANCES, ECT.				
COLLECTION				
Total Brought Forward from Page No.	Page 89 90		Amount	
Carried to Final Summary Section No. 3		R		
Bill No. 1 PROVISIONAL SUMS, BUDGETARY ALLOWANCES,EC				
PROVISIONAL BILLS OF QUANTITIES				

	FINAL SUMMARY				
Section No		Page No		Amount	
1	SECTION NO.1 - PRELIMINIARIES AND GENERAL	43			
2	SECTION NO.2 - BUILDING WORKS	88			
3	SECTION NO.3 - PROVISIONAL SUMS , BUDGETARY ALLOWANCES, ECT.	91			
	Sub - Total		R		
	CONTINGENCY PROVISIONS				
	Allow the Budgetary Provision of R 100 000.00 (One Hundred Thousand Rand) for construction contingencies of a general nature and for the finalisation of design detailing. This sum, or any portion thereof, shall be expended at the sole discretion of the Principal Agent. Any residual balance remaining subsequent to such expenditure shall be deducted in its entirety from the Contract Sum.	Item		100,000.0	00
	Sub - Total		R		
	Add Value - Added Tax at the rate applicable as at Tender closing date.		R		
	Sub - Total		R		
	Carried to Form of Tender		R		
	PROVISIONAL BILLS OF QUANTITIES				