Item No		Quantity	Rate	Amount
,	SECTION No. 1 - PRELIMINARIES			
	BILL NO. 1			
	PRELIMINARIES			
	MEANING OF TERMS "TENDER / TENDERER"			
	Any reference to the words "Tender" or "Tenderer" herein and/or in any other documentation shall be construed to have the same meaning as the words "Bid" or "Bidder"			
	<u>PRELIMINARIES</u>			
	The JBCC Preliminaries Code 2103, May 2005 edition for use with the JBCC Principal Building Agreement Edition 4.1 Code 2101, March 2005 is taken to be incorporated herein. The tenderer is deemed to have referred to these documents for the full intent and meaning of each clause. These clauses are referred to by number and heading only. Where standard clauses or options are not applicable to the contract such modifications or corrections as are necessary are given under each relevant clause. Where an item is not relevant to this specific contract such item is marked "N/A" signifying "Not Applicable" PRICING OF PRELIMINARIES			
	Should Option A, as set out in clause B10.3.1 hereinafter be used for the adjustment of preliminaries then each item priced is to be allocated to one or more of the three categories Fixed, Value Related or Time Related and the respective amounts entered in the spaces provided under each item			
	Items not priced in these Preliminaries shall be deemed to be included elsewhere in these Bills of Quantities			
	Carried to Collection		R	
	Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL		K	
	PROVISIONAL BILLS OF QUANTITIES			

	SECTION A: JBCC PRINCIPAL BUILDING AGREEMENT		
	DEFINITIONS		
1	A1.0 DEFINITIONS AND INTERPRETATION		
	Clause 1.0		
	Clause 1.1 Definition of "Commencement Date" is added:		
	"COMMENCEMENT DATE" means the date that is 5 working days after site hand over.		
	Clause 1.1 Definition of "Construction Guarantee" is amended by replacing it with the following:		
	"CONSTRUCTION GUARANTEE" means a guarantee at call obtained by the contractor from an institution approved by the employer in terms of the employer's construction guarantee form as selected in the schedule		
	Clause 1.1 Definition of "Construction Period" is amended by replacing it with the following:		
	"CONSTRUCTION PERIOD" means the period commencing on the commencement date and ending on the date of practical completion		
	Clause 1.1 Definition of "Corrupt Practice" is added:		
	"CORRUPT PRACTICE" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution		
	Clause 1.1 Definition of "Fraudulent Practice" is added:		
			<u>_</u>
	Carried to Collection	R	
	Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL		 _
	PROVISIONAL BILLS OF QUANTITIES		

"FRAUDULENT PRACTICE" means a mispresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any tenderer and includes collusive practice among tenderers (prior to or after the tender submission) designed to establish tender prices at artificial non-competitive levels and to deprive the tenderer of the benefits of free and open competition		
Clause 1.1 Definition of "Interest" is amended by replacing it with the following:		
"INTEREST" means the interest rates applicable on this contract, whether specifically indicated in the relevant clauses or not, will be in terms of the legislation of the Republic of South Africa, and in particular:		
(a) in respect of interest owed by the employer, the interest rate as determined by the Minister of Justice and Constitutional Development from time to time, in terms of section 1(2) of the Prescribed Rate of Interest Act, 1975 (Act No. 55 of 1975), will apply;		
and		
(b) in respect of interest owed to the employer, the interest rate as determined by the Minister of Finance, from time to time, in terms of section 80(1)(b) of the Public Finance Management Act, 1999 (Act No. 1 of 1999), will apply		
Clause 1.1 Definition of " Principal Agent " is amended by replacing it with the following:		
"PRINCIPAL AGENT" means the person or entity appointed by the employer and named in the schedule. In the event of a principal agent not being appointed, then all the duties and obligations of a principal agent as detailed in the agreement shall be fulfilled by a representative of the employer as named in the schedule		
Clause 1.1 Definition of " Security " is amended by replacing it with the following:		
Carried to Collection	R	<u>_</u>
Section No. 1 Bill No. 1		
PRELIMINARIES AND GENERAL		
PROVISIONAL BILLS OF QUANTITIES		

	"SECURITY" means the form of security provided by the employer or contractor, as stated in the schedule, from which the contractor or employer may recover expense or loss				
	Clause 1.6 is amended by replacing the words "prepaid registered post, telefax or e-mail" with "prepaid registered post or telefax"				
	Clause 1.6.4 is amended by replacing it with the following:				
	No clause				
	Fixed: Value related: Time related:	Item			
	OBJECTIVE AND PREPARATION				
1	A2.0 OFFER, ACCEPTANCE AND PERFORMANCE				
	Clause 2.0				
	Fixed: Value related: Time related:	Item			
2	A3.0 DOCUMENTS				
	Clause 3.0				1
	Clause 3.2.1 is amended by replacing"14.1" with "14.0"				1
	Clause 3.7 is amended by the addition of the following:				1
	The contractor shall supply and keep a copy of the JBCC Series 2000 Principal Building Agreement and Preliminaries applicable to this contract on the site , to which the employer , principal agent and agents shall have access at all times				
	Clause 3.10 is amended by replacing the second reference to "principal agent" with the word "employer"				
	Fixed: Value related: Time related:	Item			
	Carried to Collection		R		
	Section No. 1				_
	Bill No. 1 PRELIMINARIES AND GENERAL				
	PROVISIONAL BILLS OF QUANTITIES				
		I	l l	ı	

1	A4.0 DESIGN RESPONSIBILITY			
	Clause 4.0			
	Clause 4.3 is amended by replacing it with the following:			
	No clause			
	Fixed: Value related: Time related:	Item		
2	A5.0 EMPLOYER'S AGENTS			
	Clause 5.0			
	Clause 5.1.2 is amended to include clauses 32.6.3, 34.3 and 34.4 in terms of which the employer has retained its authority and has not given a mandate to the principal agent and in terms of which the employer shall sign all documents.			
	Fixed: Value related: Time related:	Item		
3	A6.0 SITE REPRESENTATIVE			
	Clause 6.0			
	Fixed: Value related: Time related:	Item		
4	A7.0 COMPLIANCE WITH REGULATIONS			
	Clause 7.0			
	Fixed: Value related: Time related:	Item		
5	A8.0 WORKS RISK			
	Clause 8.0			
	Fixed: Value related: Time related:	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			

1	A9.0	INDEMNITIES				
	Clause	9.0				
		Value related: Time	Item			
2	A10.0	WORKS INSURANCES				
	Clause	10.0				
	Clause clauses	10.0 is amended by the addition of the following s:				
	10.5 Da	amage to the Works				
	(a)	Without in any way limiting the contractor's obligations in terms of the contract, the contractor shall bear the full risk of damage to and/or destruction of the works by whatever cause during construction of the works and hereby indemnifies and holds harmless the employer against any such damage. The contractor shall take such precautions and security measures and other steps for the protection and security of the works as the contractor may deem necessary				
	(b)	The contractor shall at all times proceed immediately to remove or dispose of any debris arising from damage to or destruction of the works and to rebuild, restore, replace and/or repair the works				
	(c)	The employer shall carry the risk of damage to or destruction of the works and materials paid for by the employer that is the result of the excepted risks as set out in 10.6				
	(d)	Where the employer bears the risk in terms of this contract, the contractor shall, if requested to do so, reinstate any damage or destroyed portions of the works and the costs of such reinstatement shall be measured and valued in terms of 32.0 hereof				
						_
	Soation	Carried to Collection		R		
	Section Bill No. PRELIM					
	PROVI	SIONAL BILLS OF QUANTITIES				
	l		1	I I	ı I	

10.6 Injury to Persons or loss of or damage to Properties		
(a) The contractor shall be liable for and hereby indemnifies the employer against any liability, loss, claim or proceeding whether arising in common law or by statute, consequent upon personal injuries to or the death of any person whomsoever arising out of or in the course of or caused by the execution of the works unless due to any act or negligence of any person for whose actions the employer is legally liable		
(b) The contractor shall be liable for and hereby indemnifies the employer against any liability, loss, claim or proceeding consequent upon loss of or damage to any moveable or immovable or personal property or property contiguous to the site , whether belonging to or under the control of the employer or any other body or person, arising out of or in the course of or by reason of the execution of the works unless due to any act or negligence of any person for whose actions the employer is legally liable		
(c) The contractor shall, upon receiving a contract instruction from the principal agent , cause the same to be made good in a perfect and workmanlike manner at his own cost and in default thereof the employer shall be entitled to cause it to be made good and to recover the cost thereof from the contractor or to deduct the same from amounts due to the contractor		
(d) The contractor shall be responsible for the protection and safety of such portions of the premises placed under his control by the employer for the purpose of executing the works until the issue of the certificate of practical completion		
Carried to Collection	R	
Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL		
PROVISIONAL BILLS OF QUANTITIES		

i .		1	
(e)	Where the execution of the works involves the risk of removal of or interference with support to adjoining properties including land or structures or any structures to be altered or added to, the contractor shall obtain adequate insurance and will remain adequately insured or insured to the specific limit stated in the contract against the death of or injury to persons or damage to such property consequent on such removal or interference with the support until such portion of the works has been completed		
(f)	The contractor shall at all times proceed immediately at his own cost to remove or dispose of any debris and to rebuild, restore, replace and/or repair such property and to execute the works		
10.7 Hi	gh risk insurance		
geologic an area condition movement	event of the project being executed in a cal area classified as a "High Risk Area", that is which is subject to highly unstable subsurface ons that might result in catastrophic ground ent evident by sinkhole or doline formation the g will apply:		
10.7.1	Damage to the works		
the wor comple and hole to and/o catastro The con measur	Intractor shall, from the commencement date of the certificate of practical etion bear the full risk of and hereby indemnifies ds harmless the employer against any damage or destruction of the works consequent upon a ophic ground movement as mentioned above. Intractor shall take such precautions and security the sand other steps for the protection of the last he may deem necessary		
contrac dispose destruc	to instructed to do so by the principal agent , the ctor shall proceed immediately to remove and/or of any debris arising from damage to or tion of the works and to rebuild, restore, replace repair the works , at the contractor's own costs		
	Carried to Collection	R	
Section Bill No. PRELIM			
PROVIS	SIONAL BILLS OF QUANTITIES		

10.7.2 Injury to persons or loss of or damage to property			
The contractor shall be liable for and hereby indemnifies and holds harmless the employer against any liability, loss, claim or proceeding arising at any time during the period of the contract whether arising in common law or by statute, consequent upon personal injuries to or the death of any person whomsoever resulting from, arising out of, or caused by a catastrophic ground movement as mentioned above			
The contractor shall be liable for and hereby indemnifies the employer against any and all liability, loss, claim or proceeding consequent upon loss of or damage to any moveable or immovable or personal property or property contiguous to the site , whether belonging to or under the control of the employer or any other body or person whomsoever arising out of or caused by a catastrophic ground movement, as mentioned above, which occurred during the period of the contract			
10.7.3 It is the responsibility of the contractor to ensure that he has adequate insurance to cover his risk and liability as mentioned in 10.7.1 and 10.7.2. Without limiting the contractor's obligations in terms of the contract, the contractor shall, within twenty-one (21) calendar days of the commencement date but before commencement of the works, submit to the employer proof of such insurance policy, if requested to do so			
10.7.4 The employer shall be entitled to recover any and all losses and/or damages of whatever nature suffered or incurred consequent upon the contractor's default of his obligations as set out in 10.7.1; 10.7.2 and 10.7.3. Such losses or damages may be recovered from the contractor or by deducting the same from any amounts still due under this contract or under any other contract presently or hereafter existing between the employer and the contractor and for this purpose all these contracts shall be considered one indivisible whole			
Fixed: Value related: Time related:	Item		
Carried to Collection		R	
Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL			
PROVISIONAL BILLS OF QUANTITIES			

1	A11.0 LIABILITY INSURANCES			
	Clause 11.0			
	Fixed: Value related: Time related:	Item		
2	A12.0 EFFECTING INSURANCES			
	Clause 12.0			
	Fixed: Value related: Time related:	Item		
3	A13.0 No clause	N/A		
4	A14.0 SECURITY			
	Clause 14.0			
	Clauses 14.1 - 14.8 are amended by replacing them with the following:			
	14.1 The security to be submitted by the contractor to the employer will be as a payment reduction of up to ten per cent (10%) of the value certified in the payment certificate (excluding VAT)			
	14.1.1 The payment reduction of the value certified in a payment certificate shall be <i>mutatis mutandi</i> in terms of 31.8(A)			
	14.1.2 The employer shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his obligations to refund the payment reduction security or portions thereof to the contractor			
	14.2 Where security as a payment reduction of ten per cent (10%) of the value certified in the payment certificate (excluding VAT) has been selected:			
	14.2.1 The payment reduction of the value certified in a payment certificate shall be <i>mutatis mutandi</i> in terms of 31.8(B)			
				_
	Carried to Collection Section No. 1		R	
	Bill No. 1 PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			

1	14.2.2 The employer shall be entitled to recover expense and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his obligations to refund the payment reduction security or portions thereof to the contractor 14.9 Should the contractor fail to furnish the security in terms of 14.2, the employer, in his sole discretion and without notification to the contractor, is entitled to change the contractor's selected form of security to that of a ten per cent (10%) payment reduction of the value certified in the payment certificate (excluding VAT), whereafter 14.7 shall be applicable Fixed: Value related: Time related:	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL PROVISIONAL BILLS OF QUANTITIES			

	Give the contractor possession of the site within ten (10) working days of the contractor complying with the terms of 15.1.4			
	Fixed: Value related: Time related:	Item		
1	A16.0 ACCESS TO THE WORKS			
	Clause 16.0			
	Fixed: Value related: Time related:	Item		
2	A17.0 CONTRACT INSTRUCTIONS			
	Clause 17.0			
	Clause 17.1.11 is amended by deleting the words "and the appointment of nominated and selected subcontractors "			
	Fixed: Value related: Time related:	Item		
3	A18.0 SETTING OUT OF THE WORKS			
	Clause 18.0			
	Fixed: Value related: Time related:	Item		
4	A19.0 ASSIGNMENT			
	Clause 19.0			
	Fixed: Value related: Time related:	Item		
				L
	Carried to Collection	F	₹	
	Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			

1	A20.0 NOMINATED SUBCONTRACTORS		
	Clause 20.0		
	Clause 20.1.3 is amended by replacing it with the following:		
	No clause		
	Note: See item B9.1 hereinafter for adjustment of attendance on nominated subcontractors executing work allowed for under provisional sums		
	Fixed: Value related: Time related:	Item	
2	A21.0 SELECTED SUBCONTRACTORS		
	Clause 21.0		
	Clause 21 is amended by replacing it with:		
	No clause		
	Fixed: Value related: Time related:	Item	
3	A22.0 EMPLOYER'S DIRECT CONTRACTORS		
	Clause 22.0		
	Fixed: Value related: Time related:	Item	
4	A23.0 CONTRACTOR'S DOMESTIC SUBCONTRACTORS		
	Clause 23.0		
	Fixed: Value related: Time related:	Item	
	Carried to Collection		R
	Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL		
	PROVISIONAL BILLS OF QUANTITIES		

	COMPLETION			
1	A24.0 PRACTICAL COMPLETION			
	Clause 24.0			
	Fixed: Value related: Time related:	Item		
2	A25.0 WORKS COMPLETION			
	Clause 25.0			
	Fixed: Value related: Time related:	Item		
3	A26.0 FINAL COMPLETION			
	Clause 26.0			
	Fixed: Value related: Time related:	Item		
4	A27.0 LATENT DEFECTS LIABILITY PERIOD			
	Clause 27.0			
	Fixed: Value related: Time related:	Item		
5	A28.0 SECTIONAL COMPLETION			
	Clause 28.0			
	Fixed: Value related: Time related:	Item		
6	A29.0 REVISION OF DATE FOR PRACTICAL COMPLETION			
	Clause 29.0			
	Clause 29.2.5 is amended by replacing it with:			
	No clause			
	Fixed: Value related: Time related:	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			
ı,		ı I	li li	

1	A30.0 PENALTY FOR NON-COMPLETION			
	Clause 30.0			
	Fixed: Value related: Time related:	Item		
	PAYMENT			
2	A31.0 INTERIM PAYMENT TO THE CONTRACTOR			
	Clause 31.0			
	Clause 31.5.2 is amended by replacing "14.7.1" with "14.0 and 31.8"			
	Clause 31.8 is amended by replacing it with the following two alternative clauses:			
	Alternative A			
	31.8(A) Where a security is selected in terms of 14.1; the value of the works in terms of 31.4.1 and materials and goods in terms of 31.4.2 shall be certified in full. The value certified shall be subject to the following percentage adjustments:			
	31.8(A).1 Ninety-five percent (95%) of such value in interim payment certificates issued up to the date of practical completion			
	31.8(A).2 Ninety-seven and half percent (97.5%) of such value in interim payment certificates issued on the date of practical completion and up to but excluding the date of final completion			
	31.8(A).3 Ninety-nine percent (99%) of such value in interim payment certificates issued on the date of final completion and up to but excluding the final payment certificate in terms of 34.6			
	31.8(A).4 One hundred percent (100%) of such value in the final payment certificate in terms of 34.6 except where the amount certified is in favour of the employer . In such an event the payment reduction shall remain at the adjustment level applicable to the final payment certificate			
				_
	Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL		R	
	PROVISIONAL BILLS OF QUANTITIES			

	Clause 31.12 is amended by deleting the following:			
	Payment shall be subject to the employer giving the contractor a tax invoice for the amount due			
	Fixed: Value related: Time related:	Item		
1	A32.0 ADJUSTMENT TO THE CONTRACT VALUE			
	Clause 32.0			
	Clauses 32.5.1, 32.5.4 and 32.5.7 are amended by the addition of the following at the end of the sentence:			
	"due to no fault of the contractor "			
	Add the following clauses: 33.2.9 to 33.2.13:			
	33.2.9 the contractor 's failure or neglect to commence with the works on the dates prescribed in the contract			
	33.2.10 the contractor's failure or neglect to proceed with the works in terms of the contract			
	33.2.11 the contractor's failure or neglect for any reason to complete the works in accordance with the contract			
	33.2.12 the contractor's refusal or neglect to comply strictly with any of the conditions of contract or any contract instructions and/or orders in writing given in terms of the contract			
	33.2.13 the contractor's estate being sequestrated; liquidated or surrendered in terms of the insolvency laws in force within the Republic of South Africa.			
	Fixed: Value related: Time related:	Item		
2	A33.0 RECOVERY OF EXPENSE AND LOSS			
	Clause 33.0			
	Fixed: Value related: Time related:	Item		
				1
	Carried to Collection		R	 _ _
	Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			

A34.0 FINAL ACCOUNT AND FINAL PAYMENT				
Clause 34.0				
Clause 34.1 is amended by removing "#" next to 34.1				
Clause 34.2 is amended by inserting "#" next to 34.2				
Clause 34.13 is amended by replacing "seven (7) calendar days" with "twenty-one (21) calendar days" and deleting the words "subject to the employer giving the contractor a tax invoice for the amount due"				
Fixed: Value related: Time related:	Item			
A35.0 PAYMENT TO OTHER PARTIES				
Clause 35.0				
Fixed: Value related: Time related:	Item			
CANCELLATION				
A36.0 CANCELLATION BY EMPLOYER - CONTRACTOR'S DEFAULT				
Clause 36.0				
Clause 36.1 is amended by the addition of the following clauses:				
36.1.3 refuses or neglects to comply strictly with any of the conditions of contract				
36.1.4 estate being sequestrated, liquidated or surrendered in terms of the insolvency laws in force within the Republic of South Africa				
36.1.5 in the judgement of the employer , has engaged in corrupt or fraudulent practices in competing for or in executing the contract				
Clause 36.3 is amended by removing the reference to "No clause" and replacing the words "principal agent" with "employer"				
				_
Section No. 1		R		_
Bill No. 1 PRELIMINARIES AND GENERAL				
PROVISIONAL BILLS OF QUANTITIES				
	Clause 34.1 is amended by removing "#" next to 34.1 Clause 34.2 is amended by inserting "#" next to 34.2 Clause 34.13 is amended by replacing "seven (7) calendar days" with "twenty-one (21) calendar days" and deleting the words "subject to the employer giving the contractor a tax invoice for the amount due" Fixed: Value related: Time related:	Clause 34.1 is amended by removing "#" next to 34.1 Clause 34.2 is amended by inserting "#" next to 34.2 Clause 34.13 is amended by replacing "seven (7) calendar days" with "twenty-one (21) calendar days" and deleting the words "subject to the employer giving the contractor a tax invoice for the amount due" Fixed: Value related: Time related: Time related: Value related: Time related: Value related: Time related: Value related: Time related: Time related: Value related: Time related:	Clause 34.1 is amended by removing "#" next to 34.1 Clause 34.2 is amended by inserting "#" next to 34.2 Clause 34.13 is amended by replacing "seven (7) calendar days" with "twenty-one (21) calendar days" and deleting the words "subject to the employer giving the contractor a tax invoice for the amount due" Fixed:	Clause 34.1 is amended by removing "#" next to 34.1 Clause 34.1 is amended by inserting "#" next to 34.2 Clause 34.13 is amended by replacing "seven (7) calendar days" and deleting the words "subject to the employer giving the contractor a tax invoice for the amount due" Fixed

	Clause 36.0 is amended by the addition of the following clause:			
	36.3 Remove reference to "No clause", and replace "principal agent" with "employer"			
	36.7 Notwithstanding any clause to the contrary, on cancellation of this agreement either by the employer or the contractor ; or for any reason whatsoever, the contractor shall on written instruction, discontinue with the works on a date stated and withdraw himself from the site . The contractor shall not be entitled to refuse to withdraw from the works on the grounds of any lien or right of retention or on the grounds of any other right whatsoever			
	Fixed: Value related: Time related:	Item		
1	A37.0 CANCELLATION BY EMPLOYER - LOSS AND DAMAGE			
	Clause 37.0			
	Clause 37.3.5 is amended by replacing "ninety (90)" with "one hundred and twenty (120)"			
	Clause 37.0 is amended by the addition of the following clause:			
	37.3.5 Replace "ninety (90)" with "one hundred and twenty (120) and 38.5.4			
	Fixed: Value related: Time related:	Item		
2	A38.0 CANCELLATION BY CONTRACTOR - EMPLOYER'S DEFAULT			
	Clause 38.0			
	Clause 38.5.4 is amended by replacing "ninety (90)" with "one hundred and twenty (120)"			
	Clause 38.0 is amended by the addition of the following clause:			
	Carried to Collection		R	
	Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			

	38.7 Notwithstanding any clause to the contrary, on cancellation of this agreement either by the employer or the contractor ; or for any reason whatsoever, the contractor shall on written instruction, discontinue with the works on a date stated and withdraw himself from the site . The contractor shall not be entitled to refuse to withdraw from the works on the grounds of any lien or right of retention or on the grounds of any other right whatsoever			
	Fixed: Value related: Time related:	Item		
1	A39.0 CANCELLATION - CESSATION OF THE WORKS			
	Clause 39.0			
	Clause 39.3.5 is amended by the addition of the following at the end of the sentence:			
	"within one hundred and twenty (120) working days of completion of such a report"			
	Fixed: Value related: Time related:	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			

	DISPUTE			
1	A40.0 DISPUTE SETTLEMENT			
	Clause 40.0			
	Clause 40.2.2 is amended by replacing "one (1) year" with "three (3) years"			
	Clause 40.6 is amended by removing the reference to:			
	No clause			
	Clause 40.7.1 is amended by replacing "(10)" with "(15)" and by the addition of the following:			
	Whether or not mediation resolves the dispute, the parties shall bear their own costs concerning the mediation and equally share the costs of the mediator and related costs			
	Fixed: Value related: Time related:	Item		
	SUBSTITUTE PROVISIONS			
2	A41.0 STATE CLAUSES			
	Clause 41.0			
	Fixed: Value related: Time related:	Item		
	CONTRACT VARIABLES			
3	A42.0 THE SCHEDULE (C1.2)			
	Clause 42.0			
	Tenderers are referred to the C1.2 CONDITIONS OF CONTRACT AND CONTRACT VARIABLES for variables pertaining to this contract			
	Fixed: Value related: Time related:	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL			_
	PROVISIONAL BILLS OF QUANTITIES			

	SECTION B: JBCC PRELIMINARIES			
	B1.0 DEFINITIONS AND INTERPRETATION			
1	B1.1 Definitions and interpretation			
	See also clause A1.0 of Section A for additional and/or amended definitions which shall apply equally to this Section			
	Fixed: Value related: Time related:	Item		
	B2.0 DOCUMENTS			
2	B2.1 Checking of documents			
	Fixed: Value related: Time related:	Item		
3	B2.2 Provisional bills of quantities			
	Fixed: Value related: Time related:	Item		
4	B2.3 Availability of construction documentation			
	Fixed: Value related: Time related:	Item		
5	B2.4 Interests of agents			
	Fixed: Value related: Time related:	Item		
6	B2.5 Priced documents			
	Fixed: Value related: Time related:	Item		
7	B2.6 Tender submission			
	Clause 2.6 is amended by replacing "JBCC Form of Tender" with "Form of Offer and Acceptance DPW-07(EC)"			
	Fixed: Value related: Time related:	Item		
				_
	Carried to Collection		R	
	Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			

		ı	1		1	
	B3.0 THE SITE					
1	B3.1 Defined works area					
	Fixed:Value related:related:	Time	Item			
2	B3.2 Geotechnical investigation					
	Fixed:Value related:related:	Time	Item			
3	B3.3 Inspection of the site					
	Fixed:Value related:related:	Time	Item			
4	B3.4 Existing premises occupied					
	Fixed:Value related:related:	Time	Item			
5	B3.5 Previous work - dimensional accuracy					
	Fixed:Value related:related:	Time	Item			
6	B3.6 Previous work - defects					
	Fixed:Value related:related:	Time	Item			
7	B3.7 Services - known					
	Fixed:Value related:related:	Time	Item			
8	B3.8 Services - unknown					
	Fixed:Value related:related:	Time	Item			
9	B3.9 Protection of trees					
	Fixed:Value related:related:	Time	Item			
	Carried to Col Section No. 1	lection		R		
	Bill No. 1 PRELIMINARIES AND GENERAL					
	PROVISIONAL BILLS OF QUANTITIES					

1	B3.10 Articles of value			
	Fixed: Value related: Time related:	Item		
2	B3.11 Inspection of adjoining properties			
	Fixed: Value related: Time related:	Item		
	B4.0 MANAGEMENT OF CONTRACT			
3	B4.1 Management of the works			
	Fixed: Value related: Time related: R	Item		
4	B4.2 Programme for the works			
	Fixed: Value related: Time related:	Item		
5	B4.3 Progress meetings			
	Fixed: Value related: Time related:	Item		
6	B4.4 Technical meetings			
	Fixed: Value related: Time related:	Item		
7	B4.5 Labour and plant records			
	Fixed: Value related: Time related:	Item		
	B5.0 SAMPLES, SHOP DRAWINGS AND MANUFACTURERS' INSTRUCTIONS			
8	B5.1 Samples of materials			
	Fixed: Value related: Time related:	Item		
	Carried to Collection		R	
	Section No. 1			
	Bill No. 1 PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			

1	B5.2	Workmansh	ip samples				
	Fixed:_ related	:	_Value related: 	_Time	Item		
2	B5.3	Shop drawir	ngs				
	Fixed:_ related	:	_Value related: 	_Time	Item		
3	B5.4	Compliance	with manufacturers' instru	ctions			
	Fixed:_ related	<u> </u>	Value related: 	_ Time	Item		
	B6.0	TEMPORA	RY WORKS AND PLANT				
4	B6.1	Deposits an	d fees				
	Fixed:_ related	:	_Value related: 	_Time	Item		
5	B6.2	Enclosure o	of the works				
	Fixed:_ related	:	_Value related: 	_Time	Item		
6	B6.3	Advertising					
	Fixed:_ related	:	_Value related: 	_Time	Item		
7	B6.4	Plant, equip	ment, sheds and offices				
	Fixed:_ related	:	_Value related: 	_Time	Item		
8	B6.5	Main notice	board				
	Fixed:_ related	:	Value related: 	_ Time	Item		
9	B6.6	Subcontract	tors' notice board				
	Fixed:_ related	l:	Value related:	_ Time	Item		
	Carried to Collection					R	
	Section Bill No.						
		MINARIES AN	D GENERAL				
	PROVI	SIONAL BILL	S OF QUANTITIES				

	B7.0 TEMPORARY SERVICES			
1	B7.1 Location			
	Fixed: Value related: Tirrelated:	ne Item		
2	B7.2 Water			
	Fixed: Value related: Tirrelated:	ne Item		
3	B7.3 Electricity			
	Fixed: Value related: Tirrelated:	ne Item		
4	B7.4 Telecommunication facilities			
	Fixed: Value related: Tir related:	ne Item		
5	B7.5 Ablution facilities			
	Fixed: Value related: Tir related:	ne Item		
	B8.0 PRIME COST AMOUNTS			
6	B8.1 Responsibility for prime cost amounts			
	Fixed: Value related: Tir related:	ne Item		
	B9.0 ATTENDANCE ON N/S SUBCONTRACTORS			
7	B9.1 General attendance			
	Fixed: Value related: Tir related:	ne Item		
8	B9.2 Special attendance			
	Fixed: Value related: Tir related:	ne Item		
	Carried to Collec	tion	R	
	Section No. 1			
	Bill No. 1 PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			
				l

1	B9.3 Commissioning - fuel, water and electricity		
	Fixed: Value related: Time related:	Item	
	B10.0 FINANCIAL ASPECTS		
2	B10.1 Statutory taxes, duties and levies		
	Fixed: Value related: Time related:	Item	
3	B10.2 Payment for preliminaries		
	Fixed: Value related: Time related:	Item	
4	B10.3 Adjustment of preliminaries		
	Clauses B10.3.1 and B10.3.2 are amended by replacing "within fifteen (15) working days of taking possession of the site" with "when submitting his priced bills of quantities / lump sum document"		
	Fixed: Value related: Time related:	Item	
5	B10.4 Payment certificate cash flow		
	Fixed: Value related: Time related:	Item	
	B11.0 GENERAL		
6	B11.1 Protection of the works		
	Fixed: Value related: Time related:	Item	
7	B11.2 Protection / isolation of existing / sectionally occupied works		
	Fixed: Value related: Time related:	Item	
	Carried to Collection		R
	Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL		
	PROVISIONAL BILLS OF QUANTITIES		

1	B11.3	Security of the works				
	Fixed:_ related:	Value related:	Time	Item		
2	B11.4	Notice before covering work				
	Fixed:_ related:	Value related:	Time	Item		
3		Disturbance				
	Fixed:_ related:	Value related:	Time	Item		
4	B11.6	Environmental disturbance				
	Fixed:_ related:	Value related:	Time	Item		
5	B11.7	Works cleaning and clearing				
	Fixed:_ related:	Value related:	Time	Item		
6	B11.8	Vermin				
	Fixed:_ related:	Value related:	Time	Item		
7	B11.9	Overhand work				
	Fixed:_ related:	Value related:	Time	Item		
8	B11.10	Instruction manuals and guarantees				
	Fixed:_ related:	Value related:	Time	Item		
9	B11.11	As built information				
	Fixed:_ related:	Value related:	Time	Item		
		Carried to C	Collection		R	
	Section Bill No. PRELIM					
	PROVIS	IONAL BILLS OF QUANTITIES				

1	B11.12 Tenant installations			
	Fixed: Value related: Time related:	Item		
	B12.0 SCHEDULE OF VARIABLES			
2	B12.1 Schedule of variables			
	Fixed: Value related: Time related:	Item		
	This schedule contains all variables referred to in this document and is divided into pre-tender and post-tender categories. The pre-tender category must be completed in full and included in the tender documents. Both the pre-tender and post-tender categories form part of these Preliminaries			
	Spaces requiring information must be filled in, shown as "not applicable" or deleted and not left blank. Where choices are offered, the non-applicable items are to be deleted. Where insufficient space is provided the information should be annexed hereto and cross-referenced to the applicable clause of the schedule . Key cross reference clauses are italicised in [] brackets			
	12.1 PRE-TENDER INFORMATION			
	12.1.1 Provisional bills of quantities [2.2] The quantities are provisional			
	YES			
	12.1.2 Availability of construction documentation [2.3] Construction documentation is complete			
	YES			
	12.1.3 Interests of agents [2.4] Details:			
	12.1.4 Defined works area [3.1] Details:			
	Carried to Collection		R	
	Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			

12.1.5 <i>[</i> 3.2 <i>]</i>	Geotechnical investigation Details:		
12.1.6 <i>[3.4]</i>	Existing premises occupied Specific requirements:		
12.1.7 [3.5]	Previous work - dimensional accuracy Details:		
12.1.8 <i>[</i> 3.6]	Previous work - defects Details:		
12.1.9 <i>[</i> 3.7]	Services - known Details:		
	Protection of trees Specific requirements:		
	Inspection of adjoining properties Specific requirements:		
12.1.12 [6.2]	Enclosure of the works Specific requirements:		
	Offices Specific requirements: The contractor shall provide, maintain and remove on completion of the works an office for the exclusive use of the principal agent, minimum size 4 x 3 x 3m high internally, suitably insulated and ventilated, provided with electric lighting and fitted with boarded floor, desk, chair, drawing stool, drawing board and lock-up drawers for drawings. The office shall be kept clean and fit for use at all times		
	Carried to Collection	R	
Section	No. 1		_
Bill No. PRELIM	1 IINARIES AND GENERAL		
	SIONAL BILLS OF QUANTITIES		

12.1.14 <i>Main notice board</i> [6.5] Specific requirements: The contractor shall provide, erect where directed, maintain and remove on completion of the works a notice board size 3 x 3m as type Drawing GEN 063, constructed of suitable boarding with flat smooth surface and with edging bead 19mm thick round outer edges and projecting 12mm from face of boarding and rounded on front edge. The board shall be securely fixed to hoarding, where hoarding is provided, or fixed to and including a suitable supporting structure of timber or tubular posts and braces. The board is to be painted ivory white and the bead and 12mm wide dividing				
lines dark green. All wording shall be inscribed in dark green as per the coat of arms for SA. All				
wording shall be inscribed in dark green painted				
sans serif lettering				
12.1.15 Subcontractors' notice board				
[6.6] A notice board is required				
NO				
Specific requirements:				
12.1.16 <i>Water</i> [7.2] Option A (by contractor)				
NO				
Option B (by employer - free of charge)				
NO				
Option C (by employer - metered)				
YES				
				_
Carried to Collection		R		
Section No. 1				
Bill No. 1 PRELIMINARIES AND GENERAL				
PROVISIONAL BILLS OF QUANTITIES				
	İ	1	I	

12.1.17 <i>Electricity</i> [7.3] Option A (by contractor)		
NO		
Option B (by employer - free of charge)		
NO		
Option C (by employer - metered)		
YES		
12.1.18 <i>Telecommunications</i> [7.4] Telephone		
YES		
Facsimile		
YES		
E-mail		
YES		
12.1.19 <i>Ablution facilities</i> [7.5] Option A (by contractor)		
YES		
Option B (by employer)		
NO		
12.1.20 Protection of existing/sectionally occupied		
works [11.2] Protection is required		
NO		
Carried to Collection	R	
Section No. 1 Bill No. 1		
PRELIMINARIES AND GENERAL		
PROVISIONAL BILLS OF QUANTITIES		

- 1			1		a I	
	12.1.21 <i>[</i> 9. <i>2</i>]	Special attendance Subcontractor (1) details:				
		Subcontractor (2) details:				
		Subcontractor (3) details:				
		Subcontractor (4) details:				
		Protection of the works Specific requirements:				
		Disturbance Specific requirements: The contractor shall keep the site, structures, etc well watered during operations to prevent dust and shall provide and erect and remove on completion of the works all necessary temporary dust screens all to the satisfaction of the principal agent				
		Environmental disturbance Specific requirements:				
	12.2	POST-TENDER INFORMATION				
		Payment of preliminaries Option A (prorated)				
		NO				
		Option B (calculated)				
		YES				
		Carried to Collection		R		
	Section Bill No.	No. 1				
		INARIES AND GENERAL				
	PROVIS	SIONAL BILLS OF QUANTITIES				

12.2.2 Adjustment of preliminaries [10.3] Option A (three categories)		
NO		
Option B (detailed breakdown)		
YES		
12.2.3 Additional agreed preliminaries items Details:		
		_
Carried to Collection Section No. 1	R	<u> </u>
Bill No. 1 PRELIMINARIES AND GENERAL		
PROVISIONAL BILLS OF QUANTITIES		

	SECTION C: SPECIFIC PRELIMINARIES			
	Section C contains specific preliminary items which apply to this contract except where N/A (Not Applicable) appears against an item			
1	C1.0 CONTRACT DRAWINGS			
	The drawings issued with the tender documents do not comprise the complete set but serve as a guide only for tendering purposes and for indicating the scope of the work to enable the tenderer to acquaint himself with the nature and extent of the works and the manner in which they are to be executed			
	Should any part of the drawings not be clearly understood by the tenderer he shall, before submitting his tender, obtain clarification in writing from the principal agent			
	Fixed: Value related: Time related:	Item		
2	C2.0 GENERAL PREAMBLES			
	The document "Specification of Materials and Methods to be used - PW371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014)." is obtainable on the Department's website (http://www.publicworks.gov.za/ under "Consultants Guidelines"), and shall be read in conjunction with the bills of quantities / lump sum document and be referred to for the full descriptions of work to be done and materials to be used Fixed: Value related:	ltem		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			
		i		

1	C3.0 TRADE NAMES			
	Wherever a trade name for any product has been described in the bills of quantities / lump sum document, the tenderer's attention is drawn to the fact that any other product of equal quality may be used subject to the written approval of the principal agent being obtained prior to the closing date for submission of tenders			
	If prior written approval for an alternative product is not obtained, the product described shall be deemed to have been tendered for			
	Fixed: Value related: Time related:	Item		
2	C4.0 HIV/AIDS AWARENESS			
	It is required of the contractor to thoroughly study the HIV/AIDS Specification (PW 1544) of the Department that must be read together with and is deemed to be incorporated under this Section of the bills of quantities / lump sum document . Provision for pricing of HIV/AIDS awareness is made under items C10.1 to C10.5 hereafter and it is explicitly pointed out that all requirements of the aforementioned specification are deemed to be priced hereunder, as the said items represent the only method of measurement and no additional items or extras to the contract in this regard shall be entertained			
	The contractor must take note that compliance with the HIV/AIDS Specification is compulsory. In the event of partial or total non-compliance, the principal agent , notwithstanding the provisions of clause A 31.0 of Section A or any other clause to the contrary, reserves the right to delay issuing any progress payment certificate until the contractor provides satisfactory proof of compliance. The contractor shall not be entitled to any compensation of whatsoever nature, including interest, due to such delay of payment			
				_
	Carried to Collection Section No. 1		R	
	Bill No. 1 PRELIMINARIES AND GENERAL			
	PROVISIONAL BILLS OF QUANTITIES			

C4.1 AWARENESS CHAMPION Selection, appointment, briefing and making available of an Awareness Champion including provision of all relevant services, all in accordance with the HIV/AIDS Specification Fixed:	ltem		
C4.2 AWARENESS WORKSHOPS Selection and appointment of a competent Service Provider approved by the principal agent, provision of a Service Provider Workshop Plan and a suitable venue, conducting of awareness workshops by means of traditional and/or modern multi- media techniques, including follow-up courses, making available all tuition material and performing assessment procedures, all in accordance with the HIV/AIDS Specification Fixed:			
Time related:	Item		
C4.3 POSTERS, BOOKLETS, VIDEOS, ETC. Provision, displaying, maintaining and replacing when necessary of four plastic laminated posters, booklets and educational videos, etc. for the duration of the construction period, all in accordance with the HIV/AIDS Specification Fixed:	ltem		
Provision and maintenance of condom dispensers fixed in position, including male and female condoms, replenishing male and female condoms on a daily basis as required for the duration of the construction period , all in accordance with the HIV/AIDS Specification			
Fixed: Value related:	Item		
Time related:	iteill		
Carried to Collection		R	
Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL			
PROVISIONAL BILLS OF QUANTITIES			

C4.5 MONITORING Monitoring HIV/AIDS awareness of workers, providing the principal agent with access to information including making available all reports, thoroughly completed and reflecting the correct information, for the duration of the construction period and close out, all in accordance with the HIV/AIDS Specification			
Fixed:	Item		
Carried to Collection		R	
Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL			
PROVISIONAL BILLS OF QUANTITIES			

Bill No. 1 PRELIMINARIES AND GENERAL COLLECTION Page No Amount Total Brought Forward from Page No. 1 2 3 4 5 6 7 8	
COLLECTION Page No Total Brought Forward from Page No. 1 2 3 4 5 6 7	
Total Brought Forward from Page No. 1 2 3 4 5 6 7	
Total Brought Forward from Page No. 1 2 3 4 5 6 7	
2 3 4 5 6 7	
3 4 5 6 7	
4 5 6 7	
5 6 7	
6 7	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
20	
	\dagger
Carried Forward Section No. 1 Bill No. 1 PRELIMINARIES AND GENERAL PROVISIONAL BILLS OF QUANTITIES	

Section No. 1				
Bill No. 1				
PRELIMINARIES AND GENERAL				
COLLECTION				
Brought Forward	Page No	R	Amount	
	04			
Total Brought Forward from Page No.	21			
	22			
	23			
	24			
	25			
	26			
	27			
	28			
	29			
	30			
	31			
	32			
	33 34			
	35			
	36			
	37			
				_
Carried Forward to Summary of Section No. 1 Section No. 1		R		
Bill No. 1 PRELIMINARIES AND GENERAL				
PROVISIONAL BILLS OF QUANTITIES				
3. 43				

Item No		Quantity	Rate	Amount	
	BILL No. 2				
	HEALTH AND SAFETY REQUIREMENTS				
	Note:				
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).				
	The contractor's prices for all items throughout these bills of quantities shall take account of and include where applicable for all of the obligations, requirements and specifications given in the General Preambles and in any supplementary preambles and/or specifications.				
	Prior to pricing the principal contractor must familiarize him/herself with the Occupational Health and Safety Act No. 85 Of 1993, Construction Regulations 2014, other relevant Regulations and Standards as well as project specific Health & Safety specifications.				
	The items in this Bill do not contain quantities hence the Contractor must insert his own quantities based on his individual requirements to comply with the Health and Safety obligations and demands of the Occupational Health and Safety Act No. 85 of 1993, Construction Regulations 2014, other relevant Regulations and Standards as well as project specific Health & Safety Specifications.				
	OCCUPATIONAL HEALTH AND SAFETY				
	General:				
1	Preparation of Contractor's site specific Health and Safety Plan.	Item			
2	Submission of the Health and Safety File.	Item			
3	Principal Contractor's initial obligations in respect of the OHS Act and Construction Regulations.	Item			
	Carried to Collection		R		_
	Section No. 1 Bill No. 2 HEALTH AND SAFETY				=
	PROVISIONAL BILLS OF QUANTITIES				

1	Principal Contractor's time related obligations in respect of the OHS Act and Construction Regulations for the entire construction period.		ltem		
2	Provision of full time Health and Safety Officer for the entire construction period.		Item		
3	Induction training of personnel.	No			
4	Provision of first aid boxes.	No			
	Provision for Personal Protective Equipment and Protective Clothing:				
5	Reflective vests.	No			
6	Hard hats.	No			
7	Protective foot wear.	No			
8	Ear Plugs.	No			
9	Dust Masks.	No			
	Costs of Medical Certificates and Medical Surveillance:				
10	Initial (baseline) medical examinations.	No			
11	Exit Examinations.	No			
	Noise Monitoring:				
12	Establishment of noise zones.	No			
13	Audiograms.	No			
	Carried to Collection			R	
	Section No. 1 Bill No. 2 HEALTH AND SAFETY				
	PROVISIONAL BILLS OF QUANTITIES				

Section No. 1				
Bill No. 2				
HEALTH AND SAFETY				
COLLECTION				
Total Brought Forward from Page No.	Page No 40 41		Amount	
Carried Forward to Summary of Section No. 1 Section No. 1 Bill No. 2		R		
PROVISIONAL BILLS OF QUANTITIES				

	SECTION SUMMARY - SECTION NO.1 - PRELIMINIARIES AND G	ENERAL		
Bill No		Page No		Amount
1	PRELIMINARIES AND GENERAL	39		
2	HEALTH AND SAFETY	42		
	Carried to Final Summary Section No. 1		R	
	PROVISIONAL BILLS OF QUANTITIES			
	I NOVISIONAL BILLS OF QUANTITIES			

Item No			Quantity	Rate	Amount
	SECTION No. 2 - BUILDING WORKS				
	BILL No. 1				
	ALTERATIONS, DEMOLITIONS, ETC.				
	Note:				
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).				
	DEMOLITIONS				
	Ordinary demolitions				
	Reference hereunder to cart away shall mean carting off site to a dumping site to be located by the Contractor.				
	BRICKWORK				
1	Demolish half brick external wall including finishes and cart away demolished materials.	m2	10		
	ROOF COVERINGS, ETC.				
2	Take down and cart away galvanised IBR profile roof covering fixed to steel or timber.	m2	66		
	CARPENTRY AND JOINERY				
	Roof structures				
3	Demolish and cart away timber purlins.	m	90		
	<u>Timber doors and frames</u>				
4	Take out from one brick wall and cart away single timber door and frame size 813mm wide x 1800mm high including preparing reveals to receive new frame (elsewhere).	No	17		
	Carried to Collection			R	
	Section No. 2 Bill No. 1 ALTERATIONS				
	PROVISIONAL BILLS OF QUANTITIES				

1	Take out from one brick wall and cart away single timber door and frame size 900mm wide x 2100mm high including preparing reveals to receive new frame (elsewhere).	No	2		
2	Take out from one brick wall and cart away double timber door and frame size 1600mm wide x 2100mm high including preparing reveals to receive new frame (elsewhere).	No	2		
	FLOOR COVERINGS				
3	Strip from concrete floors vinyl floor tiling and cart away including preparing screed for new floor covering (elsewhere).	m2	7		
	METALWORK				
	Panels and gates				
4	Take out from brickwork and cart away mild steel security gate, size 1000 x 2100mm high, including plugging holes.	No	1		
	Windows and burglar screens				
5	Take out from brickwork and cart away, glazed steel window frame size 600 x 600mm high including glazing.	No	4		
	PLUMBING AND DRAINAGE				
	Piping, fittings, etc.				
6	Take off from walls, ceilings, etc. and cart away copper/polycrop water supply piping, fittings, valves, etc. of various diameters including temporary stopping of supply where necessary.	m	93		
7	Take off from walls, ceilings, etc. and cart away PVC waste water piping and fittings of various diameters.	m	62		
	Sanitaryware				
8	Demolish and cart away white glazed WC pan and cistern complete including stopping off water supply.	No	19		
	Carried to Collection			R	\top
	Section No. 2			K	+
	Bill No. 1 ALTERATIONS				
	PROVISIONAL BILLS OF QUANTITIES				

1	Demolish and cart away stainless steel sink or washtrough including stopping off water supply.	No	12		
2	Demolish and cart away stainless steel stall urinal 2000mm long including mass concrete step, 175mm high, including stopping off water supply.	No	1		
	Sundries				
3	Take down and cart away toilet roll holders.	No	19		
	PLASTERING				
	<u>Floors</u>				
4	Hack up 25mm thick granolithic or floor screed and cart away including preparing surface bed to receive new screed (elsewhere).	m2	16		
	Walls				
5	Hack off plaster from brick wall and cart away including preparing to receive new plaster (elsewhere).	m2	80		
	REFURBISHMENT, PREPARATORY WORKS, ETC.				
	Sundry brickwork refurbishment				
6	Replace broken brick in existing face brick wall with matching brick bedded, jointed and pointed in cement mortar to match existing.	No	309		
	General repair work				
7	Hack plaster from brickwork for a width of 100mm either side of crack, nail galvanised stretch plate over crack with steel nails at 200mm centres to receive plaster (elsewhere).	m	80		
	METAL WORK				
	Servicing of windows, doors, etc.				
8	Service and adjust existing external single security gate and frame, including oiling and easing hinges, preparing to receive new lock, touching up and making good.	No	2		
	Carried to Collection			R	
	Section No. 2 Bill No. 1 ALTERATIONS				
	PROVISIONAL BILLS OF QUANTITIES				

	Refurbishment by cleaning				
	Walls, concrete columns, tiling, etc.				
1	High pressure clean external face brick facade to remove dirt, lichen, moss, etc. complete including recess pointing and jointing in cement mortar, where necessary, to match existing.	m2	89		
	Floors, etc.				
2	High pressure clean granolithic screed or concrete flooring.	m2	53		
	Carried to Collection			R	
	Section No. 2 Bill No. 1 ALTERATIONS				
	PROVISIONAL BILLS OF QUANTITIES				

Section No. 2				
Bill No. 1				
ALTERATIONS				
COLLECTION				
Total Brought Forward from Page No.	Page No 44 45 46 47		Amount	
Carried Forward to Summary of Section No. 2		R		
Section No. 2 Bill No. 1 ALTERATIONS PROVISIONAL BILLS OF QUANTITIES				

Item No			Quantity	Rate	Amount	
	BILL No. 2					
	MASONRY					
	Note:					
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).					
	BRICKWORK (Labour intensive)					
	SUPERSTRUCTURE BRICKWORK					
	Walls and linings in stock bricks in 5:1 cement mortar:					
1	Half brick wall.	m2	10			
2	One brick wall.	m2	15			
	Reinforcement to brickwork					
3	Galvanised brick reinforcement 75mm wide built horizontally into brickwork.	m	28			
4	Galvanised brick reinforcement 230mm wide built horizontally into brickwork.	m	45			
	MISCELLANEOUS					
	Quarry tiles, cement tiles, fibre-cement, etc.					
	Natural grey fibre-cement cills					
5	15mm x 150mm Wide cill set flat and slightly projecting.	m	3			
6	15mm x 250mm Wide cill set flat and slightly projecting.	m	3			
						-
	Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 2			R		=
	MASONRY PROVISIONAL BULLS OF QUANTITIES					
	PROVISIONAL BILLS OF QUANTITIES					

Item No		Quantity	Rate	Amount
	BILL No. 3			
	WATERPROOFING			
	Note:			
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).			
	LIQUID WATERPROOFING (Labour intensive)			
	Two coats "ABE Brickseal"			
1	Vertically on bagged surface of brickwork. m2	180		
	WATERSTOPS, SEALING STRIPS, JOINT SEALANTS, ETC.			
	Sundry elements			
2	Seal and point around metal window frames with an approved external quality sealing compound applied with a pressure caulking gun.	10		
3	Seal with an approved anti-fungicidal white silicone sealant junction between sanitary fitting and worktop and/or wall tiling.	50		
	Carried Forward to Summary of Section No. 2		R	
	Section No. 2 Bill No. 3 WATERPROOFING			
	PROVISIONAL BILLS OF QUANTITIES			

Item No		Quantity	Rate	Amount	
	BILL No. 4				
	ROOF COVERINGS				
	Note:				
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).				
	PROFILED SHEETING OF METAL, FIBRE CEMENT, PLASTIC, ETC.				
	Metal roof sheeting				
	0,58mm Thick Z200 "IBR Profile" galvanised metal roof sheeting, in single sheet lengths, with factory applied colour finish to external face and standard backing coat to internal face:				
1	Roof sheeting laid to a pitch not exceeding 25° and secured to timber purlins at approximately 1 200mm centres including turning up sheet at ridge and turning down sheet at eaves.	66			
	<u>Insulation</u>				
2	"Sisalation 420" insulation laid taut over rafters at approximately 2400mm centres and fixed including galvanised steel straining wires where required. m2	66			
	Carried Forward to Summary of Section No. 2		R		_
	Section No. 2 Bill No. 4 ROOF COVERINGS, ETC.				=
	PROVISIONAL BILLS OF QUANTITIES				

Item No		Quantity	Rate	Amount
Ï	BILL No. 5			
	CARPENTRY AND JOINERY			
	Note:			
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).			
	CARPENTRY			
	Purlins, bracing, etc.			
	Wrot softwood :			
1	50 x 76mm Purlins. m	90		
	Sundries:			
2	Hurricane clip fixed to purlin and rafter. No	100		
	<u>JOINERY</u>			
	Doors, windows, sashes, etc.			
	Semi-solid flush panel doors :			
3	40mm Semi-solid core flush door, size 813 x 1732mm high, hung 150mm above floor finish, with commercial grade veneer both sides and concealed edge strips.	17		
			_	
	Carried to Collection Section No. 2		R	
	Bill No. 5 CARPENTRY AND JOINERY			
	PROVISIONAL BILLS OF QUANTITIES			

	Wrot hardwood :				
1	44mm Thick framed, ledged, braced and battened door size 813 x 2032mm high, comprising 44 x 144mm stiles and top rail, 22 x 150mm middle rail, 22 x 230mm bottom rail and 2 No. 22 x 75mm diagonal braces and filled flush on one side between framing with 22mm thick tongued, grooved and V-jointed both sides vertical boarding in narrow matched widths and fitted with and including 44 x 70mm splayed and rebated weatherboard, countersunk brass screwed on at maximum 200mm centres.	No	2		
2	44mm Thick framed, ledged, braced and battened double door in two equal leaves size 1632 x 2032mm high, comprising 44 x 144mm stiles and top rail, 22 x 150mm middle rail, 22 x 230mm bottom rail and 2 No. 22 x 75mm diagonal braces and filled flush on one side between framing with 22mm thick tongued, grooved and V-jointed both sides vertical boarding in narrow matched widths and fitted with and including 44 x 70mm splayed and rebated weatherboard, countersunk brass screwed on at maximum 200mm centres.	No	2		
	Frames, rails, skirtings, etc.				
	Meranti timber door frames				
	Note:				
	All units are to constructed using 70 x 108mm hardwood timber with 19 x 19mm quadrant bead to external face				
3	70 x 108mm Rebated meranti jab linings fixed to walls.	m	61		
4	Framed frame, to suit single door size 813 x 2032mm high overall.	No	2		
5	Framed frame, to suit double door size 1600 x 2032mm high overall.	No	2		
	<u>Sundries</u>				
6	19mm Hardwood quadrant moulding planted on.	m	82		
	Carried to Collection Section No. 2 Bill No. 5			R	
	CARPENTRY AND JOINERY				
	PROVISIONAL BILLS OF QUANTITIES				

1	10 x 140mm Door frame anchor countersunk and pelleted in timber frame, at approximately 600mm centres, including forming mortice in brickwork or concrete.	No	156		
	<u>Skirtings</u>				
2	16 x 76mm Wrought meranti hollow-backed skirting plugged to wall, with 19mm matching quadrant bead at junction with floor.	m	17		
	Plastic, fibre cement, etc.				
	Pressed fibre-cement:				
3	12 x 228mm Fascia board drilled and brass screwed to rafter feet including galvanised steel H-profile jointing strips, etc.	m	20		
4	80 x 275mm Barge board drilled and brass screwed to timber purlins including galvanised steel H-profile jointing strips, etc.	m	34		
	Carried to Collection			R	
	Section No. 2 Bill No. 5				
	CARPENTRY AND JOINERY				
	PROVISIONAL BILLS OF QUANTITIES				

Section No. 2				1
Bill No. 5				1
CARPENTRY AND JOINERY				1
COLLECTION				1
Total Brought Forward from Page No.	Page No 52 53 54		Amount	
Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 5 CARPENTRY AND JOINERY		R		
PROVISIONAL BILLS OF QUANTITIES				

Item No		Quantity	Rate	Amount
	BILL No. 6			
	FLOOR COVERINGS, WALL LININGS, ETC.			
	Note:			
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).			
	FLOOR COVERINGS			
	Vinyl floor coverings			
	300 x 300 x 2,5mm Semi-flexible reinforced vinyl quartz floor tiles			
1	Sealed to prepared floors with adhesive. m2	7		
	Polish, sealers, etc.			
	Clean by stripping and sealing and apply three coats water based copolymer emulsion or other approved sealer			
2	Vinyl flooring. m2	7		
	Carried Forward to Summary of Section No. 2		R	
	Section No. 2 Bill No. 6 FLOOR COVERINGS, WALL LININGS, ETC.			
	PROVISIONAL BILLS OF QUANTITIES			

Item No			Quantity	Rate	Amount
,	BILL No. 7				
	IRONMONGERY				
	Note:				
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).				
	IRONMONGERY TO TIMBER				
	Hinges, bolts, etc.				
1	100 x 75mm Heavy duty brass butt hinges.	No	52		
2	200 x 25mm anodised silver aluminium flush bolt with heel.	No	4		
3	Satin chrome dust proof keep including forming mortice in screed.	No	2		
	<u>Hooks</u>				
4	150mm Brass cabin hook and eye screwed to and including 69 x 69 x 32mm chamfered hardwood block plugged to wall.	No	6		
	Push plates, kicking plates, indicator plates, etc.				
	3mm Thick x 32mm high blue perspex signs with white painted numerals or letters, countersunk tap screwed to steel door frame				
5	Sign with "MALE ABLUTIONS" enscribed.	No	1		
6	Sign with "FEMALE ABLUTIONS" enscribed.	No	1		
7	Sign with "DISABLE" enscribed.	No	1		
8	Sign with "STAFF" enscribed.	No	2		
	Carried to Collection			R	
	Section No. 2 Bill No. 7 IRONMONGERY				
	PROVISIONAL BILLS OF QUANTITIES				

	<u>Door stops</u>			
1	Black rubber door stop plugged to wall or floor.	No	23	
	Locksets, etc. provided with two keys and to be masterkeyed			
2	"Union 2277-78SS" or equally approved three lever upright mortice lockset with stainless steel forend and striking plate finish.	No	4	
3	"Union CZ80941SC" or equally approved satin chrome W/C indicator bolt.	No	17	
	Lockcases, conversion sets, escutcheons, etc.			
4	Rebate conversion set for mortice lock.	No	2	
	Handles, furniture, etc.			
5	"Dormakaba DPH301 B" or other equal approved 325 x 25mm Stainless steel straight tubular pull handle with flange fixing. (Sets)	No	21	
	Stops, holders, hooks, etc.			
6	"Dormakaba DHC-SS-030A" or other equal approved stainless steel single hat and coat hook plugged to door.	No	17	
	Sundries			
7	50mm Plastic key tag.	No	21	
				-
	Section No. 2			R
	Bill No. 7 IRONMONGERY			
	PROVISIONAL BILLS OF QUANTITIES			

Section No. 2				
Bill No. 7				
IRONMONGERY				
COLLECTION				
Total Brought Forward from Page No.	Page No 57 58		Amount	
Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 7 IRONMONGERY PROVISIONAL BILLS OF QUANTITIES		R		

Item No		Quantity	Rate	Amount
	BILL No. 8			
	<u>METALWORK</u>			
	Note:			
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).			
	STEEL			
	Stairs, balustrading, cat ladders, grilles, gates, framework, etc.			
	<u>GATES</u>			
	Hot dipped galvanised mild steel			
1	Single gate, size 900mm wide x 2050mm high, the leaf formed of 25 x 25 x 2mm wall thickness mild steel square tubing framing all round with mitred and welded angles, the gate filled in with 12 x 12mm mild steel bars welded, at each end, perimeter framing at not exceeding 100mm centres, the leaf fitted with lock housing (lock elsewhere measured) formed of 2.5mm thick mild steel flat plate, the leaf fitted with a set of hinges fixed to brickwall with and including masonry anchors.(G1)	1		
2	Double gate in two equal leaves, size 1800mm wide x 2100mm high, the leaf formed of 25 x 25 x 2mm wall thickness mild steel square tubing framing all round with mitred and welded angles, the gate filled in with 12 x 12mm mild steel bars welded, at each end, perimeter framing at not exceeding 100mm centres, the leaf fitted with lock housing (lock elsewhere measured) formed of 2.5mm thick mild steel flat plate, the leaf fitted with a set of hinges fixed to brickwall with and including masonry anchors.	2		
	Windows, etc.			
	Carried to Collection Section No. 2 Bill No. 8 METALWORK PROVISIONAL BILLS OF QUANTITIES		R	

Hot dipped galvanised steel residential E type windows provided complete with concealed friction stays, standard brass catches, pegs and slides and fitted with integral burglar proofing				
Window type E1 FX7, size 533 x 654mm high.	No	4		
Carried to Collection Section No. 2			R	
Bill No. 8 METALWORK				
PROVISIONAL BILLS OF QUANTITIES				

Section No. 2				
Bill No. 8				
METALWORK				
COLLECTION				
COLLECTION Total Brought Forward from Page No.	Page No 60 61		Amount	
Carried Forward to Summary of Section No. 2		R		
Section No. 2 Bill No. 8 METALWORK PROVISIONAL BILLS OF QUANTITIES				

Item No			Quantity	Rate	Amount	
1	BILL No. 9					
	PLASTERING					
	Note:					
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).					
	SCREEDS					
	GRANOLITHIC					
	1:3 Cement screeds and paving					
1	25mm Thick screed in patching to floors.	m2	17			
	Skirtings					
2	75mm High coved granolithic skirting in patches to receive finish (elsewhere measured).	m	74			
	PLASTER					
	One coat internal 1:4 cement plaster on :					
3	Brick wall in narrow widths not exceeding 300mm wide.	m2	22			
4	Walls in patching.	m2	40			
	One coat external 1:5 cement plaster on :					
5	Brick wall in narrow widths not exceeding 300mm wide.	m2	2			
6	Walls in patching.	m2	40			
						-
	Carried Forward to Summary of Section No. 2 Section No. 2			R		_
	Bill No. 9 PLASTERING					
	PROVISIONAL BILLS OF QUANTITIES					

Item No			Quantity	Rate	Amount
	BILL No. 10	Ï			
	PLUMBING AND DRAINAGE (PROVISIONAL)				
	Note:				
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).				
	GUTTERS, ETC				
	Roof gutters, rainwater pipes, etc.				
	White uPVC guttering, downpipes and accessories				
1	125mm Half round eaves gutters fixed to fascia at maximum 600mm centres with and including proprietary fixings.	m	20		
2	Extra over eaves gutter for stopped end.	No	4		
3	Extra over eaves gutter for outlet for 80mm diameter downpipe.	No	2		
4	80mm Diameter rainwater pipes in continuous lengths fixed to brickwork with and including proprietary holderbats.	m	10		
5	Extra over rainwater pipe for bend.	No	4		
	PIPEWORK, ETC.				
	Pipes, pipe fittings, etc.				
	WATER SUPPLIES				
	Class 10 polycop pipes with straight compression fittings				
6	15mm Pipe and fixing to walls, floors, in roofs, in concrete, etc. including any necessary proprietary holderbats, fixings, etc.	m	52		
	Carried to Collection			R	
	Section No. 2 Bill No. 10 PLUMBING AND DRAINAGE			IX.	
	PROVISIONAL BILLS OF QUANTITIES				

1	22mm Ditto.	m	71	
2	15mm Pipe chased into brickwork.	m	66	
3	22mm Ditto.	m	37	
	Extra over copper pipes for brass compression fittings			
4	15mm Fittings.	No	125	
5	22mm Fittings.	No	89	
	Connections			
	Connection of new to existing pipes			
6	Connection of 32mm diameter HDPE to 22mm diameter polycop pipes including all necessary reducers, saddles, etc.	No	4	
	Testing:			
7	Allow for testing the preceding water supply installation in accordance with the National Building Regulations.		Item	
	SOIL DRAINAGE			
	uPVC Pipes with solvent welded straight joints :			
8	50mm Pipes.	m	50	
9	110mm Pipes.	m	52	
	Extra over uPVC pipes for solvent welded fittings :			
10	50mm Plain bend.	No	28	
11	110mm Plain bend.	No	29	
12	50mm Access bend.	No	14	
13	110mm Access bend.	No	19	
	Carried to Collection			R
	Section No. 2 Bill No. 10 PLUMBING AND DRAINAGE			
	PROVISIONAL BILLS OF QUANTITIES			

	Gulleys, grease traps, etc.	1	1		
4					
1	100mm Diameter uPVC gulley trap with universal gulley head set flush in with finished pavement level including encasing in 15MPa concrete 100mm thick all round.	No	4		
2	430 x 430 x 175mm Precast concrete gulley top,	No	4		
	bedded over gulley in cement mortar.	No	4		
	Testing:				
3	Allow for testing the preceding sanitary plumbing installation in accordance with the National Building Regulations.		Item		
	SANITARY FITTINGS, TANKS, GEYSERS, ETC.				
	Sanitary fittings, etc.				
	White glazed vitreous china ware :				
4	9 Litre cistern size 450 x 192 x 343mm high complete with lid and fitments.	No	1		
5	Rectangular washhand basin, size 560 x 405mm, with one tapholes, one taphole stopper, integrated overflow and chainstay hole, mounted to wall on and including two proprietary semi-concealed cast iron wall brackets				
	with 10mm bolts.	No	12		
6	Close coupled washdown suite with 90 degree outlet open rim pan and matching 9 litre front single flush cistern complete with lid, fitments and flushpipe bedded to floor in 1:4 cement mortar mixture.	No	19		
7	"Vaal 704001" or equally approved wall hung flat back urinal, size overall 610 x 3850mm, complete with chromium plated back inlet spreader and 38mm				
	chromium plated domical grating hung on and including two proprietary hanger brackets .	No	2		
	Sanitary fitting sundries				
8	Satin chrome thief proof toilet roll holder, TR2, plugged to wall.	No	19		
9	Heavy-duty double-flap hinged toilet seat and cover.	No	19		
	Carried to Collection			R	
	Section No. 2 Bill No. 10				
	PLUMBING AND DRAINAGE				
	PROVISIONAL BILLS OF QUANTITIES				

1	150 x 150mm White glazed soap dish.	No	12		
	Grade 304 stainless steel ware :				
2	Grab rail 1200mm long with two flanges "SR 1" plugged to wall with and including stainless steel screws.	No	2		
3	Dog leg grab rail with three flanges "DL3" plugged to wall with and including stainless steel screws.	No	2		
	Taps, valves, etc.				
	Solid cast brass taps, valves, etc.				
4	15mm Brass ball-o-stop.	No	33		
5	15mm Chromium plated brass metered bib tap with non-hold open feature and flow control.	No	12		
6	"Flushmaster Junior FJ 6.000" or other equal approved 22mm chromium plated exposed type urinal flushvalve with "FJT 5.5" chromium plated flushpipe, integral non				
	hold-open feature and ball-o-flo valve, with wall plate.	No	2		
7	22mm Brass non-return valve.	No	2		
	Waste unions, traps, etc.				
	Outlets, traps, etc:				
8	38mm Chromium plated brass slotted sink waste outlet with plug, chain and chain stay.	No	12		
9	38mm Chromium plated urinal waste outlet.	No	2		
10	38mm Butyl rubber flexible deepseal sink P-trap.	No	12		
11	50mm Chromium plated brass basin bottle trap.	No	2		
	Carried to Collection			R	
	Section No. 2			IX	
	Bill No. 10 PLUMBING AND DRAINAGE				
	PROVISIONAL BILLS OF QUANTITIES				

Section No. 2				
Bill No. 10				
PLUMBING AND DRAINAGE				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	64			ļ
	65			ļ.,
	66			ļ.,
	67			ļ
Carried Forward to Summary of Section No. 2 Section No. 2		R		
Bill No. 10 PLUMBING AND DRAINAGE				
PROVISIONAL BILLS OF QUANTITIES				
l l		l l	a	ı

Item No		Quantity	Rate	Amount
	BILL No. 11			
	GLAZING			
	Note:			
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).			
	GLAZING			
	GLAZING TO STEEL WITH PUTTY			
	6,38mm Thick normal strength clear laminated safety glass:			
1	In panes exceeding 0,1m2 and not exceeding 0,5m2 in area.	1		
	Glass tops, shelves, doors, mirrors, etc.			
2	4mm Thick polished float glass mirror, size 450 x 600mm, four times plugged to wall with and including chromium plated dome headed screws.	12		
	Carried Forward to Summary of Section No. 2		R	
	Section No. 2 Bill No. 11 GLAZING			
	PROVISIONAL BILLS OF QUANTITIES			
			l	

Item No			Quantity	Rate	Amount	
	BILL No. 12					
	<u>PAINTWORK</u>					
	Note:					
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).					
	REDECORATION OF EXISTING					
	PREVIOUSLY PAINTED CONCRETE, PLASTER, ETC					
	Scrape down loose or peeling paint, clean off surface contaminants with a sugar soap solution, allow to dry, stop all holes, minor cracks, etc. and apply one coat plaster primer and two coats exterior acrylic emulsion sheen paint on:					
1	External plastered walls.	m2	141			
2	External smooth plastered walls in narrow widths not exceeding 300mm wide.	m2	1			
	Scrape down loose or peeling paint, clean off surface contaminants with a sugar soap solution, allow to dry, stop all holes, minor cracks, etc. and apply one coat plaster primer and two coats interior washable acrylic washable emulsion sheen paint on:					
3	Internal plastered walls.	m2	197			
4	Internal smooth plastered walls in narrow widths not exceeding 300mm wide.	m2	21			
	Prepare and apply two coats granolithic paint on :					
5	Existing internal concrete floors.	m2	53			
6	Existing skirtings in narrow widths not exceeding 300mm high.	m	74			
	Carried to Collection			R		_
	Section No. 2 Bill No. 12 PAINTWORK			, in		=
	PROVISIONAL BILLS OF QUANTITIES					

1	PREVIOUSLY PAINTED METALWORK				
	Scrape down loose or peeling paint, remove all traces of rust, clean off surface contaminants with a sugar soap solution, allow to dry and apply galvanised iron primer (where necessary) and two coats super universal enamel paint on:				
1	Steel security gates (both sides measured).	m2	8		
	NEW WORKS				
	PAINT ON TIMBER				
	Prime or oil on :				
2	Backs of frames or linings not exceeding 300mm girth.	m	82		
	Prepare and apply one coat pink wood primer, one undercoat and two coats water based eggshell enamel on :				
3	Surfaces of flush panel doors.	m2	75		
4	Surfaces of frames and linings.	m2	21		
	Prepare and apply three coats interior quality clear polyurethane varnish on :				
5	Skirtings, cornices or rails not exceeding 300mm girth.	m	17		
	Prepare and apply two coats carbolineum on:				
6	General surfaces of roof timbers.	m2	24		
7	General surfaces of roof timbers not exceeding 300mm girth.	m	90		
	PAINT ON METALWORK				
	Prepare and apply one coat bituminous paint on :				
8	Backs of steel windows.	m	10		
					_
	Carried to Collection			R	
	Section No. 2 Bill No. 12 PAINTWORK				
	PROVISIONAL BILLS OF QUANTITIES				

	One coat steel etch primer, one coat universal undercoat and two coats gloss enamel paint on :				
1	Windows (both sides measured).	m2	3		
2	Steel security gates (both sides measured).	m2	19		
	PAINT ON FIBRE-CEMENT				
	Prime nail heads and H-section jointing strips and apply one coat universal undercoat and two coats eggshell enamel paint on :				
3	Internal fibre cement cills not exceeding 300mm girth.	m	3		
	Prepare and apply one coat plaster primer and two coats quality matt acrylic PVA on :				
4	External fibre cement fascia boarding including priming cover strips.	m2	5		
5	External fibre cement bargeboard including priming cover strips.	m2	11		
6	External fibre cement cills not exceeding 300mm girth.	m	3		
	Carried to Collection			R	
	Section No. 2 Bill No. 12 PAINTWORK				
	PROVISIONAL BILLS OF QUANTITIES				

Section No. 2				
Bill No. 12				
PAINTWORK				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	70			ļ
	71			
	72			
Carried Forward to Summary of Section No. 2		R		
Section No. 2				
Bill No. 12 PAINTWORK				
PROVISIONAL BILLS OF QUANTITIES				

Item No		Quantity	Rate	Amount
	BILL No. 13			
	EXTERNAL WORKS (PROVISIONAL)			
	Note:			
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).			
	TEMPORARY BARRIERS, SCREENS,ECT.			
	TEMPORARY HOARDING			
	Note: Contractor to price for the taking down and carting away hoarding on completion.			
	Site clearance			
1	Allow for clearing site for the width of 1000mm where fencing runs are to be erected including removing trees, shrubs, etc., not exceeding 200mm girth, grubbing up roots and roughly levelling.	100		
2	External barricade screen, 1800mm high overall, comprising 100-125mm diameter tanalith treated gumpoles planted 650mm deep in ground at 3000mm centres comprising of six strands of 4mm galvanised straining wires (evenly spaced) secured to posts with doubled 2mm galvanised wire inserted through hole in post and turned a minimum of four turns around straining wire and yellow and orange barrier shade cloth fixed to straining wires with 20Mpa mass concrete base size 400 x 400 x 550mm thick with sloping top surface including all necessary excavations, backfilling, risk of			
	collapse and carting away surplus material, etc.	100		
	Carried to Collection		R	
	Section No. 2 Bill No. 13 EXTERNAL WORKS			
	PROVISIONAL BILLS OF QUANTITIES			

	Hot dipped galvanised steel gates				
1	Security fence double gate, size 3000mm wide x 1800mm high, formed of 80 x 40 x 4mm wall thickness rectangular section framing all round with mitred and welded angles and diagonal cross brace, the gate covered with mesh security fencing secured with "Howgring" clips applied with "Howgring" pliers at 300mm centres to and including six rows of straining wires and yellow/orange barrier shade cloth.	No	1		
	THE FOLLOWING IN WALKWAYS				
	<u>EARTHWORKS</u>				
	Excavate in earth not exceeding 2m deep including trimming sides, levelling and ramming bottoms and deposit in spoil heaps for later re-use or cart away				
2	Reduced levels between buildings, retaining walls, etc.	m3	19		
	Carting away of excavated material				
3	Extra over all excavations for loading surplus or unsuitable material from spoil heaps and cart away to a dumping site to be located by the Contractor.	m3	19		
	BASECOURSES				
4	G7 Base course material, selected and supplied by the Contractor, deposited in layers not exceeding 150mm thick, watered and consolidated to 98% modified AASHTO density under pavings.	m3	19		
	<u>Sundries</u>				
5	Rip reduced platform level and recompact to 93% Mod. A.A.S.H.T.O. density.	m2	125		
	Prescribed Testing				
6	Provide and have filling compaction check tested by a Consulting Engineer's Laboratory and deliver the results to the Architect within 24 hours of the tests being completed.	No	5		
	Carried to Collection Section No. 2			R	_
	Bill No. 13 EXTERNAL WORKS				
	PROVISIONAL BILLS OF QUANTITIES				

	Weedkillers, insecticides, etc.				
	Soil insecticide in accordance with SANS 5859				
1	Under paving, etc.	m2	125		
	PRECAST CONCRETE PAVERS				
	Grey interlocking precast concrete pavers type S-A laid in herringbone pattern with header course perimeter margin				
2	50mm Thick laid on and including 25mm sand bed treated with weed killer and cement/sand mixture swept into joints on completion.	m2	125		
	Sundries				
3	Circular cutting on 50mm thick non bevelled concrete pavers.	m	20		
	Channelling, kerbing, edging, etc.				
	Precast concrete kerbing				
4	Precast semi-mountable concrete Fig 8B edge kerb size 300 x 175mm high cast in lengths not exceeding 1m and with expansion joints at not exceeding 10m centres finished smooth off the mould on all exposed surfaces bedded on and including minimum 50mm thick mass concrete 15 MPa base and backing including all necessary excavation, formwork, expansion joints, etc.	m	186		
5			20		
5	Ditto, but circular on plan to not exceeding 4m radius.	m	20		
	THE FOLLOWING IN WATER SUPPLY				
	ALTERATIONS TO EXISTING				
6	Locate, cut into and temporarily stop off 40mm diameter water pipe for insertion of stop end (elsewhere).	No	2		
7	Locate, cut into and temporarily stop off 54mm diameter water pipe for insertion of Tee Junction (elsewhere).	No	2		
8	Locate, cut into and temporarily stop off 63mm diameter water pipe for insertion of Tee Junction (elsewhere).	No	2		
	Section No. 2			R	-
	Bill No. 13 EXTERNAL WORKS				
	PROVISIONAL BILLS OF QUANTITIES				

	PIPEWORK, ETC.				
	Pipes, pipe fittings, etc.				
	Class 12 uPVC water supply pipe with bedding and filling in accordance with SABS 1200				
1	32mm Pipe and laying in ground not exceeding 1000mm deep.	m	120		
2	40mm Pipe and laying in ground not exceeding 1000mm deep.	m	80		
	Extra over uPVC pipes for the following fittings				
3	32mm bend.	No	16		
4	40mm bend.	No	8		
5	32mm Tee junction.	No	6		
6	40mm Tee junction.	No	4		
7	32 x 40 x 32mm Reducing tee.	No	2		
8	32 x 54 x 32mm Reducing tee.	No	2		
9	40 x 63 x 40mm Reducing tee.	No	2		
	Water supply valve or meter chambers				
10	Excavate for and build valve chamber size 460 x 460 x not exceeding 1000mm deep internally, formed of 300mm thick layer of well backfilling, 200mm high half brick corbelled sides with 75mm brickforce between each course including Type 3A cast iron valve cover and frame size 100 x 230 x 300 encased in a 300mm thick 25mpa mass concrete base.	No	3		
	Taps, valves, etc.				
11	32mm Gate valve.	No	4		
12	32mm Non return valve.	No	1		
	Carried to Collection			R	
	Section No. 2 Bill No. 13				\top
	EXTERNAL WORKS				
	PROVISIONAL BILLS OF QUANTITIES				

	<u>Testing</u>				
1	Allow for testing the water supply installation in accordance with the National Building Regulations.		Item		
	THE FOLLOWING IN SOIL DRAINAGE				
	Pipe depth categories and manholes, catchpits, etc. have been measured to the designed invert levels of same. The Contractor is to allow for in his rates for any additional excavation, bedding, backfilling, making up levels, etc. he deems necessary to make up any difference to actual depth.				
	EXISTING SERVICES				
	Jet or high pressure cleaning to be carried out on subsurface piping, rodding eyes, manholes, etc. to be carried out to the complete satisfaction of the Engineer.				
	<u>Pipes</u>				
2	110mm Pipe fixed to walls.	m	8		
3	110mm Pipe not exceeding 1000mm deep.	m	75		
4	110mm Pipe exceeding 1000mm not exceeding 2000mm deep.	m	30		
	Rodding eyes				
5	110mm Diameter PVC rodding eye.	No	15		
	Brick manholes				
6	Manhole not exceeding 1000mm deep.	No	4		
7	Manhole exceeding 1000mm not exceeding 2000mm deep.	No	2		
	ALTERATIONS TO EXISTING				
8	Cut into and stop off temporarily 110mm soil pipe for new manhole construction (elsewhere).	No	1		
9	Cut into and stop off temporarily 110mm soil pipe for insertion of Tee junction (elsewhere).	No	1		
	Carried to Collection			R	
	Section No. 2 Bill No. 13 EXTERNAL WORKS				
	PROVISIONAL BILLS OF QUANTITIES				

	NEW WORKS			
	Class 34 Rigid uPVC socketed soil piping with bedding and filling in accordance with SABS 1200			
1	110mm Pipe and excavation not exceeding 1000mm deep.	m	30	
2	110mm Pipe and excavation exceeding 1000mm not exceeding 2000mm deep.	m	8	
	Extra over uPVC pipes for fittings			
3	110mm 90 Degree bend.	No	9	
4	110mm Junction.	No	2	
	Rodding eyes, etc.			
5	PVC Rodding eye and frame and joint to top of 110mm uPVC pipe.	No	2	
	Sundries			
6	300 x 300 x 75mm Precast concrete inspection eye marker slab set in position including excavations, carting away, ect.	No	3	
	MANHOLES, ETC.			
7	Excavate for and build manhole size 1440 x 1440 x not exceeding 1000mm deep internally, formed of 150mm thick reinforced concrete (25MPa) bottom projecting 150mm all round with welded mesh Ref. 245 both top and bottom, one brick sides, 150mm high precast reinforced concrete (25MPa) cover slab and lid with welded mesh Ref. 245 both top and bottom laid loose on top of brickwork, finished on all exposed surfaces in 3.1 cement plaster and bottom graded to outlets in 3.1 cement mortar.	No	1	
	Carried to Collection			R
	Section No. 2 Bill No. 13 EXTERNAL WORKS			
	PROVISIONAL BILLS OF QUANTITIES			

1	Excavate for and build manhole size 1440 x 1440 x exceeding 1000mm not exceeding 2000mm deep internally, formed of 150mm thick reinforced concrete (25MPa) bottom projecting 150mm all round with welded mesh Ref. 245 both top and bottom, one brick sides, 150mm high precast reinforced concrete (25MPa) cover slab and lid with welded mesh Ref. 245 both top and bottom laid loose on top of brickwork, finished on all exposed surfaces in 3.1 cement plaster and bottom graded to outlets in 3.1 cement mortar.	No	2		
2	Type 2A cast iron manhole cover and frame size 620mm diameter bedded on top of concrete slab in cement mortar.	No	3		
	Testing				
3	Allow for testing the soil drainage and sewer plumbing installation in accordance with the National Building Regulations.		Item		
	THE FOLLOWING IN RAINWATER TANKS AND TANKSTANDS (ALL TRADES)				
	Rainwater harvesting (Labour intensive)				
	Excavate in earth not exceeding 2m deep including trimming sides, levelling and ramming bottoms and deposit in spoil heaps for later re-use or cart away				
4	Reduced levels under solid floors.	m3	1		
5	Surface trenches.	m3	15		
	Excavations in earth of more difficult character				
6	Extra over excavations in earth for excavation in soft rock.	m3	2		
7	Extra over excavations in earth for excavation in hard rock.	m3	1		
	Carried to Collection Section No. 2 Bill No. 13 EXTERNAL WORKS PROVISIONAL BILLS OF QUANTITIES			R	

	Carting away of excavated material				1
1	Load surplus or unsuitable material from spoil heaps and cart away to a dumping site to be located by the Contractor.	m3	9		
	Risk of collapse of excavations				
2	Allow for risk of collapse to sides of excavations not exceeding 1.5m deep including all necessary timber shoring, etc.	m2	43		
	Keeping excavations free of water				
3	Allow for keeping the excavations free from water.		Item		
	Filling, layerworks, etc.				
4	Earth filling from the excavations and/or stockpiles in backfilling to trenches, column bases, etc., compacted to 95% Mod AASHTO dry density.	m3	7		
5	Imported G7 filling, selected and supplied by the Contractor, including depositing in layers not exceeding 150mm thick and compacting to 95% modified AASHTO dry density to trenches, bases, etc.	m3	7		
	Compaction of surfaces				
6	Scarify in-situ material to a depth of 150mm and compact to 95% Mod AASHTO density.	m2	16		
	<u>Tests</u>				
7	Allow for Mod AASHTO density tests on filling.	No	4.00		
	Reinforced concrete 25MPa in:				
8	Strip foundations cast against excavated surfaces.	m3	5		
9	Surface beds cast in panels including temporary formwork.	m3	2		
	Sundries				
10	Float surface of concrete to a wood float finish.	m2	16		
				_	\vdash
	Section No. 2			R	⊨
	Bill No. 13 EXTERNAL WORKS				
	PROVISIONAL BILLS OF QUANTITIES				

	Rough formwork (use and waste) to concrete to:	1			1
1	Edge, riser, etc not exceeding 300mm high.	m	32		
'		""	02		
	High tensile welded steel mesh reinforcement:		4.4		
2	Ref: 395 cast into concrete surfaces.	m2	14		
3	Ref: 395 cast into concrete strip footings.	m2	29		
	Brickwork in stock bricks in 5:1 cement mortar :				
4	One brick wall.	m2	15		
5	One brick wall in foundations. (Provisional)	m2	15		
	Brickwork sundries :				
6	Galvanised brick reinforcement 150mm wide built horizontally into brickwork.	m	86		
	"Rustgold FBS / Qunu Travertine " or other equal approved FBX quality face bricks including jointing and square recess pointing 6 x 10mm joints				
7	Extra over ordinary brickwork for facing and pointing in stretcher bond.	m2	15		
8	Extra over ordinary brickwork for facing and pointing in stretcher bond in foundations. (Provisional)	m2	5		
	Face brick copings, lintols, cills, etc.				
9	Extra over brickwork for brick-on-edge header course coping including pointing to both faces and top.	m	32		
	Movement joints				
10	10mm Thick bitumen impregnated softboard built vertically between concrete and concrete or brickwork surfaces.	m2	10		
11	Rake out 10mm wide softboard for a depth of 10mm and seal with an approved 2 part polysulphide sealant.	m	18		
	Carried to Collection Section No. 2 Bill No. 13 EXTERNAL WORKS PROVISIONAL BILLS OF QUANTITIES			R	

	Ties, cramps, etc.				
1	38 x 1,6mm Galvanised hoop iron strap around tank, both ends fitted with once holed 30 x 30 x 3mm thick galvanised flat plate and bolted together with and including M8 bolt and nut.	No	4		
2	38 x 1,6mm Galvanised hoop iron tie down, 1200mm long, one end wrapped around tank strap and twice bolted, the other end folded over and bolted to top of concrete with and including 8 x 60mm masonry anchor.	No	16		
	250 Micron "Gunplas USB" green polyethylene sheeting :				
3	Laid flat under solid floor and over walls.	m2	14		
	Rainwater tanks:				
4	5000 Litre polyethylene rotomoulded vertical water storage tank provided complete with lid and overflow outlet, fitted with suitable adaptor and setting in position on concrete tankstand (elsewhere measured). (The tanks are to be filled with water for the Practical Completion inspection)	No	4		
5	Hole through top of tank lid for 100mm diameter pipe.	No	4		
	THE FOLLOWING IN SECURITY FENCING				
	SECURITY FENCING				
	The Contractor is to allow in his rates for any site clearance, preparation of ground, etc. in order to carry out the work successfully.				
	"Clearvu" or equally approved fencing products to be executed in strict accordance with the Manufacturer's instructions				
	<u>Fencing</u>				
6	High security galvanised, marine fusion bond coated, mesh fencing panel, size 3350 x 1800mm high fixed to posts (elsewhere).	No	11		
	Carried to Collection			R	
	Section No. 2 Bill No. 13 EXTERNAL WORKS				
	PROVISIONAL BILLS OF QUANTITIES				

1	High security galvanised, marine fusion bond coated, mesh fencing panel, size 2300 x 1800mm high fixed to posts (elsewhere).	No	1		
	<u>Posts</u>				
2	Intermediate locking taper post, marine fusion bond coated, 2400mm long, with UV stabilised polymer cap including embedding in 400 x 400 x 600mm (25Mpa) concrete base including all necessary excavations, backfilling, etc.	No	11		
3	End or corner square post, marine fusion bond coated, 2400mm long, with UV stabilised polymer cap including embedding in 400 x 400 x 600mm (25Mpa) concrete base including all necessary excavations, backfilling, etc.	No	4		
4	Square gate post, marine fusion bond coated, 2400mm long, with UV stabilised polymer cap and gate mooring bracket including embedding in 400 x 400 x 600mm (25Mpa) concrete base including all necessary excavations, backfilling, etc.	No	2		
	<u>Gates</u>				
5	Single gate, size 1000 x 1800mm high overall formed of square section perimeter framing, rails, etc. and the gate covered with high security galvanised, marine fusion bond coated, mesh including locking mechanism, hinges, drop bolts, etc. as per manufacturer's specifications.	No	1		
	<u>Accessories</u>				
6	100mm High, marine fusion bond coated, steel shark spikes in 1500mm lengths pre-drilled and bolted to top of fencing panels (elsewhere).	m	40		
7	"Union 3122" or other approved 51mm brass padlock with stainless steel shackle.	No	1		
	<u>Sundries</u>				
8	Extra over excavations in earth (concrete bases) for excavation in soft rock.	m3	0.1		
	Carried to Collection			R	
	Section No. 2 Bill No. 13 EXTERNAL WORKS				
	PROVISIONAL BILLS OF QUANTITIES				

1	Extra over excavations in earth (concrete bases) for excavation in hard rock.	m3	0.1		
	THE FOLLOWING IN ELEVATED TANKS AND GROUND STORAGE (ALL TRADES)				
	EXCAVATIONS, FILLING, ETC.				
	Excavate in earth not exceeding 2m deep including trimming sides, levelling and ramming bottoms and deposit in spoil heaps for later re-use or cart away				
2	Reduced levels under solid floors.	m3	11		
	Excavations in earth of more difficult character				
3	Extra over excavations in earth for excavation in soft rock.	m3	1		
	Carting away of excavated material				
4	Load surplus or unsuitable material from spoil heaps and cart away to a dumping site to be located by the Contractor.	m3	12		
	Risk of collapse of excavations				
5	Allow for risk of collapse to sides of excavations not exceeding 1.5m deep including all necessary timber shoring, etc.	m2	10		
	Keeping excavations free of water				
6	Allow for keeping the excavations free from water.		Item		
	Foundation courses				
7	Imported G7 filling, selected and supplied by the Contractor, including depositing in layers not exceeding 150mm thick and compacting to 95% modified AASHTO dry density under solid floors.	m3	4		
8	Imported G5 filling, selected and supplied by the Contractor, including depositing in layers not exceeding 150mm thick and compacting to 98% modified AASHTO dry density under solid floors.	m3	4		
	Carried to Collection			R	
	Section No. 2 Bill No. 13 EXTERNAL WORKS			K	
	PROVISIONAL BILLS OF QUANTITIES				

	Compaction of surfaces					
1	Scarify in-situ material to a depth of 150mm and compact to 93% Mod AASHTO density.	m2	27			
	<u>Tests</u>					
2	Allow for Mod AASHTO density tests on filling.	No	2.00			
	CONCRETE (Labour intensive)					
	Reinforced concrete 30MPa (19mm stone) in:					
3	Rafter slabs cast against excavated surfaces.	m3	8			
	<u>Testing</u>					
4	Allow for preparing and curing a set of three test cubes, each size 150mm x 150mm x 150mm and pay all transport and testing costs undertaken by an approved independent laboratory. (Provisional)	Sets	2			
	Surface treatment					
5	Float surface of concrete to a wood float finish.	m2	27			
	Carried to Collection			R		
	Section No. 2 Bill No. 13			, in		
	EXTERNAL WORKS					
	PROVISIONAL BILLS OF QUANTITIES					
		1			4	ı

	<u>FORMWORK</u>				
	Edges, risers, ends and reveals				
1	Edge, riser, etc exceeding 300mm high.	m2	11		
	Projections, grooves, etc.				
2	Labour and material in forming 25 x 25mm chamfer to exposed top edge of concrete.	m	24		
	REINFORCEMENT (PROVISIONAL)				
	High tensile welded steel mesh reinforcement:				
3	Ref: 395 cast into concrete surfaces.	m2	27		
	PLUMBING AND DRAINAGE				
	ALTERATIONS TO EXISTING				
4	Locate, cut into and temporarily stop off 63mm diameter water pipe for insertion of reducing fitting (elsewhere).	No	2		
	Pipes, pipe fittings, etc.				
	Class 12 uPVC water supply pipe with bedding and filling in accordance with SABS 1200				
5	40mm Pipe.	m	90		
6	50mm Pipe.	m	12		
7	40mm Pipe and laying in ground not exceeding 1000mm deep.	m	10		
	Extra over uPVC pipes for the following fittings				
8	40mm Bend.	No	27		
9	50mm Bend.	No	5		
10	40mm Tee junction.	No	2		
11	63 x 40mm Straight reducer	No	2		
					+
	Carried to Collection Section No. 2			R	+
	Bill No. 13 EXTERNAL WORKS				
	PROVISIONAL BILLS OF QUANTITIES				

1	Tong volves etc	1	1]
	Taps, valves, etc.				
1	40mm float valve kit fitted inside of tank.	No	3		
2	40mm In-line strainer.	No	2		
3	40mm Brass gate valve.	No	3		
4	40mm Brass non return valve.	No	1		
5	40mm Flanged resilient seal gate valve with cap top.	No	2		
6	40mm Flanged pressure reducing valve.	No	1		
	<u>Switch</u>				
7	Float switch fitted inside of tank.	No	2		
	Connections				
	Connection of new to existing pipes				
8	Connection of 40mm diameter HDPE to 40mm diameter galvanised pipes including all necessary reducers, saddles, etc.	No	2		
9	Connection of 40mm diameter HDPE to 0.75kw water pump including all necessary reducers, saddles, etc.	No	2		
10	Connection of 63mm diameter HDPE to 40mm diameter galvanised pipes including all necessary reducers, saddles, etc.	No	1		
	Rainwater tanks:				
11	20 000 Litre polyethylene rotomoulded vertical water storage tank provided complete with lid and overflow outlet, fitted with suitable adaptor and setting in position on concrete tankstand (elsewhere measured). (The tanks are to be filled with water for the Practical Completion inspection)	No	3		
12	Hole through side of tank for 40mm diameter pipe including adaptor.	No	6		
	Carried to Collection Section No. 2 Bill No. 13			R	
	EXTERNAL WORKS				
	PROVISIONAL BILLS OF QUANTITIES				
	•		•	11	•

1	<u>Ties, cramps, etc.</u>				
1	38 x 1,6mm Galvanised hoop iron strap around tank, both ends fitted with once holed 30 x 30 x 3mm thick galvanised flat plate and bolted together with and including M10 bolt and nut.	No	3		
2	38 x 1,6mm Galvanised hoop iron tie down, 2500mm long, one end wrapped around tank strap and twice bolted, the other end folded over and bolted to top of concrete with and including 8 x 60mm masonry anchor.	No	12		
	Water supply valve or meter chambers				
3	Excavate for and build valve chamber size 565 x 665 x 550mm deep overall formed of precast concrete valve chamber units 1, 2, 3 and 4 with valve box lid-V and 19mm thick layer of 19mm stone in bottom including filling in and ramming.	No	2		
	Pump and Pumphouse				
4	Allow the Budgetary Allowance of R 15 000,00 (Fifteen Thousand Rand) for the installation of a 0.75kw water pump including housing, etc.		ltem		15,000.00
	ELECTRICAL CONNECTION				
	Elevated Tank Electrical Works				
5	Allow the Budgetary Allowance of R 30 000,00 (Thirty Thousand Rand) for the electrical supply to the water pumps, float switches, ect.		Item		30,000.00
	PROVISION OF TEMPORARY TOILETS DURING THE CONSTRUCTION PERIOD				
	Portable toilets				
6	Supply and erecting of the portable chemical toilet during the duration of the contract.	No	5		
7	Servicing and maintain the five portable chemical toilets on a weekly basis during duration of the contract. (No = week)	No	20		
8	Removal of the portable chemical toilet on completion of the contract.	No	5		
	Section No. 2			R	
	Bill No. 13 EXTERNAL WORKS				
	PROVISIONAL BILLS OF QUANTITIES				

Section No. 2				
Bill No. 13				
EXTERNAL WORKS				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	74			L
	75			
	76			
	77			
	78			
	79			
	80			
	81			
	82			
	83			
	84			
	85			
	86			
	87			
	88			<u>-</u>
	89			
Carried Forward to Summary of Section No. 2		R		
Section No. 2				
Bill No. 13 EXTERNAL WORKS				
PROVISIONAL BILLS OF QUANTITIES				

Bill No	SECTION SUMMARY - SECTION NO.2 - BUILDING WORKS	Page No		Amount	
1	ALTERATIONS	48			
2	MASONRY	49			
3	WATERPROOFING	50			
4	ROOF COVERINGS, ETC.	51			
5	CARPENTRY AND JOINERY	55			
6	FLOOR COVERINGS, WALL LININGS, ETC.	56			
7	IRONMONGERY	59			
8	METALWORK	62			
9	PLASTERING	63			
10	PLUMBING AND DRAINAGE	68			
11	GLAZING	69			
12	PAINTWORK	73			
13	EXTERNAL WORKS	90			
	Carried to Final Summary		R		<u>_</u>
	Section No. 2				
	PROVISIONAL BILLS OF QUANTITIES				

Item No		Quantity	Rate	Amount
3	SECTION NO.3 - PROVISIONAL SUMS , BUDGETARY ALLOWANCES, ECT.			
	BILL NO.1			
	PROVISIONAL SUMS, BUDGETARY ALLOWANCES, ETC.			
	Note:			
	For Preambles see "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition 2.1 July 2014).			
	PROVISIONAL SUM			
	ELECTRICAL INSTALLATION			
1	Provided the Provisional sum of R 20 000.00 (Twenty Thousand Rand) for the refurbishment of existing electrical installations including replacing lights, plugs and sockets, ect.	Item		20,000.00
2	Add for profit on the above, if desired.	Item		
3	Allow for attendance on the above, if desired.	Item		
	COMMUNITY LIAISON OFFICER (CLO)			
4	Provide the sum of R 39 000.00 (Thirty Nine Thousand Hundred Rand) for the employment of a CLO.(R 6 500.00 per month x contract period allowance)	Item		39,000.00
5	Add for profit on the above if required.	Item		
	BUDGETARY ALLOWANCE			
	Carried to Collection		R	
	Section No. 3		K	
	Bill No. 1 PROVISIONAL SUMS, BUDGETARY ALLOWANCES,EC			
	PROVISIONAL BILLS OF QUANTITIES			

1	ROOF TRUSS STRENGTHENING Allow the Budgetary Allowance of R 15 000.00 (Fifteen Thousand Five Hundred Rand) for the additional bracing, sizing of members, etc. to the timber roof structure to the existing buildings to repair any damaged members to the roof trusses.	Item		15,000.	00
	Carried to Collection Section No. 3 Bill No. 1		R		
	PROVISIONAL SUMS, BUDGETARY ALLOWANCES,EC PROVISIONAL BILLS OF QUANTITIES				

Section No. 3				
Bill No. 1				
PROVISIONAL SUMS, BUDGETARY ALLOWANCES,ECT.				
COLLECTION				
Total Brought Forward from Page No.	Page No 92 93		Amount	
Carried to Final Summary		R		
Section No. 3 Bill No. 1 PROVISIONAL SUMS, BUDGETARY ALLOWANCES,EC				
PROVISIONAL BILLS OF QUANTITIES				

	FINAL SUMMARY			1
Section No		Page No		Amount
1	SECTION NO.1 - PRELIMINIARIES AND GENERAL	43		
2	SECTION NO.2 - BUILDING WORKS	91		
3	SECTION NO.3 - PROVISIONAL SUMS , BUDGETARY ALLOWANCES, ECT.	94		
	Sub - Total		R	
	CONTINGENCY PROVISIONS			
	Allow the Budgetary Provision of R 50 000.00 (Fifty Thousand Rand) for construction contingencies of a general nature and for the finalisation of design detailing. This sum, or any portion thereof, shall be expended at the sole discretion of the Principal Agent. Any residual balance remaining subsequent to such expenditure shall be deducted in its entirety from the Contract Sum.	Item		50,000.00
	Sub - Total		R	
	Add Value - Added Tax at the rate applicable as at		K	
	Tender closing date.		R	
	Sub - Total		R	
	Carried to Form of Tender		R	
	PROVISIONAL BILLS OF QUANTITIES			