

**SPECIFICATION TO PROCURE SERVICES FOR ADVERTISING TO
NOTIFY PUBLIC ABOUT MHI RISK ASSESSMENT
CONDUCTED IN GERMISTON PLANT**

Table of Contents

1. Purpose of this document.....3
 2. Background and Need.....3
 3. Scope of Work.....3
 4. Outcomes Targets.....4
 5. General.....4
 6. Technical Evaluation.....5

<i>Document Number: 01</i>	<i>Document Name: Specification request for a service for advertising to notify public about MHI risk assessment conducted in Transnet Engineering Germiston plant</i>
<i>Issue Date: Thursday, 30 November 2023</i>	<i>Page 2 of 5</i>

1. PURPOSE OF THIS DOCUMENT

To seek a Service Provider that can advertise in the Germiston area to notify Public about MHI risk assessment conducted in Germiston Plant.

2. BACKGROUND & NEED

As part of various operational activities within the Germiston Plant especially Wagons Manufacturing, bulk usage of hazardous chemical substances e.g., LPG and Nitrogen is required and there is also bulk storage of other gas cylinders and paint within the plant.

In terms of the Occupational Health & Safety Act (Act 85 of 1993) as amended and Major Hazard Installation Regulations section 2 and 5, the employers who have on their premises, either permanent or temporarily; a major hazard installation or a quantity of a substance which may pose a risk that could affect the health and safety of the employees and the public to conduct the hazard identification risk assessment.

The outcome of the MHI Risk Assessment conducted declared Germiston Plant a Major Hazard installation based on the risk posed when Liquefied Petroleum Gas is delivered on site by bulk road tankers.

3. SCOPE OF WORK

The successful service provider will be required to advertise within the Germiston area to notify Public about the outcome of the MHI risk assessment which was conducted in Germiston Plant. Germiston Transnet Engineering is located at 3 Keswick Road, Germiston in Johannesburg in the City of Ekurhuleni Municipality of the Gauteng Province of the Republic of South Africa.

In terms of the Occupational Health & Safety Act (Act 85 of 1993) as amended and Major Hazard Installation Regulations section 3(6), an employer is required to advertise the notification in at least one newspaper serving the communities within the vicinity of the installation declared as MHI.

4. OUTCOME TARGETS

To be able to advertise in the Germiston area to notify Public about MHI risk assessment conducted in Germiston Plant.

<i>Document Number: 01</i>	<i>Document Name: Specification request for a service for advertising to notify public about MHI risk assessment conducted in Transnet Engineering Germiston plant</i>
<i>Issue Date: Thursday, 30 November 2023</i>	<i>Page 3 of 5</i>