



**1. SCOPE OF WORK AND AREAS OF FOCUS- SUPPLY & DELIVER GENERAL BUILDING MATERIAL**

**a) SCOPE OF THE DESIRED SOLUTION**

To appoint one (1) service provider to Supply & deliver general building material on an As and When required basis for a period of **24 months**

**2. SPECIFICATION OF THE WORK OR PRODUCTS OR SERVICES REQUIRED**

**SPECIFICATION- AS AND WHEN: SUPPLY & DELIVER GENERAL BUILDING MATERIAL**

**2.1 Scope of Work**

2.1.1 The work entails the supply and delivery of General Building Material on the As and When Requested basis as per specified items in the Bill of Quantities. The location where the material shall be delivered in Germiston & New Canada depot.

**2.2 General**

2.2.1 Only quality and SABS approved material must be quoted for, material of inferior quality will not be accepted, and the replacement of such material shall be to the contractors' cost.

2.2.2 The service will be required on the As and When basis and depending on the urgency of the material required.

2.2.3 The prospective bidder shall be expected to deliver the material within 2-days from the time of receiving a Purchase Order.

2.2.4 Material request and the delivery of such material shall only be during normal working hours i.e. From Monday to Friday (07h30 to 16h00).

2.2.5 The prospective bidder shall ensure that material delivered is the material requested and false deliveries will be corrected at the contractor's own cost.

### **2.3 Terms of Payment**

2.3.1 The terms of payment will be monthly and upon receiving the invoice, PRASA-RAIL shall pay the contractor within 30 days. This is subject to the invoicing being both correct and free from anomalies.

2.3.2 Invoices shall show a clear description of the material requested and contract rates. A copy of the signed delivery notice will be attached to the invoice as a supporting document.

2.3.4 If invoices are presented which do not fully comply with the format as detailed shall be rejected, and PRASA-RAIL will accept no liability and/or responsibility for the late payment of the invoices which have been incorrectly addressed by the Contractor.

2.3.5 No payment shall be made by PRASA-RAIL for any unauthorized service performed by the Contractor.

**BILL OF QUANTITIES: RFQ06-01/06/2026**


| #   | Description  | Unit | Rate |      |
|-----|--|------|------|------|
|     |  |      | YR 1 | YR 2 |
| 1.  | Square tubing 32mmx32mm  | Each | R    | R    |
| 2.  | Steel Check plate x 10mm   | Each | R    | R    |
| 3.  | Round bars x 16mm  | Each | R    | R    |
| 4.  | Flat bar x 5mm   | Each | R    | R    |
| 5.  | Mortice Lock   | Each | R    | R    |
| 6.  | Nails x3 inches  | Each | R    | R    |
| 7.  | Screws x 6.35mm x 90mm (Qty 50)  | Each | R    | R    |
| 8.  | Steel Door   | Each | R    | R    |
| 9.  | 44mm thick interior grade flush solid core timber single door with 3 mm thick commercial ply on both sides with consolidated edges fitted and complying with SABS 545 in pressed steel frame.813 x 2032 x 44mm single leaf solid core with commercial veneer for paint.  | Each | R    | R    |
| 10. | 44mm thick exterior grade flush solid core timber single door with 3mm thick commercial ply on both sides with consolidated edges fitted and complying with SABS 545 in pressed steel frame. 813 x 2032 x 44mm single leaf solid core with commercial veneer for paint.  | Each | R    | R    |
| 11. | 44mm thick exterior grade flush solid core timber single door with 3mm thick commercial ply on both sides with consolidated edges fitted and complying with SABS 545 in pressed steel frame. 1800 x 2032 x 44mm double leaf solid core with commercial veneer for paint. | Each | R    | R    |
| 12. | 1m 2 x 30mm thick Rustenburg polished granite countertop with 5mm double bevelled large bevel edges  | Each | R    | R    |
| 13. | 2mm thick edge strip 32mm wide 1m long   | Each | R    | R    |
| 14. | 12 x 300mm Fascia's including galvanized steel H-Profile jointing strips 1m long   | Each | R    | R    |
| 15. | 330 x 250mm Barge boards including galvanized steel H-profile jointing strips 1m long  | Each | R    | R    |

|     |   |      |   |   |
|-----|---|------|---|---|
| 16. | Grade 304 Stainless Steel Rack and Cam Pinion door closer with sliding track arm. Non handed with a maximum 180 degree non hold opening as standard. Power adjustable by spring, latching and damping action. Must be suitable for exterior doors also. Product characteristics ratio - weight to door weight; 60 kg for lght to solid doors. | Each | R | R |
| 17. | Grade 304 Stainless Steel wall door mounted door stop.  | Each | R | R |
| 18  | 40mm x 40mm x 3mm square tubing frame with four horizontal members, 20mm intermediate solid bars welded to frame work, 125mm x 30mm bullet hinges, 125 x 25 x 6mm fat bar Lugs with 8 x 10mm raw bolts and 150 x 200 x 6mm flat bar stop plate  |      | R | R |
| 19  | 0.5m 2 – 1.5m 2 Opening Heavy duty single Burglar door and frame with 20mm steel solid round bar and 40 x 40 x 3mm square tubing  | Each | R |   |
| 20  | 1.5m 2 – 2.5 m 2 Opening Heavy duty single Burglar door and frame with 20mm steel solid round bar and 40 x 40 x 3mm square tubing   | Each | R | R |
| 21  | 0.5m 2 - 1.5m 2 Opening Heavy duty double Burglar door and frame with 20mm steel solid round bar and 40 x 40 x 3mm square tubing  | Each | R | R |
| 22  | 1.5m 2 - 2.5m 2 Opening Heavy duty double Burglar door and frame with 20mm steel solid round bar and 40 x 40 x 3mm square tubing  | Each | R | R |
| 23  | 2.5m 2- 3.0m 2 Opening Heavy duty double Burglar door and frame with 20mm steel solid round bar and 40 x 40 x 3mm square tubing   | Each | R | R |
| 24  | Right Hand Steel Door Frame (813 x 2032 x 115mm)  | Each | R | R |
| 25  | Left Hand Steel Door Frame (813 x 2032 x 115mm)   | Each | R | R |
| 26  | Door frame 813 mm (width) × 2032 mm (height)  | Each | R | R |
| 27  | Burglar door frame 32mmx32mm  | Each | R | R |
| 28  | Burglar windows 16mm round bar (ND11F)  | Each | R | R |
| 29  | Single exterior wooden door is 813 mm (width) × 2032 mm   | Each | R | R |
| 30  | Heavy tile 600x600mm  | Each | R | R |
| 31  | Heavy tile 1200x600mm   | Each | R | R |

|    |  |      |   |   |
|----|--|------|---|---|
| 32 | Concrete tile 420x 323 mm                      | Each | R | R |
| 33 | Roof Zink IBR 6m                               | Each | R | R |
| 34 | Bolt and nut x 10mm                            | Each | R | R |
| 35 | Cement   | Each | R | R |
| 36 | Reinforce x16mm                                | Each | R | R |
| 37 | Wires 2mm x 28.5KG                             | Each | R | R |
| 38 | Clay stock Brick                               | Each | R | R |
| 39 | Palisade heavy duty 3mx1.6m                    | Each | R | R |
| 40 | Floor Tiles porcelain non slippery 600mmx600mm | Each | R | R |
| 41 | Roller shutter door 3m x 2.1m                  | Each | R | R |
| 42 | Brick force                                    | Each | R | R |
| 43 | Fabricated structural steel 75mm               | Each | R | R |
| 44 | Sheet steel 1220x2440x0.6mm galvanised         | Each | R | R |
| 45 | Pop rivet 4.8 x12mm                            | /Kg  | R | R |
| 46 | Joining /connecting components                 | Each | R | R |
| 47 | Sheets 0.013-inch x 4inch                      | Each | R | R |
| 48 | Rafter 114mmx4.8m                              | Each | R | R |
| 49 | Glass panel x 2mm                              | Each | R | R |
| 50 | Padlock x 40mm                                 | Each | R | R |
| 51 | Chain 4mm x 1m                                 | Each | R | R |
| 52 | River sand per meter                           | Each | R | R |
| 53 | Paving brick interlocking 60mm                 | Each | R | R |
| 54 | Internal wooden door                           | Each | R | R |
| 55 | 304 Stainless steel drain grids                | Each | R | R |
| 56 | Concrete grid 200mm                            | Each | R | R |
| 57 | Sliding Window stay 175mm                      | Each | R | R |
| 58 | Concrete mixture per cubic                     | /M3  | R | R |
| 59 | Warden lock 5 lever double lock                | Each | R | R |
| 60 | Small altra lock                               | Each | R | R |
| 61 | Rim lock 152mmx102mm steel case                | Each | R | R |
| 62 | Lock inset                                     | Each | R | R |
| 63 | Pad bolt 100mmx25mm wide solid                 | Each | R | R |
| 64 | Tile grout white 1kg                           | Each | R | R |
| 65 | Rafter timber 38mmx152mm 6.6m                  | Each | R | R |
| 66 | Fibre ceiling 4mmx1.2mx2.4m                    | Each | R | R |
| 67 | Paint traffic yellow paint 5L                  | Each | R | R |

|     |   |      |   |   |
|-----|---|------|---|---|
| 68  | Aluminium window top hung 1500x1200   | Each | R | R |
| 69  | Sliding aluminium window (w890-1490x590-890)                                    | Each | R | R |
| 70  | 3lever mortice lock   | Each | R | R |
| 71  | Insert lock   | Each | R | R |
| 72  | Lock mortice lock set L2241-78 lock only  | Each | R | R |
| 73  | Lince lock  | Each | R | R |
| 74  | Padlock 40mm wide 6mm nickel plated shackle                                     | Each | R | R |
| 75  | Padlock 60mm brass  | Each | R | R |
| 76  | Universal pad lock  | Each | R | R |
| 77  | Roof nails 5kg  | Each | R | R |
| 78  | Wood nails 3inch 1kg  | P/Kg | R | R |
| 79  | Wood nails 4inch 1kg  | P/Kg | R | R |
| 80  | Elzet locks   | Each | R | R |
| 81  | Double lock cylinder (insert lock)  | Each | R | R |
| 82  | Drawer locks (Mackie)   | Each | R | R |
| 83  | Cabinet shop lock   | Each | R | R |
| 84  | Barrel bolt latch 304 stainless steel   | Each | R | R |
| 85  | Hasp and staple locks   | Each | R | R |
| 86  | Wood glue 5L  | Each | R | R |
| 87  | Wood door hinge   | Each | R | R |
| 88  | Ceiling boards 12mm 1200x3600 (Gypsum)  | Each | R | R |
| 89  | Porcelain Floor tile 300mm x 300mm  | Each | R | R |
| 90  | 75mm coved cornices 1m Long   | Each | R | R |
| 91  | Window Peg Stay Screw M6x12   | Each | R | R |
| 92  | Window Sliding Stay Screw M6X9,5mm  | Each | R | R |
| 93  | Window Sliding Stay Screw M6X6,0mm  | Each | R | R |
| 94  | Window Sliding Stay 270mm Brass   | Each | R | R |
| 95  | Window Handle Screw M8X19mm   | Each | R | R |
| 96  | Window Handle Nylon Bushes  | Each | R | R |
| 97  | Window Handle L/H Brass   | Each | R | R |
| 98  | Window Peg Stay 300mm Brass   | Each | R | R |
| 99  | Georgian obscure wired glass  | Each | R | R |
| 100 | Branding 38x38  | Each | R | R |
| 101 | IBR (686mm Covering) Galvanised Roof Sheets with a thickness of 0,80mm          | Each | R | R |
| 102 | IBR (686mm Covering) Clear Polycarbonate Roof Sheets with a thickness of 0,80mm | Each | R | R |

|     |  |      |   |   |
|-----|--|------|---|---|
| 103 | Corrugated (762mm Covering) Galvanised Roof Sheets with a thickness of 0,80mm          | Each | R | R |
| 104 | Corrugated (762mm Covering) Clear Polycarbonate Roof Sheets with a thickness of 0,80mm | Each | R | R |
| 105 | Steel Galvanised Facia Boards 225mmx 420mm   | Each | R | R |
| 106 | Aluminium seamless gutters 150mmx 140mm  | Each | R | R |
| 107 | Aluminium downpipes 100mmx 75mm  | Each | R | R |
| 108 | Fibre Cement Ceiling 4mm   | Each | R | R |
| 109 | Suspended Ceiling Tiles MicroLook 15mm   | Each | R | R |
| 110 | Ceiling plasterboards gypsum 6,4mm   | Each | R | R |
| 111 | Cornice gypsum 20mm x 76mm   | Each | R | R |
| 112 | Wall Tiles 600mm x 300mm Porcelain tiles R11<br>Colour: POLISHED CREAM                 | Each | R | R |
| 113 | Floor Tiles 600mm x 600mm Porcelain tiles R11<br>Colour: MATT DARK GERY                | Each | R | R |
| 114 | Floor Tiles 300mm x 300mm Porcelain tiles R11<br>Colour: MATT DARK GERY                | Each | R | R |
| 115 | Bevel Bond Grey Paver brick 50mm   | Each | R | R |
| 116 | Bevel Bond Grey Paver brick 80mm   | Each | R | R |
| 117 | Interlocking Grey Paver Brick 60mm   | Each | R | R |
| 118 | Interlocking Grey Paver Brick 80mm   | Each | R | R |
| 119 | Tapered Kerbs 125mmx300mmx90mm   | Each | R | R |
| 120 | Cement stock Brick 7MPa  | Each | R | R |
| 121 | Clay Stock Brick   | Each | R | R |
| 122 | Cement 32.5N bag of 50kg   | Each | R | R |
| 123 | Cement 42.5N bag of 50kg   | Each | R | R |
| 124 | Ceramic Wall and Floor Tile Adhesive   | Each | R | R |
| 125 | Porcelain Wall and Floor Tile Adhesive   | Each | R | R |
| 126 | Ceramic Wall and Floor Tile Adhesive   | Each | R | R |
| 127 | Tile Grout Waterproof Dove Grey  | Each | R | R |
| 128 | Tile Grout Waterproof White  | Each | R | R |
| 129 | 8 Panel meranti door   | Each | R | R |
| 130 | Horizontal hollow door core interior   | Each | R | R |
| 131 | Asphalt  | M3   | R | R |
| 132 | Plaster sand   | M3   | R | R |
| 133 | Drywall screw 25mm   | Kg   | R | R |
| 134 | Bishop strip 3.0x0.4mm   | Each | R | R |
| 135 | Bullet proof window 520x440x145mm  | Each | R | R |
| 136 | Cash drawer  | Each | R | R |
| 137 | Perlin 50x76mm   | Each | R | R |
| 138 | Rafter 114x38mm  | Each | R | R |
| 139 | Leap channel 50x76mm   | Each | R | R |

|     |   |   |          |          |
|-----|---|---|----------|----------|
| 140 | Leap channel 50x150mm   | Each  | R        | R        |
| 141 | Welding rods 3.2mm  | Kg  | R        | R        |
| 142 | Butterfly hinges  | Each  | R        | R        |
| 143 | Lugs 30x60mm  | Each  | R        | R        |
| 144 | IBR cromadek 0.5m   | Each  | R        | R        |
| 145 | Lugs 50x40x10mm   | Each  | R        | R        |
| 146 | Plaster sand  | M3  | R        | R        |
| 147 | Single Internal wooden door is 813 mm (width) x 2032 mm   | Each  | R        | R        |
| 148 | Material Not listed   | %   | %        | %        |
| 149 | Travel cost   | P/km  | R        | R        |
|     |   | SUB - TOTAL                                   | <b>R</b> | <b>R</b> |
|     | <b>CARRY OVER TO THE FINAL SUMMARY</b><br> | TOTAL (Yr1 & Yr 2)<br>(VAT EXCL)<br>SUB TOTAL | <b>R</b> |          |

### 6.1 FINAL SUMMARY

#### PRICING SCHEDULE (As and When – Supply & deliver Building material at SGR).

| Item | Description   | Total Annual Amount |
|------|---|---------------------|
| 1    | <b>Pricing Schedule: Supply &amp; deliver Building material</b> |                     |
|      | TOTAL (YEAR1 +YEAR2<br>VAT EXL) SUB-TOTAL                       | R                   |
|      | VAT 15%   | R                   |
|      | <b>GRAND TOTAL</b>  | R                   |

