


- NOTES:**
- N1. INSTALL NEW STEEL DOOR + FRAME TO SUIT OPENING 0.86m WIDE x 2.1m HIGH, INWARD OPENING.
- N2. CONTRACTOR TO CONFIRM ALL MEASUREMENTS ON SITE AND BRING DISCREPANCIES TO THE ENGINEER'S ATTENTION.
- N3. CONTRACTOR TO UNDERTAKE DETAIL DESIGN OF SECURITY DOORS (OUTER DOORS) AND SUBMIT WORKSHOP DRAWINGS TO ENGINEER FOR APPROVAL PRIOR TO MANUFACTURING/ORDERING.
- N4. CONTRACTOR TO INSTALL NEW TIMBER SHELVING & TO PROVIDE SHOP DRAWINGS FOR APPROVAL TO ENGINEER PRIOR TO MANUFACTURING.
- N5. TOTAL OF 8 NO. OF VENT BRICKS (150x150x230) TO BE INSTALLED AT HEIGHT OF 300mm BELOW CEILING.



ISSUED FOR TENDER



- (A) BEFORE CONTRACT COMMENCES
- (A) AFTER CONSTRUCTION CONTRACT HAS COMMENCED

Nr.	DATE	AMENDMENTS
(T1)	2025-04-22	ISSUED FOR TENDER

COPYRIGHT IS VESTED IN V3 CONSULTING ENGINEERS IN TERMS OF THE COPYRIGHT ACT (ACT 98 OF 1978)

CLIENT / IMPLEMENTING AGENT



PROJECT
TSHAME WWTW REFURBISHMENT

DRAWING DESCRIPTION
CHLORINATION BUILDING REFURBISHMENT & PROPOSED REPLACEMENT STORE ROOM:
GENERAL LAYOUT

DRAWING NO.
10909001 - 0509

REVISION
(T1)

DESIGNED:	GM	CHECKED:	GM
DRAWN:	IS	SCALE:	A1
APPROVED:	GM	INCEPTION DATE:	22-04-2025
FILE PATH:	SHAREPOINT/ BLOEMFONTEIN - 10909001 TSHAME WWTW / 03 DESIGN / 04 DRAW / 02 STRUCT / 02 DWG		

ISSUED FOR TENDER