


SPEC SHEET

SAP MATERIAL No.:	0249931								
SHORT DESCRIPTION:	FALL ARREST SYS, SUBS&AUX SMALL D12708								
TECH. DESCRIPTION: FALL ARREST SYSTEM SUBSTATIONS AND AUXILLARY * SMALL * MANUFACTURED, TESTED AND MARKED IN ACCORDANCE TO SANS SPECIFICATIONS * SUPPLIED IN A PACKAGE CONTAINING : <ul style="list-style-type: none"> 1 x FULL BODY HARNESS WITH WORK POSITIONING BELT TO SANS 50358 / SANS 50361 1 x ADJUSTABLE DOUBLE SAFETY LANYARD TO SANS 50354 FITTED WITH 2 x PYLON HOOKS WITH MINIMUM GATE OPENING OF 60mm TO SANS 50362, 1 x KARABINER DOUBLE OR TRIPLE ACTION WITH CAPTIVE EYE (NO SCREW GATE) 25kN TO SANS 50362 AND 1 x ENERGY ABSORBER NOT LONGER THAN 1.75m TO SANS 50355 1 x ADJUSTABLE WORK POSITIONING LANYARD NOT LONGER THAN 2m TO SANS 50358 2 x ATTACHMENT STRAPS (1.5 m) TO SANS 50795 1 x ADJUSTABLE SINGLE SAFETY LANYARD WITH 2 x NON REMOVABLE TWIST-LOCK KARABINERS DOUBLE OR TRIPPLE ACTION TO SANS 50362 1 x PROTECTOR BAG * ESKOM DRAWING No. D-DT-12708 *									
ITEM	:- FALL ARREST SYSTEM SUBSTATIONS AND AUXILLARY SMALL								
MATERIAL SPECIFICATION	:- SANS 50354, 50355, 50358, 50360, 50361, 50362								
CORROSION SPECIFICATION	:- SANS 50354, 50355, 50358, 50360, 50361, 50362								
STANDARD SPECIFICATION	:- SANS 50354, 50355, 50358, 50360, 50361, 50362, 50795,								
ESKOM SPECIFICATION	:- SCSSCABA5								
TEST & CERTIFICATION REQUIREMENTS	:- CERTIFICATES : ISO 9001 QUALITY MANAGEMENT SYSTEM AND TYPE TEST CERTIFICATES (AT EVALUATION STAGE).DECLARATION OF CONFORMITY (PER PRODUCT SUPPLIED)								
INSTRUCTION FOR USE AND MARKING REQUIREMENTS	:- DOCUMENT OF THE GENERAL REQUIREMENTS FOR INSTRUCTION FOR USE AND FOR MARKING TO SANS 50365 AND A DOCUMENT ON THE INFORMATION SUPPLIED BY THE MANUFACTURER TO SANS 50354, 50355, 50358, 50360, 50361, 50362, 50795								
INSPECTION	Yes	No	ESKOM RELEASE NOTE		Yes	No			
IDENTIFICATION	:- INDELIBLE MANUFACTURERS TRADEMARK, MODEL NUMBER AND SERIAL NUMBER ON ALL ITEMS								
EQUIVALENT STANDARDS	:- EN DOCUMENTS								
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	CD SMITH	DATE:	08/07/2010	SCALE NTS			SAP No: 0249931		
CHKD:	IR LEDINGWANE	DATE:	02.07.2010	CAD REF:					
DRAWN:	P.A. TRUBLET	DATE:	06.05.2010	SERIES 12000	D-DT-12708		SET	SHEET	REV
				FILE No: 12708			3	1	A

SPEC SHEET

SAP MATERIAL No.:	0249934																																																											
SHORT DESCRIPTION:	FALL ARREST SYS, SUBS&AUX MED D12708																																																											
TECH. DESCRIPTION: FALL ARREST SYSTEM SUBSTATIONS AND AUXILLARY * MEDIUM * MANUFACTURED, TESTED AND MARKED IN ACCORDANCE TO SANS SPECIFICATIONS * SUPPLIED IN A PACKAGE CONTAINING : <ul style="list-style-type: none"> 1 x FULL BODY HARNESS WITH WORK POSITIONING BELT TO SANS 50358 / SANS 50361 1 x ADJUSTABLE DOUBLE SAFETY LANYARD TO SANS 50354 FITTED WITH 2 x PYLON HOOKS WITH MINIMUM GATE OPENING OF 60mm TO SANS 50362, 1 x KARABINER DOUBLE OR TRIPLE ACTION WITH CAPTIVE EYE (NO SCREW GATE) 25kN TO SANS 50362 AND 1 x ENERGY ABSORBER NOT LONGER THAN 1.75m TO SANS 50355 1 x ADJUSTABLE WORK POSITIONING LANYARD NOT LONGER THAN 2m TO SANS 50358 2 x ATTACHMENT STRAPS (1.5 m) TO SANS 50795 1 x ADJUSTABLE SINGLE SAFETY LANYARD WITH 2 x NON REMOVABLE TWIST-LOCK KARABINERS DOUBLE OR TRIPPLE ACTION TO SANS 50362 1 x PROTECTOR BAG * ESKOM DRAWING No. D-DT-12708 *																																																												
SAP MATERIAL No.:	0249935																																																											
SHORT DESCRIPTION:	FALL ARREST SYS, SUBS&AUX LARGE D12708																																																											
TECH. DESCRIPTION: FALL ARREST SYSTEM SUBSTATIONS AND AUXILLARY * LARGE * MANUFACTURED, TESTED AND MARKED IN ACCORDANCE TO SANS SPECIFICATIONS * SUPPLIED IN A PACKAGE CONTAINING : <ul style="list-style-type: none"> 1 x FULL BODY HARNESS WITH WORK POSITIONING BELT TO SANS 50358 / SANS 50361 1 x ADJUSTABLE DOUBLE SAFETY LANYARD TO SANS 50354 FITTED WITH 2 x PYLON HOOKS WITH MINIMUM GATE OPENING OF 60mm TO SANS 50362, 1 x KARABINER DOUBLE OR TRIPLE ACTION WITH CAPTIVE EYE (NO SCREW GATE) 25kN TO SANS 50362 AND 1 x ENERGY ABSORBER NOT LONGER THAN 1.75m TO SANS 50355 1 x ADJUSTABLE WORK POSITIONING LANYARD NOT LONGER THAN 2m TO SANS 50358 2 x ATTACHMENT STRAPS (1.5 m) TO SANS 50795 1 x ADJUSTABLE SINGLE SAFETY LANYARD WITH 2 x NON REMOVABLE TWIST-LOCK KARABINERS DOUBLE OR TRIPPLE ACTION TO SANS 50362 1 x PROTECTOR BAG * ESKOM DRAWING No. D-DT-12708 *																																																												
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;"></td> <td style="width: 35%;"></td> <td style="width: 10%;"></td> <td style="width: 10%;"></td> <td style="width: 10%;"></td> <td style="width: 10%;"></td> <td style="width: 10%;"></td> <td style="width: 10%;"></td> </tr> <tr> <td>REV</td> <td colspan="2">REVISION DESCRIPTION</td> <td>BY</td> <td>CHKD</td> <td>AUTH</td> <td>DATE</td> <td>REF. DWGS</td> </tr> <tr> <td>AUTH:</td> <td>CD SMITH</td> <td>DATE:</td> <td>08/07/2010</td> <td colspan="2" rowspan="3"> </td> <td colspan="2">SAP No:</td> </tr> <tr> <td>CHKD:</td> <td>IR LEDINGWANE</td> <td>DATE:</td> <td>02.07.2010</td> <td colspan="2">0249934</td> <td rowspan="2"></td> </tr> <tr> <td>DRAWN:</td> <td>P.A. TRUBLET</td> <td>DATE:</td> <td>06.05.2010</td> <td colspan="2">0249935</td> </tr> <tr> <td colspan="4"></td> <td colspan="2" rowspan="2"> <div style="font-size: 1.2em; font-weight: bold;">D-DT-12708</div> </td> <td>SET</td> <td>SHEET</td> <td>REV</td> </tr> <tr> <td colspan="4"></td> <td>3</td> <td>2</td> <td>1</td> </tr> </table>																REV	REVISION DESCRIPTION		BY	CHKD	AUTH	DATE	REF. DWGS	AUTH:	CD SMITH	DATE:	08/07/2010			SAP No:		CHKD:	IR LEDINGWANE	DATE:	02.07.2010	0249934			DRAWN:	P.A. TRUBLET	DATE:	06.05.2010	0249935						<div style="font-size: 1.2em; font-weight: bold;">D-DT-12708</div>		SET	SHEET	REV					3	2	1
REV	REVISION DESCRIPTION		BY	CHKD	AUTH	DATE	REF. DWGS																																																					
AUTH:	CD SMITH	DATE:	08/07/2010			SAP No:																																																						
CHKD:	IR LEDINGWANE	DATE:	02.07.2010			0249934																																																						
DRAWN:	P.A. TRUBLET	DATE:	06.05.2010			0249935																																																						
				<div style="font-size: 1.2em; font-weight: bold;">D-DT-12708</div>		SET	SHEET	REV																																																				
						3	2	1																																																				

SPEC SHEET

SAP MATERIAL No.:		0249937					
SHORT DESCRIPTION:		FALL ARREST SYS, SUBS&AUX X/LARGE D12708					
TECH. DESCRIPTION:							
FALL ARREST SYSTEM SUBSTATIONS AND AUXILLARY * EXTRA LARGE *							
MANUFACTURED, TESTED AND MARKED IN ACCORDANCE TO SANS SPECIFICATIONS *							
SUPPLIED IN A PACKAGE CONTAINING :							
<ul style="list-style-type: none">1 x FULL BODY HARNESS WITH WORK POSITIONING BELT TO SANS 50358 / SANS 503611 x ADJUSTABLE DOUBLE SAFETY LANYARD TO SANS 50354 FITTED WITH 2 x PYLON HOOKS WITH MINIMUM GATE OPENING OF 60mm TO SANS 50362,1 x KARABINER DOUBLE OR TRIPLE ACTION (NO SCREW GATE) 25kN TO SANS 50362 AND 1 x ENERGY ABSORBER NOT LONGER THAN 1.75m TO SANS 503551 x ADJUSTABE WORK POSITIONING LANYARD NOT LONGER THAN 2m TO SANS 503582 x ATTACHMENT STRAPS (1.5 m) TO SANS 507951 x ADJUSTABLE SINGLE SAFETY LANYARD WITH 2 x NON REMOVABLE TWIST-LOCK KARABINERS DOUBLE OR TRIPPLE ACTION TO SANS 503621 x PROTECTOR BAG *							
ESKOM DRAWING No. D-DT-12708 *							