



|  |                      |                 |       |
|--|----------------------|-----------------|-------|
|  <b>Practical Technical Evaluation<br/>for Fall Arrest System</b> | Document Identifier: | 240-171000545_P | Rev 1 |
|  | Effective Date:      | 1-Jun-26        |       |
|  | Review Date:         | 1-Aug-30        |       |

Enquiry Number:   
Evaluation Date:


Bidder Name:   
Bidder CSD Number:   
Qualification Status:

Note: All criteria is mandatory. If any of the criteria fails the contract cannot be awarded.


| No.                                | Criteria   | Pass?<br>[Y/N] | Remarks (applicable to fails) |
|------------------------------------|--|----------------|-------------------------------|
| <b>1 THE BASIC PRODUCT PACKAGE</b> |  |                |                               |
| 1.1                                | Does the product correspond to the basic kit specifications for the selected application?                              |                |                               |
|                                    | 1x Full Body Harness with Work Positioning Belt with back support<br>2 Karabiners                                      |                |                               |
|                                    | 1 Fixed dual safety lanyard ≤ 1.75m inclusive with:  |                |                               |
|                                    | Energy absorber  |                |                               |
|                                    | Pylon hook x 2   |                |                               |
|                                    | Karabiner/s  |                |                               |
|                                    | 1 Adjustable work positioning lanyard – Webbing type   |                |                               |
|                                    | 2 attachment endless slings 2m   |                |                               |
|                                    | Hold all bag   |                |                               |
|                                    | Are the warranty documents supplied?   |                |                               |
|                                    | Instruction manuals.   |                |                               |
| 1.2                                | Customer service records documents containing.   |                |                               |
|                                    | · Model number   |                |                               |
|                                    | · Serial number  |                |                               |
|                                    | · Date of manufacture  |                |                               |
|                                    | · Date put into service  |                |                               |
|                                    | · Place for comments   |                |                               |
| 1.3                                | No floating pin design for the adjustment buckles on the safety lanyard or the work positioning lanyard.               |                |                               |
| <b>2 FULL BODY HARNESS</b>         |  |                |                               |
|                                    | <b>Product Manufacturer:</b>   |                |                               |
|                                    | <b>Model No.:</b>  |                |                               |
| 2.1                                | Is the Harness designed and manufactured to comply with the required SABS EN 361 standard?                             |                |                               |
| 2.2                                | Marking and Documentation SANS 50361   |                |                               |
|                                    | · Unique Model number  |                |                               |
|                                    | · Serial number  |                |                               |
|                                    | · Date of manufacture  |                |                               |
| 2.3                                | Does the standard size comply with the required adjustment for average persons?  |                |                               |
| 2.4                                | Are all metallic components of<br><input type="checkbox"/> Aluminium alloy<br><input type="checkbox"/> Stainless steel |                |                               |
| 2.5                                | Is the entire load bearing stitching visible and of contrasting colour to the webbing?                                 |                |                               |

|  |  |                                      |       |
|--|--|--------------------------------------|-------|
|  <b>Eskom</b> | <b>Practical Technical Evaluation<br/>for Fall Arrest System</b> | Document Identifier: 240-171000545_P | Rev 1 |
|  |  | Effective Date: 1-Jun-26             |       |
|  |  | Review Date: 1-Aug-30                |       |

| No.  | Criteria  | Pass?<br>[Y/N] | Remarks (applicable to fails) |
|--|---|----------------|-------------------------------|
| 2.6  | Is the harness fitted with a single front and dorsal attachment for rescue purposes?<br>(Dual front attachment must include a yoke attachment.) |                |                               |
| 2.7  | Is the harness easy to put on?<br>· Fitting<br>· Adjusting<br>· Removing  |                |                               |
| 2.8  | Does the adjustment remain in place after fitment and normal movements?   |                |                               |
| 2.9  | Is the harness comfortable and is there adequate buttocks support?  |                |                               |
| 2.1  | Does the harness have strap guides to hold loose ends?(Circumferential)   |                |                               |
| 2.11   | Does the harness have chest strap that joins the front shoulder straps?   |                |                               |
| 2.12   | Does the work positioning belt fit comfortably over the hips?   |                |                               |
| 2.13   | Are the D rings on the work positioning belt in an easy to access position and attach lanyard?  |                |                               |
| 2.14   | Are metallic components rounded off the prevent wear on the webbing.  |                |                               |
| 2.15   | Do the buckles have an end stop to prevent the adjustment straps from being disconnected?   |                |                               |
| <b>3 WORK POSITIONING LANYARD – Webbing type</b> |   |                |                               |
| <b>Product Manufacturer:</b>                     |   |                |                               |
| <b>Model No.:</b>                                |   |                |                               |
| 3.1  | Webbing Type  |                |                               |
|  | Is the lanyard designed and manufactured to comply with the required SANS 50358 Standard  |                |                               |
|  | Marking and documentation as per SANS 50365   |                |                               |
| 3.2  | Are metallic components rounded off the prevent wear on the webbing.  |                |                               |
| 3.3  | Is the load bearing stitching of contrasting colour to the webbing?   |                |                               |
|  | Lanyard   |                |                               |
|  | Is there a cover fitted to the lanyard?   |                |                               |
|  | Is the lanyard of Adequate length   |                |                               |
| 3.4  | Does the work positioning lanyard have an end stop to prevent the adjustor from disconnecting?  |                |                               |
| 3.5  | Is the lanyard fitted with connectors that require two deliberate actions to open the safety latch?   |                |                               |

|   |  |                                      |       |
|---|--|--------------------------------------|-------|
|  | <b>Practical Technical Evaluation<br/>for Fall Arrest System</b> | Document Identifier: 240-171000545_P | Rev 1 |
|   |  | Effective Date: 1-Jun-26             |       |
|   |  | Review Date: 1-Aug-30                |       |

| No.  | Criteria   | Pass?<br>[Y/N] | Remarks (applicable to fails) |
|--|--|----------------|-------------------------------|
| <b>4 SAFETY LANYARD/ENERGY ABSORBING LANYARD</b> |  |                |                               |
| <b>Product Manufacturer:</b>                     |  |                |                               |
| <b>Model No.:</b>                                |  |                |                               |
| 4.1  | Is the safety lanyard designed and manufactured to comply with the required SABS EN 354,355:1992 standards?<br>Marking and Documentation as per SANS standard                |                |                               |
| 4.2  | Are all metallic components of<br>• Aluminium alloy  |                |                               |
| 4.3  | Are metallic components rounded off the prevent wear on the webbing.   |                |                               |
| 4.4  | Is the load bearing stitching of contrasting colour to the webbing?  |                |                               |
| 4.5  | Is the lanyard of adequate length?= 1.75m inclusive  |                |                               |
| 4.6  | Is the lanyard permanently fitted with connectors that require two deliberate actions to open the safety latch?<br>• Karabiner (Twist lock)<br>• Pylon hooks (Opening >60mm) |                |                               |
| <b>5 ATTACHMENT STRAPS</b>                       |  |                |                               |
| <b>Product Manufacturer:</b>                     |  |                |                               |
| <b>Model No.:</b>                                |  |                |                               |
| 5.1  | Is the attachment strap designed and manufactured to comply with the required SANS 50795:1996 standards?<br>Marking and Documentation as per SANS 50795                      |                |                               |
| 5.2  | Is the attachment strap an endless sling of 1.5m or 3m circumference?<br>• Tolerance -5mm to +100mm<br>• 45mm width  |                |                               |
| <b>6 CONNECTORS</b>                              |  |                |                               |
| <b>Product Manufacturer:</b>                     |  |                |                               |
| <b>Model No.:</b>                                |  |                |                               |
| 6.1  | Are all the connectors designed and manufactured to comply with the required SANS 50362:1992 standards?<br>Marking and Documentation as SANS 50365                           |                |                               |
| 6.2  | Are all metallic components of<br>• Aluminium alloy  |                |                               |
| 6.3  | Do the connectors have two deliberate actions to open the safety latch?  |                |                               |
| 6.4  | Is the rated force for minimum static strength >15kN - for gate open   |                |                               |
| 6.5  | Do the pylon hooks have a minimum gate opening aperture of 60mm?   |                |                               |

|  |                                      |       |
|--|--------------------------------------|-------|
|  <b>Practical Technical Evaluation<br/>for Fall Arrest System</b> | Document Identifier: 240-171000545_P | Rev 1 |
|  | Effective Date: 1-Jun-26             |       |
|  | Review Date: 1-Aug-30                |       |

| No.                                | Criteria   | Pass?<br>[Y/N] | Remarks (applicable to<br>fails) |
|------------------------------------|--|----------------|----------------------------------|
| <b>7 MARKING ALL COMPONENTS</b>    |  |                |                                  |
| 7.1                                | Is each unit clearly marked in accordance with SANS 50365:2008                     |                |                                  |
|                                    | · Full Body Harness including Work Positioning Belt and Back support               |                |                                  |
|                                    | · Work positioning lanyard   |                |                                  |
|                                    | · Safety lanyard   |                |                                  |
|                                    | · Attachment straps  |                |                                  |
|                                    | · Karabiners   |                |                                  |
|                                    | · Pylon hooks  |                |                                  |
| 7.2                                | Does the following information appear on the Manufacturers labels?                 |                |                                  |
|                                    | · Manufacturers Identification   |                |                                  |
|                                    | · Unique (Traceability/serial) number  |                |                                  |
|                                    | · SANS standard to which the component applies                                     |                |                                  |
|                                    | · Model No. of component   |                |                                  |
| 7.3                                | Are the warranty documents supplied?   |                |                                  |
|                                    | · Instruction manuals.   |                |                                  |
| 7.4                                | Customer service records documents containing.                                     |                |                                  |
|                                    | · Model number   |                |                                  |
|                                    | · Serial number  |                |                                  |
|                                    | · Year of manufacturer   |                |                                  |
|                                    | · Suitability of use with other/ attached components within the FAS                |                |                                  |
|                                    | · Date put into service  |                |                                  |
|                                    | · Place for comments   |                |                                  |
| 7.5                                | Does the label on all components have a transparent covering to preserve markings? |                |                                  |
| <b>8 MANUALS AND DOCUMENTATION</b> |  |                |                                  |
| 8.1                                | Is documentation supplied with the kit?  |                |                                  |
|                                    | · Warrantee information (REF 1.2)  |                |                                  |
|                                    | · User manual  |                |                                  |
|                                    | · Manufacturer/supplier contact details,   |                |                                  |
|                                    | · Maintenance and cleaning requirements.   |                |                                  |

| Evaluator Name (Print) | Evaluator Signature | Date |
|------------------------|---------------------|------|
|                        |                     |      |
|                        |                     |      |
|                        |                     |      |
|                        |                     |      |
|                        |                     |      |
|                        |                     |      |

Approved by: Noxolo Mabula

Job Title: Manager Technical Support