


SPEC SHEET

SAP MATERIAL No.:	0212810																		
SHORT DESCRIPTION:	FALL ARREST SYSTEM, POWERLINES SML D12700																		
TECH. DESCRIPTION: FALL ARREST SYSTEM, POWERLINES * SMALL * MANUFACTURED, TESTED AND MARKED IN ACCORDANCE TO SANS SPECIFICATIONS * SUPPLIED IN A PACKAGE CONTAINING : <ul style="list-style-type: none"> 1 x FULL BODY HARNESS WITH WORK POSITIONING BELT TO SANS 50358 AND SANS 50361 1 x FIXED OR ADJUSTABLE DOUBLE SAFETY LANYARD TO SANS 50354 FITTED WITH 2 x PYLON HOOKS WITH MINIMUM GATE OPENING OF 60mm TO SANS 50362, 1 x KARABINER DOUBLE OR TRIPLE ACTION LOCKED WITH A CAPTIVE EYE (NO SCREW GATE) 25kN TO SANS 50362 AND 1 x ENERGY ABSORBER NOT LONGER THAN 1.75m TO SANS 50355 1 x ADJUSTABLE WORK POSITIONING LANYARD NOT LONGER THAN 2m TO SANS 50358 2 x TWIST-LOCK KARABINERS DOUBLE OR TRIPLE ACTION TO SANS 50362 2 x ATTACHMENT STRAPS (1.5 m) TO SANS 50795 1 x PROTECTOR BAG * ESKOM DRAWING No. D-DT-12700 *																			
ITEM	:- FALL ARREST SYSTEM SUBSTATIONS AND AUXILIARY SMALL																		
MATERIAL SPECIFICATION	:- SANS 50354, 50355, 50358, 50360, 50361, 50362																		
CORROSION SPECIFICATION	:- SANS 50354, 50355, 50358, 50360, 50361, 50362																		
STANDARD SPECIFICATION	:- SANS 50354, 50355, 50358, 50360, 50361, 50362, 50795,																		
ESKOM SPECIFICATION	:- SCSSCABA5																		
TEST & CERTIFICATION REQUIREMENTS	:- CERTIFICATES : TYPE TEST CERTIFICATES (AT EVALUATION STAGE). DECLARATION OF CONFORMITY CERTIFICATE (PER PRODUCT SUPPLIED)																		
INSTRUCTION FOR USE AND MARKING REQUIREMENTS	:- DOCUMENT OF THE GENERAL REQUIREMENTS FOR INSTRUCTION FOR USE AND FOR MARKING TO SANS 50365 AND A DOCUMENT ON THE INFORMATION SUPPLIED BY THE MANUFACTURER TO SANS 50354, 50355, 50358, 50360, 50361, 50362, 50795																		
INSPECTION	Yes	No	ESKOM RELEASE NOTE			Yes	No												
IDENTIFICATION	:- INDELIBLE MANUFACTURERS TRADEMARK, MODEL NUMBER AND SERIAL NUMBER ON ALL ITEMS																		
EQUIVALENT STANDARDS	:- EN DOCUMENTS																		
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 5%;">1</td> <td style="width: 40%;">SHORT AND TECH DESCRIPTIONS CHANGED</td> <td style="width: 10%;">P.A.T.</td> <td style="width: 15%;">I.R. LEDINGWANE</td> <td style="width: 15%;">CD SMITH</td> <td style="width: 15%;">09/07/2010</td> </tr> <tr> <td>REV</td> <td>REVISION DESCRIPTION</td> <td>BY</td> <td>CHKD</td> <td>AUTH</td> <td>DATE</td> </tr> </table>								1	SHORT AND TECH DESCRIPTIONS CHANGED	P.A.T.	I.R. LEDINGWANE	CD SMITH	09/07/2010	REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE
1	SHORT AND TECH DESCRIPTIONS CHANGED	P.A.T.	I.R. LEDINGWANE	CD SMITH	09/07/2010														
REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE														
AUTH:	CD SMITH	DATE:	15/09/2004	SCALE	 D-DT-12700														
CHKD:	A. SENZANI	DATE:	10/09/2004	NTS															
				CAD REF:															
				SERIES 12000															
DRAWN:	A. SENZANI	DATE:	02.06.2004	FILE No:	SET 3														
				12700	SHEET 1														
					REV 1														

SPEC SHEET

SAP MATERIAL No.:		0212821					
SHORT DESCRIPTION:		FALL ARREST SYSTEM,POWERLINES MED D12700					
TECH. DESCRIPTION:							
FALL ARREST SYSTEM POWERLINES * MEDIUM *							
MANUFACTURED, TESTED AND MARKED IN ACCORDANCE TO SANS SPECIFICATIONS *							
SUPPLIED IN A PACKAGE CONTAINING :							
<ul style="list-style-type: none">1 x FULL BODY HARNESS WITH WORK POSITIONING BELT TO SANS 50358 AND SANS 503611 x FIXED OR ADJUSTABLE DOUBLE SAFETY LANYARD TO SANS 50354 FITTED WITH 2 x PYLON HOOKS WITH MINIMUM GATE OPENING OF 60mm TO SANS 50362, 1 x KARABINER DOUBLE OR TRIPLE ACTION LOCKED WITH A CAPTIVE EYE (NO SCREW GATE) 25kN TO SANS 50362 AND 1 x ENERGY ABSORBER NOT LONGER THAN 1.75m TO SANS 503551 x ADJUSTABLE WORK POSITIONING LANYARD NOT LONGER THAN 2m TO SANS 503582 x TWIST-LOCK KARABINERS DOUBLE OR TRIPLE ACTION TO SANS 503622 x ATTACHMENT STRAPS (1.5 m) TO SANS 507951 x PROTECTOR BAG *							
ESKOM DRAWING No. D-DT-12700 *							

SAP MATERIAL No.:		0212822					
SHORT DESCRIPTION:		FALL ARREST SYSTEM,POWERLINES LRG D12700					
TECH. DESCRIPTION:							
FALL ARREST SYSTEM POWERLINES * LARGE *							
MANUFACTURED, TESTED AND MARKED IN ACCORDANCE TO SANS SPECIFICATIONS *							
SUPPLIED IN A PACKAGE CONTAINING :							
<ul style="list-style-type: none">1 x FULL BODY HARNESS WITH WORK POSITIONING BELT TO SANS 50358 AND SANS 503611 x FIXED OR ADJUSTABLE DOUBLE SAFETY LANYARD TO SANS 50354 FITTED WITH 2 x PYLON HOOKS WITH MINIMUM GATE OPENING OF 60mm TO SANS 50362, 1 x KARABINER DOUBLE OR TRIPLE ACTION LOCKED WITH A CAPTIVE EYE (NO SCREW GATE) 25kN TO SANS 50362 AND 1 x ENERGY ABSORBER NOT LONGER THAN 1.75m TO SANS 503551 x ADJUSTABLE WORK POSITIONING LANYARD NOT LONGER THAN 2m TO SANS 503582 x TWIST-LOCK KARABINERS DOUBLE OR TRIPLE ACTION TO SANS 503622 x ATTACHMENT STRAPS (1.5 m) TO SANS 507951 x PROTECTOR BAG *							
ESKOM DRAWING No. D-DT-12700 *							

1	SHORT AND TECH DESCRIPTIONS CHANGED		P.A.T.	I.R.LEDINGWANE	CD SMITH	09/07/2010		
REV	REVISION DESCRIPTION		BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	CD SMITH	DATE:	15/09/2004	SCALE NTS		SAP No:		
CHKD:	A. SENZANI	DATE:	10/09/2004	CAD REF:		0212821		
				SERIES 12000		0212822		
DRAWN:	A. SENZANI	DATE:	02.06.2004	FILE No: 12700	D-DT-12700	SET	SHEET	REV
						3	2	1

SPEC SHEET

SAP MATERIAL No.:		0212823	
SHORT DESCRIPTION:		FALL ARREST SYSTEM,POWERLINES XLRG D12700	
TECH. DESCRIPTION:			
FALL ARREST SYSTEM POWERLINES * EXTRA LARGE *			
MANUFACTURED, TESTED AND MARKED IN ACCORDANCE TO SANS SPECIFICATIONS *			
SUPPLIED IN A PACKAGE CONTAINING :			
<ul style="list-style-type: none">1 x FULL BODY HARNESS WITH WORK POSITIONING BELT TO SANS 50358 AND SANS 503611 x FIXED OR ADJUSTABLE DOUBLE SAFETY LANYARD TO SANS 50354 FITTED WITH 2 x PYLON HOOKS WITH MINIMUM GATE OPENING OF 60mm TO SANS 50362, 1 x KARABINER DOUBLE OR TRIPLE ACTION LOCKED WITH A CAPTIVE EYE (NO SCREW GATE) 25kN TO SANS 50362 AND 1 x ENERGY ABSORBER NOT LONGER THAN 1.75m TO SANS 503551 x ADJUSTABLE WORK POSITIONING LANYARD NOT LONGER THAN 2m TO SANS 503582 x TWIST-LOCK KARABINERS DOUBLE OR TRIPLE ACTION TO SANS 503622 x ATTACHMENT STRAPS (1.5 m) TO SANS 507951 x PROTECTOR BAG *			
ESKOM DRAWING No. D-DT-12700 *			

1	SHORT AND TECH DESCRIPTIONS CHANGED			P.A.T	I.R.LEDINGWANE	CD SMITH	09/07/2010
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE
AUTH:	CD SMITH	DATE:	15/09/2004	SCALE NTS		SAP No:	
CHKD:	A. SENZANI	DATE:	10/09/2004	CAD REF:		0212823	
				SERIES 12000		SET	
DRAWN:	A. SENZANI	DATE:	02.06.2004	FILE No: 12700		SHEET	
				D-DT-12700		REV	
						3	1