



TENDER REFERENCE NUMBER:

AIRPORTS COMPANY SOUTH AFRICA SOC LIMITED

TITLE OF PROJECT: 5 YEAR MAINTENANCE AND REPIARS AND MINOR REFURBISHMENT (ONCE OFF)OF PASSENGER BOARDING BRIDGES AND AIRCRAFT DOCKING SYSTEM AT CTIA

NEC 3: TERM SERVICE CONTRACT (TSC)

Between

AIRPORTS COMPANY SOUTH AFRICA SOC LIMITED

Applicable at CAPE TOWN INTERNATIONAL AIRPORT

(Registration Number: 1993/004149/30)

and

.....
.....

(Registration Number:)

for

**5 YEAR MAINTENANCE AND REPAIRS AND MINOR
REFURBISHMENT OF PASSENGER BOARDING BRIDGES AND
AIRCRAFT DOCKING SYSTEM AT CTIA**

Contents:		No pages
Part C1	Agreements & Contract Data	[27]
Part C2	Pricing Data	[3]
Part C3	Employer Service Information	[38]

C1.1 Forms of Offer and Acceptance

Offer

The employer, identified in the acceptance signature block, wishes to enter into a contract for the

5 YEAR MAINTENANCE AND REPAIRS AND MINOR REFURBISHMENT OF PASSENGER BOARDING BRIDGES AND AIRCRAFT DOCKING SYSTEM AT CTIA.

The Contractor, identified in the offer signature block, has examined this document and addenda hereto as listed in the schedules, and by submitting this offer has accepted the conditions thereof.

By the representative of the Contractor, deemed to be duly authorised, signing this part of this form of offer and acceptance, the Contractor offers to perform all the obligations and liabilities of the Contractor under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the Conditions of Contract identified in the Contract Data.

The offered total of the Prices exclusive of VAT is	
Value Added Tax @ 15% is	
The total offered amount due inclusive of VAT is	
(in words)	

(The above amount should be calculated as per the guide provided in the Pricing Data [Subtotal F]. In the event of any conflict between the amount above and the Pricing Data [Subtotal F], the former shall prevail.)

for the Contractor

Signature Date

Name Capacity

(Name and address of organisation)

Name and signature of witness signature

This offer may be accepted by the employer by signing the acceptance part of this form of offer and acceptance and returning one copy of this document to the Bidder before the end of the period of validity stated in the tender data, whereupon the Bidder becomes the party named as the Contractor in the conditions of contract identified in the contract data.

Acceptance

By signing this part of this form of offer and acceptance, the employer identified below accepts the Contractor's offer. In consideration thereof, the employer shall pay the Contractor the amount due in accordance with the conditions of contract identified in the contract data. Acceptance of the Contractor's offer shall form an agreement between the employer and the Contractor upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.

The terms of the contract, are contained in:

- Part C1: Agreements and contract data, (which includes this agreement)
 - Part C2: Pricing data and Price List
 - Part C3: Service information.
 - Part C4: Site information
- and schedules, drawings and documents or parts thereof where so indicated.

Deviations from and amendments to the documents listed in the tender data and any addenda thereto as listed in the tender schedules as well as any changes to the terms of the offer agreed by the Bidder and the employer during this process of offer and acceptance, are contained in the schedule of deviations attached to and forming part of this agreement. No amendments to or deviations from said documents are valid unless contained in this schedule.

The Contractor shall within two weeks after receiving a completed copy of this agreement, including the schedule of deviations (if any), contact the employer's agent (whose details are given in the contract data) to arrange the delivery of any bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the conditions of contract identified in the contract data. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.

Notwithstanding anything contained herein, this agreement comes into effect on the date when the Bidder receives one fully completed original copy of this document, including the schedule of deviations (if any). Unless the Bidder (now Contractor) within five working days of the date of such receipt notifies the employer in writing of any reason why he cannot accept the contents of this agreement, this agreement shall constitute a binding contract between the parties.

for the Employer

Signature Date

Name Capacity

**Airports Company South Africa,
Cape Town International Airport
Southern Office Block, Administration Building
7525**

Name of
witness signature

Schedule of Deviations

1 Subject

Details

2 Subject

Details

3 Subject

Details

4 Subject

Details

5 Subject

Details

By the duly authorised representatives signing this agreement, the employer and the Contractor agree to and accept the foregoing schedule of deviations as the only deviations from and amendments to the documents listed in the tender data and addenda thereto as listed in the tender schedules, as well as any confirmation, clarification or changes to the terms of the offer agreed by the Bidder and the employer during this process of offer and acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the tender documents and the receipt by the Bidder of a completed signed copy of this Agreement shall have any meaning or effect in the contract between the parties arising from this agreement.

C1.2 Contract Data

Precedence in interpretation of the contract:

In the event of any ambiguity, inconsistency or conflict between the General Conditions of Contract, Special Conditions, Pricing Data, Service information, or other, the order of precedence shall be as follows:

Firstly, the Service information (C3) and Annexes thereto shall prevail;

Secondly the Contract Data (C1.2) and Conditions of Contract;

Thirdly the General Conditions of Contract;

Fourthly the Pricing data;

Lastly any schedules, drawings and other documents included with this agreement.

General Conditions of Contract

The General Conditions of Contract comprise the NEC3 Term Service Contract, April 2013, published by the NEC, and the following “Particular Conditions”, which include amendments and additions to such General Conditions.

The following Particular Conditions amplify the General Conditions of Contract and highlight areas in that document that require specific attention.

Wherein in the contract it is stated no contract data is required accordingly the *conditions of contract* remain unaltered as per NEC3 Term Service Contract, April 2013.

C1.2a - Data provided by the *Employer*

Clause	Statement	Data
1	General	
	The <i>conditions of contract</i> are the core clauses and the clauses for main Option:	
	dispute resolution Option:	A: Priced contract with price list W1: Dispute resolution procedure
	and secondary Options:	X2: Changes in the law X17: Low service damages X18: Limitation of Liability (as amended in Option Z) X19: Task Order X20: Key performance indicators Z: Additional conditions of contract
	of the NEC3 Term Service Contract (April 2013)	
10.1	The <i>Employer</i> is:	Airports Company South Africa SOC Limited (ACSA), Registration No 1993/004149/30, VAT no 4930138393, a juristic person incorporated in terms of the company laws of the Republic of South Africa
	Address	Cape Town International Airport Southern Office Block, Administration Building 7525
	Tel No.	021 935 2000
10.1	The <i>Service Manager</i> is:	Karl Roberts
	Address	Cape Town International Airport Southern Office Block, Administration Building 7525
	Tel No.	021 935 4474
	e-mail	Karl.Roberts@airports.co.za
11.2(2)	The <i>Affected Property</i> is	Cape Town International Airport

11.2(13)	The <i>service</i> is	MAINTENANCE AND REPAIRS AND MINOR REFURBISHMENT OF PASSENGER BOARDING BRIDGES AND AIRCRAFT DOCKING SYSTEM AT CTIA, as more fully set out in section C3 <i>Service Information</i>.
11.2(14)	The following matters will be included in the Risk Register	1 Risk of financial loss and/or injury of 3rd parties due to the proximity of the service (or of persons providing the service) to all airport users 2 Risk of injury to contract personnel and all airport users due to lifting/moving of heavy objects 3 Work in confined spaces 4 Work with flammable and toxic gases 5 Refer to Annexure E for more risks
11.2(15)	The <i>Service Information</i> is in	Part C3: Employer's Service Information and all documents and drawings and other specifications to which it makes reference
12.2	The <i>law of the contract</i> is the law of	the Republic of South Africa
13.1	The <i>language of this contract</i> is	English
13.3	The <i>period for reply</i> is	3 working days
2	The Contractor's main responsibilities	Detailed in Part C3 (Service Information)
21.1	The <i>Contractor</i> submits a first plan for acceptance within	8 weeks of the Contract Date
3	Time	
30.1	The <i>starting date</i> is	Upon signing of the contract by ACSA
30.2	The <i>Service Period</i> is	Sixty (60) Months after signing of the contract by ACSA
4	Testing and Defects	No data is required for this section of the <i>conditions of contract</i>
5	Payment	
50.1	The <i>assessment interval</i> is on the	between the 1st and 15th day of each successive month.
51.1	The <i>currency of this contract</i> is the	South African Rand (ZAR)
51.2	The period within which payments are made is	30 days after receipt of a valid tax invoice

51.4	The <i>interest rate</i> is	(i) 0.00 percent above the publicly quoted prime rate of interest charged by Nedbank Bank for amounts due in Rands and (ii) the LIBOR rate applicable at the time for amounts due in other currencies
6	Compensation events	No data is required for this section of the <i>conditions of contract</i> .
7	Use of Equipment Plant and Materials	No data is required for this section of the <i>conditions of contract</i> .
8	Risks and insurance	
83.1	The <i>Employer</i> provides these insurances from the Insurance Table	(i) Insurance against loss of or damage to the <i>services</i> , Plant and Materials comprising Contract Works Insurance, SASRIA Special Risks Insurance and Marine & Air Cargo insurance; and (ii) Insurance (Public Liability Insurance) against liability for loss or damage to property (except the <i>services</i> , Plant and Materials and Equipment) and liability for bodily injury to or death of a person (not an employee of the <i>Contractor</i>) caused by activity in connection with the contract; Note: The terms and other matters applicable to these insurances provided by the Employer (and to insurances generally) are detailed in the insurance schedule attached as section C1.5 to the <i>contract</i> ("the Insurance Schedule").
83.1	The <i>Contractor</i> provides these additional insurances	Professional Indemnity Insurance Note: The terms and other matters applicable to this insurance provided by the Employer are likewise detailed in section C1.5 to the <i>contract</i> .
83.2	The minimum amounts of cover or minimum limits of indemnity required for the insurance table	Refer to section C1.5 Insurance Schedule
83.1	The <i>Employer</i> provides these insurances from the Insurance Table	Refer to section C1.5 Insurance Schedule
83.1	The <i>Employer</i> provides these additional insurances	Refer to section C1.5 Insurance Schedule
83.1	The minimum amount of cover for insurance against loss and damage caused by the <i>Contractor</i> to the <i>Employer's</i> property is	Refer to section C1.5 Insurance Schedule

83.1	The minimum amount of cover for loss of or damage to Plant and Materials provided by the <i>Employer</i> is:	Refer to section C1.5 Insurance Schedule																		
83.1	The minimum amount of cover for insurance in respect of loss of or damage to property (except the <i>Employer's</i> property, Plant and Materials and Equipment) and liability for bodily injury to or death of a person (not an employee of the <i>Contractor</i>) arising from or in connection with the <i>Contractor's</i> Providing the Service for any one event is:	Refer to section C1.5 Insurance Schedule																		
83.1	The minimum limit of indemnity for insurance in respect of death of or bodily injury to employees of the <i>Contractor</i> arising out of and in the course of their employment in connection with this contract for any one event is:	As prescribed by the Compensation for Occupational Injuries and Diseases Act No. 130 of 1993 and the <i>Contractor's</i> common law liability for people falling outside the scope of the Act with a limit of Indemnity of not less than R [•] ([•] Rands)																		
9	Termination	There is no reference to Contract Data in this section of the core clauses and terms in italics used in this section are identified elsewhere in this Contract Data.																		
10	Data for main Option clause																			
A	Priced contract with price list																			
20.5	The <i>Contractor</i> prepares forecasts of the final total of the Prices for the whole of the <i>service</i> at intervals no longer than	4 weeks.																		
11	Data for Option W1																			
W1.1	The <i>Adjudicator</i> is	The person appointed jointly by the parties from the list of adjudicators contained below																		
<table border="1"> <thead> <tr> <th>Name</th><th>Location</th><th>Contact details (phone & e mail)</th></tr> </thead> <tbody> <tr> <td>Adv. Ghandi Badela</td><td>Gauteng</td><td>+27 11 282 3700 ghandi@badela.co.za</td></tr> <tr> <td>Mr. Errol Tate Pr. Eng.</td><td>Durban</td><td>+27 11 262 4001 Errol.tate@mweb.co.za</td></tr> <tr> <td>Adv. Saleem Ebrahim</td><td>Gauteng</td><td>+27 11 535-1800 salimebrahim@mweb.co.za</td></tr> <tr> <td>Mr. Sebe Msutwana Pr. Eng.</td><td>Gauteng</td><td>+27 11 442 8555 sebe@civilprojects.co.za</td></tr> <tr> <td>Mr. Sam Amod</td><td>Gauteng</td><td>sam@samamod.com</td></tr> </tbody> </table>			Name	Location	Contact details (phone & e mail)	Adv. Ghandi Badela	Gauteng	+27 11 282 3700 ghandi@badela.co.za	Mr. Errol Tate Pr. Eng.	Durban	+27 11 262 4001 Errol.tate@mweb.co.za	Adv. Saleem Ebrahim	Gauteng	+27 11 535-1800 salimebrahim@mweb.co.za	Mr. Sebe Msutwana Pr. Eng.	Gauteng	+27 11 442 8555 sebe@civilprojects.co.za	Mr. Sam Amod	Gauteng	sam@samamod.com
Name	Location	Contact details (phone & e mail)																		
Adv. Ghandi Badela	Gauteng	+27 11 282 3700 ghandi@badela.co.za																		
Mr. Errol Tate Pr. Eng.	Durban	+27 11 262 4001 Errol.tate@mweb.co.za																		
Adv. Saleem Ebrahim	Gauteng	+27 11 535-1800 salimebrahim@mweb.co.za																		
Mr. Sebe Msutwana Pr. Eng.	Gauteng	+27 11 442 8555 sebe@civilprojects.co.za																		
Mr. Sam Amod	Gauteng	sam@samamod.com																		

Adv. Sias Rynke SC	Gauteng	083 653 2281 reynke@duma.nokwe.co.za
Mr. Emeka Ogbugo (Quantity Surveyor)	Pretoria	+27 12 349 2027 emeka@gosiame.co.za

W1.2(3) The *Adjudicator nominating body* is: **the Chairman of ICE-SA a joint Division of the South African Institution of Civil Engineering and the Institution of Civil Engineers (London) (see www.ice-sa.org.za) or its successor body**

W1.4(2) The *tribunal* is: **Arbitration**

W1.4(5) The *arbitration procedure* is **the latest edition of Rules for the Conduct of Arbitrations published by The Association of Arbitrators (Southern Africa) or its successor body**

The place where arbitration is to be held is **Johannesburg, South Africa**

The person or organization who will choose an arbitrator **the Chairman for the time being or his nominee of the Association of Arbitrators (Southern Africa) or its successor body**

12 Data for secondary Option

X1 Price Adjustment for inflation The index referred to in this clause shall be deemed to refer to the CPI index on the *starting date*. Price adjustment for inflation shall only take place on contract anniversary

X2 Changes in the law No data is required for this secondary Option

X17 Low service damages As per the Service Information (C3) – Annex I section 6

X17.1 The *service level table* is in **The Service Information, Annex I**

X18 Limitation of liability

X18.1 The *Contractor's* liability to the *Employer* for indirect or consequential loss is limited to **Nil - Neither Party is liable to the other for any consequential or indirect loss, including but not limited to loss of profit, loss of income or loss of revenue**

X18.2 For any one event, the *Contractor's* liability to the *Employer* for loss of or damage to the *Employer's* property is limited to **The total damages suffered and/or costs incurred to the Employer's Property**

X18.3 The *Contractor's* liability for Defects due to his design of an item of Equipment is limited to **The total damages suffered and/or costs incurred to the Employer's Property**

X18.4 The *Contractor's* total liability to the *Employer*, for all matters arising under **The Contractor's total direct liability to the Employer for all matters arising under or in**

or in connection with this contract, other than the excluded matters, is limited to

connection with this contract, other than the excluded matters, is limited to the total damages suffered and/or costs incurred to the Employer's Property and applies in contract, tort or delict and otherwise to the extent allowed under the law of the contract. The excluded matters are amounts payable by the Contractor as stated in this contract for:

- **Loss of or damage to the Employer's property,**
 - **Defects liability,**
 - **Insurance liability to the extent of the Contractor's risks**
 - **death of or injury to a person;**
- infringement of an intellectual property right**

X18.5	The <i>end of liability date</i> is	52 weeks after the end of the service period.
X19	Task Order	
X19.5	The <i>Contractor</i> submits a Task Order programme to the <i>Service Manager</i> within	5 days of receiving the Task Order
X 20.1	The incentive schedule for Key Performance Indicators is in	- As per the Service Information (C3) – Annex I section 7

Z(A): The Additional conditions of contract are: Z1-Z19

Amendments to the Core Clauses	
Z1	Interpretation of the law
Z1.1	Add to core clause 12.3: Any extension, concession, waiver, non-enforcement of any terms of the contract or relaxation of any action stated in this contract by the Parties, the <i>Service Manager</i> , the, or the <i>Adjudicator</i> does not constitute a waiver of rights, and does not give rise to an estoppel unless the Parties agree otherwise and confirm such agreement in writing.
Z2	Providing the Service: Delete core clause 20.1 and replace with the following:
Z2.1	The <i>Contractor</i> provides the <i>service</i> in accordance with the <i>Service Information</i> and warrants that the results of the <i>service</i> , when complete, shall be fit for their intended purpose.
Z3.	Other responsibilities: add the following at the end of core clause 27:
Z3.1	The <i>Contractor</i> shall have satisfied himself, prior to the <i>starting date</i> , as to the completeness, sufficiency and accuracy of all information and drawings provided to him as at the <i>starting date</i> .
Z3.2	The <i>Contractor</i> shall be responsible for the correct setting out or carrying out of the <i>service</i> in accordance with the original points, lines and levels stated in the <i>Service Information</i> or notified by the <i>Service Manager</i> . Any errors in the setting or carrying out of the <i>service</i> shall be rectified by the <i>Contractor</i> at the <i>Contractor's</i> own costs.
Z4.	Termination
Z4.1	Add the following to core clause 91.1, at the second main bullet, fourth sub-bullet point, after the words “assets or”: “business rescue proceedings are initiated or steps are taken to initiate business rescue proceedings”.
Z5.	Ambiguities and inconsistencies: Delete core clause 17 and replace with the following:
Z5.1	If there is any ambiguity or inconsistency in or between the documents which are part of this contract, the priority of the documents is in accordance with the following sequence: • The additional conditions of contract under these Z clauses • The conditions of contract and • The other documents.
Z5.2	The <i>Service Manager</i> or the <i>Contractor</i> notifies the other as soon as either becomes aware of any such ambiguity or inconsistency in or between the documents which are part of this contract. The <i>Service Manager</i> gives an instruction resolving the ambiguity or inconsistency. Notwithstanding any other provision of this contract, any such ambiguity, inconsistency and/or instruction does not automatically result in any increase to the Price List or any delay to the end of the service period.
Z6.	Payment: Add the following at the end of core clause 51:
	51.5 The Employer does not pay interest to the Contractor on a late payment resulting from the Contractor's failure to provide the Employer with a correctly rendered VAT invoice within the period stated in clause 51.1 above.

- 51.5** The Employer is entitled to deduct from or set off against any money due to the Contractor
- any sum due to the Employer from the Contractor or
 - any amount for which the Contractor is liable to pay to the Employer (whether liquidated or otherwise) arising under this contract.

Amendment to the Secondary Option Clauses

Z7. Changes in Law: Add the following clause to secondary option X2 as X2.2:

Z7.1 A change in law is defined as:

Z7.1.1 the adoption, enactment, promulgation, coming into effect, repeal, amendment, reinterpretation, change in application or other modification after the starting date of any law, excluding (i) the promulgation of any bill, unless such bill is enacted into the *law of the country*, and (ii) any such modification in law relating to any taxes, charges, imposts, duties, levies or deductions that are assessed in relation to a person's income;

Z7.1.2 any permit being terminated, withdrawn, amended, modified or replaced, other than (i) in accordance with the terms upon which it was originally granted, (ii) as a result of the failure by the *Contractor* to comply with any condition set out therein, or (iii) as a result of any act or omission of the *Contractor*, any Subcontractor or any affiliate to the *Contractor*.

Z8. Performance Bond: The following amendments are made to clause X13:

Z8.1. Amend the first sentence of clause X13.1 to read as follows: The *Contractor* gives the *Employer* an unconditional, on-demand performance bond, provided by a bank or insurer which the *Service Manager* has accepted in his or her discretion, for the amount stated in the Contract Data and in the form set out in Section C1.4 of this Contract Data.

Z8.2. Add the following new clause as Option X13.2: The *Contractor ensures* that the performance bond is valid and enforceable until the end of the *service period*. If the terms of the performance bond specify its expiry date and the end of the *service period* does not coincide with such expiry date, four weeks prior to the said expiry date, the *Contractor extends* the validity of the performance bond until the end of the *service period*. If the *Contractor fails* to so extend the validity of the performance bond, the *Employer may claim* the full amount of the performance bond and retain the proceeds as cash security

Z9. Limitation of liability: Insert the following new clause as Option X18.6:

Z8.1 The *Employer's liability* to the *Contractor* for the *Contractor's* indirect or consequential loss or damage of any kind is limited to R0.00.

Z8.2 Notwithstanding any other clause in this contract, any proceeds received from any insurances or any proceeds which would have been received from any insurances but for the conduct of the *Contractor* shall be excluded from the calculation of the limitations of liability listed in the contract.

Additional Z Clauses

Z10. Cession, delegation and assignment

Z10.1. The *Contractor* shall not cede, delegate or assign any of its rights or obligations to any person without the written consent of the *Employer*, which consent shall not be unreasonably withheld. This clause shall be binding on the liquidator/business rescue practitioner /trustee (whether provisional or final) of the *Contractor*.

- Z10.2.** The *Employer* may, on written notice to the *Contractor*, cede and delegate its rights and obligations under this contract to any person or entity.
- Z11. Joint and several liability**
- Z11.1.** If the *Contractor* constitutes a joint venture, consortium or other unincorporated grouping of two or more persons, these persons are deemed to be jointly and severally liable to the *Employer* for the performance of this Contract.
- Z11.2.** The *Contractor* shall, within 1 week of the starting date, notify the *Service Manager* and the *Employer* of the key person who has the authority to bind the *Contractor* on its behalf.
- Z11.3.** The *Contractor* does not materially alter the composition of the joint venture, consortium or other unincorporated grouping of two or more persons without prior written consent of the *Employer*.
- Z12. Ethics**
- Z12.1.** The *Contractor* undertakes:
- Z12.1.1.** not to give any offer, payment, consideration, or benefit of any kind, which constitutes or could be construed as an illegal or corrupt practice, either directly or indirectly, as an inducement or reward for the award or in execution of this contract;
- Z12.1.2.** to comply with all laws, regulations or policies relating to the prevention and combating of bribery, corruption and money laundering to which it or the *Employer* is subject, including but not limited to the Prevention and Combating of Corrupt Activities Act, 12 of 2004.
- Z12.2.** The *Contractor's* breach of this clause constitutes grounds for terminating the *Contractor's* obligation to provide the service in accordance with the procedures stated P2, P3 or P4 in core clause 92.2 or taking any other action as appropriate against the *Contractor* (including civil or criminal action). However, lawful inducements and rewards shall not constitute grounds for termination.
- Z12.3.** If the *Contractor* is found guilty by a competent court, administrative or regulatory body of participating in illegal or corrupt practices, including but not limited to the making of offers (directly or indirectly), payments, gifts, gratuities, commission or benefits of any kind, which are in any way whatsoever in connection with the contract with the *Employer*, the *Employer* shall be entitled to terminate the contract in accordance with the procedures stated in core clause 92.2, the amount due on termination is A1.
- Z13. Confidentiality**
- Z13.1.** All information obtained in terms of this contract or arising from the implementation of this contract shall be treated as confidential by the *Contractor* and shall not be used or divulged or published to any person not being a party to this contract, without the prior written consent of the *Service Manager*, whose consent shall not be unreasonably withheld.
- Z13.2.** If the *Contractor* is uncertain about whether any such information is confidential, it is to be regarded as such until otherwise notified by the *Service Manager*.
- Z13.3.** This undertaking shall not apply to –
- Z13.3.1.** information disclosed to the employees of the *Contractor* for the purposes of the implementation of this contract. The *Contractor* undertakes to ensure that its employees are aware of the confidential nature of the information so disclosed and that they comply with the provisions of this clause;
- Z13.3.2.** information which the *Contractor* is required by law to disclose, provided that the *Contractor* notifies the *Employer* prior to disclosure so as to enable the *Employer* to take the appropriate action to protect such information. The *Contractor* may disclose such information only to the extent required by law and shall use reasonable efforts to obtain assurances that confidential treatment will be afforded to the information so disclosed;

- Z13.3.3.** information which at the time of disclosure or thereafter, without default on the part of the *Contractor*, enters the public domain or to information which was already in the possession of the *Contractor* at the time of disclosure (evidenced by written records in existence at that time);
- Z13.4.** The taking of images (whether photographs, video footage or otherwise) of the *services or Affected Property* or any portion thereof, in the course of providing the *services* or at the end of the service period requires the prior written consent of the *Service Manager*. All rights in and to all such images vests exclusively in the *Employer*.
- Z13.5.** The *Contractor* ensures that all his Subcontractors abide by the undertakings in this clause.
- Z14. *Employer's Step-in rights***
- Z14.1.** If the *Contractor* defaults by failing to comply with its obligations in terms of this contract and fails to remedy such default within 4 weeks of the notification of the default by the *Service Manager*, the *Employer*, without prejudice to its other rights, powers and remedies under the contract, or at law may remedy the default either, itself or procure a third party (including any subcontractor or supplier of the *Contractor*) to do so on its behalf. The reasonable costs of the Employer exercising its step-in rights in respect of any subcontractor or supplier of the *Contractor* shall be borne by the *Contractor*.
- Z14.2.** The *Contractor* co-operates with the *Employer* and facilitates and permits the use of all required information, materials and other matter (including but not limited to documents and all other drawings, CAD materials, data, software, models, plans, designs, programs, diagrams, evaluations, materials, specifications, schedules, reports, calculations, manuals or other documents or recorded information (electronic or otherwise) which have been or are at any time prepared by or on behalf of the *Contractor* under the contract or otherwise for and/or in connection with the *works*) and generally does all things required by the *Service Manager* to achieve this end.
- Z15. *Liens and Encumbrances***
- Z15.1.** The *Contractor* keeps the Equipment used to provide the *service* free of all liens and other encumbrances at all times. The *Contractor*, vis-a-vis the *Employer*, waives all and any liens which he may from time to time have, or become entitled to over such Equipment and any part thereof and ensures that his Subcontractors similarly, vis-a-vis the *Employer*, waive all liens they may have or become entitled to over such Equipment from time to time
- Z16. *Intellectual Property***
- Z15.1** Intellectual Property ("IP") rights means all rights in and to any patent, design, copyright, trade mark, trade name, trade secret, other intellectual or industrial property rights, technical information and concepts, know-how, specifications, data, formulae, computer programs, memoranda, scripts, reports, manuals, diagrams, drawings, prototypes, drafts and any rights to them created during the performance of the service and include applications for and rights to obtain or use any such intellectual property whether under South African or foreign law.
- Z15.2** IP rights remain vested in the originator and shall not be used for any reason whatsoever other than carrying out the *service*.
- Z15.3** The *Contractor* gives the *Employer* an irrevocable, transferrable, non-exclusive, royalty free licence to use and copy all IP related to the *service* for the purposes of constructing, repairing, demolishing, operating and maintaining the *service or the Affected Property*.
- Z15.4** The written approval of the *Contractor* is to be obtained before the *Contractor's* IP made available to any third party which approval will not be unreasonably withheld or delayed. Prior to making any *Contractor's* IP available to any third party the *Employer* shall obtain a written confidentiality

undertaking from any such third party on terms no less onerous than the terms the *Employer* would use to protect its IP.

- Z15.5** The *Contractor* shall indemnify and hold the *Employer* harmless against and from any claim alleging an infringement of IP rights (“**the claim**”), which arises out of or in relation to:
- Z15.5.1** the *Contractor’s* service;
- Z15.5.2** the use of the *Contractor’s* Equipment, or
- Z15.5.3** the proper use of the *Affected Property* on which the service is provided.
- Z15.6** The *Employer* shall, at the request and cost of the *Contractor*, assist in contesting the claim and the *Contractor* may (at its cost) conduct negotiations for the settlement of the claim, and any litigation or arbitration which may arise from it.
- Z17. Dispute resolution: The following amendments are made to Option W1:**
- Z16.1 Under clause W1.3, in the fourth row of the first column of the adjudication table, the following words are added after the words “any other matter”:** “excluding disputes relating to termination of the contract”.
- Z16.2 The following clauses are added at the end of clause W1.3 as sub-clauses (12) and (13) respectively:**
- Z16.2.1** “The Adjudicator shall decide the dispute solely on the written submissions of the parties. No oral submissions shall be heard during adjudication.”
- Z16.2.2** “Disputes relating to or arising from termination of the Contract shall not be determined by an adjudicator. Any such dispute shall be referred directly to the tribunal in accordance with the procedures set out in clause W1.4.”
- Z17 Day:**
- Z17.1** Any reference to a day in terms of this contract shall be construed as a calendar day.
- Z18 Safety**
- Z18.1** The *Employer*, *Service Manager* or any of his nominated representatives may stop any unsafe *service*. The *Contractor* does not proceed with the relevant service until the safety violation is corrected. This instruction to stop or not to start the *service* is not a compensation event.
- Z18.2** As stipulated by section 37(2) of the Occupational Health and Safety Act No. 85 of 1993 (**OHS Act**) as amended the Contractor agrees to the following:
- Z18.2.1** As part of the contract the *Contractor* acknowledges that it is an Employer in its own right with duties as prescribed in the OHS Act, as amended and agrees to ensure that all work performed, or equipment and materials used, are in accordance with the provisions of the OHS Act.
- Z18.2.2** The *Contractor* furthermore agrees to comply with the requirements set forth by the *Service Manager* and agree to liaise with the *Employer* should the *Contractor*, for whatever reason, be unable to perform in terms of the clause Z18.

Z18.3 The *Contractor* acknowledges that it is an *Employer* in its own right and is registered with duties as prescribed in the Compensation for Occupational Injuries & Diseases Act No. 130 of 1993.

C1.2 b - DATA PROVIDED BY THE *CONTRACTOR*

Clause	Statement	Data
10.1	The Contractor is (Name):	
	Company Registration Number	
	Company VAT Number	
	Address	
	Telephone no.	
	Fax No.	
11.2	The <i>working areas</i> are	See C3 'Service Information'
24.1	The <i>Contractor's Key people</i> are:	CV's to be appended to Resource Proposal (Annex F)
1	SITE MANAGER/SUPERVISOR	
	Name:	
	Qualifications relevant to this contract	
	Experience	
2	ARTISAN MECHANICAL	
	Name:	
	Qualifications relevant to this contract	

Experience

3 Technician

Name:

Qualifications relevant to this contract

Experience

4 Assistant Mechanical

Name:

Qualifications relevant to this contract

Experience

5 Technician Assistant

Name:

Qualifications relevant to this contract

Experience

Name:

Qualifications relevant to this contract

Experience

11.2 The following matters will be 1.
included in the Risk Register

2.

3.

4.

5.

6.

C1.3 Occupational Health and Safety Agreement

OCCUPATIONAL HEALTH AND SAFETY AGREEMENT

AGREEMENT IN TERMS OF SECTION 37(2) OF THE OCCUPATIONAL HEALTH & SAFETY ACT (ACT 85 OF 1993) & CONSTRUCTION REGULATION 5.1(k)

OBJECTIVES

To assist Airport Company South Africa (ACSA) in order to comply with the requirements of:

1. The Occupational Health & Safety (Act 85 of 1993) and its regulations and
2. The Compensation for Occupational Injuries & Diseases Act (Act 130 of 1993) also known as the (COID Act).

To this end an Agreement must be concluded before any contractor/ subcontracted work may commence

The parties to this Agreement are:

Name of Organization: AIRPORTS COMPANY SOUTH AFRICA CAPE TOWN INTERNATIONAL AIRPORT
Cape Town International Airport Southern Office Block, Administration Building 7525

Hereinafter referred to as “Client”

Name of organisation:
Physical Address:

Hereinafter referred to as “the Mandatary/ Principal Contractor”

MANDATORY'S MAIN SCOPE OF WORK

5 YEAR MAINTENANCE AND REPAIRS AND MINOR REFURBISHMENT (ONE OFF) OF PASSENGER BOARDING BRIDGES AND AIRCRAFT DOCKING SYSTEM AT CTIA.

GENERAL INFORMATION FORMING PART OF THIS AGREEMENT

1. The Occupational Health & Safety Act comprises of SECTION 1-50 and all unrepealed REGULATIONS promulgated in terms of the former Machinery and Occupational Safety Act No.6 of 1983 as amended as well as other REGULATIONS which may be promulgated in terms of the Act and other relevant Acts pertaining to the job in hand.
2. "Mandatory" is defined as including as agent, a principal contractor or a contractor for work, but WITHOUT DEROGATING FROM HIS/HER STATUS IN HIS/HER RIGHT AS AN EMPLOYER or user of the plant
3. Section 37 of the Occupational Health & Safety Act potentially punishes Employers (PRINCIPAL CONTRACTOR) for unlawful acts or omissions of Mandataries (CONTRACTORS) save where a Written Agreement between the parties has been concluded containing arrangements and procedures to ensure compliance with the said Act BY THE MANDATARY.
4. All documents attached or refer to in the above Agreement form an integral part of the Agreement.
5. To perform in terms of this agreement Mandataries must be familiar and conversant with the relevant provisions of the Occupational Health & Safety Act 85 of 1993 (OHS Act) and applicable Regulations.
6. Mandatories who utilise the services of their own Mandatories (contractors) must conclude a similar Written Agreement with them.
7. Be advised that this Agreement places the onus on the Mandatory to contact the CLIENT in the event of inability to perform as per this Agreement.
8. This Agreement shall be binding for all work the Mandatory undertakes for the client.
9. All documentation according to the Safety checklist including a copy of the written Construction Manager appointment in terms of construction regulation 8, must be submitted 7 days before work commences.

THE UNDERTAKING

The Mandatary undertakes to comply with:

INSURANCE

1. The Mandatary warrants that all their employees and/or their contractor's employees if any are covered in terms of the COID Act, which shall remain in force whilst any such employees are present on the Client's premises. A letter is required prior commencing any work on site confirming that the principal contractor or contractor is in good standing with the Compensation Fund or Licensed Insurer.
2. The Mandatary warrants that they are in possession of the following insurance cover, which cover shall remain in force whilst they and /or their employees are present on the Client's premises, or which shall remain in force for that duration of their contractual relationship with the Client, whichever period is the longest.
 - a. Public Liability Insurance Cover as required by the Subcontract Agreement.
 - b. Any other Insurance cover that will adequately makes provision for any possible losses and/or claims arising from their and /or their Subcontractors and/or their respective employee's acts and/or omissions on the Client's premises.

COMPLIANCE WITH THE OCCUPATIONAL HEALTH & SAFETY ACT 85 OF 1993

The Mandatary undertakes to ensure that they and/or their subcontractors if any and/or their respective employees will at all times comply with the following conditions:

1. All work performed by the Mandatary on the Client's premises must be performed under the close supervision of the Mandatary's employees who are to be trained to understand the hazards associated with any work that the Mandatary performs on the Client's premises.
2. The Mandatary shall be assigned the responsibility in terms of Section 16(1) of the OHSAct 85 of 1993, if the Mandatary assigns any duty in terms of Section 16(2), a copy of such written assignment shall immediately be forwarded to the Client.
3. The Mandatary shall ensure that he/she familiarise himself/herself with the requirements of the OHS Act 85 of 1993 and that s/he and his/her employees and any of his subcontractors comply with the requirements.
4. The Mandatary shall ensure that a baseline risk assessment is performed by a competent person before commencement of any work in the Client's premises. A baseline risk assessment document will include identification of hazards and risk, analysis and evaluation of the risks and hazards identified, a documented plan and safe work procedures to mitigate, reduce or control the risks identified, and a monitoring and review plan of the risks and hazards.

5. The Mandatary shall appoint competent persons who shall be trained on any Occupational Health & Safety aspect pertaining to them or to the work that is to be performed.
6. The Mandatary shall ensure that discipline regarding Occupational Health & Safety shall be strictly enforced.
7. Any personal protective equipment required shall be issued by the Mandatary to his/her employees and shall be worn at all times.
8. Written safe working practices/procedures and precautionary measures shall be made available and enforced and all employees shall be made conversant with the contents of these practises.
9. No unsafe equipment/machinery and/or articles shall be used by the Mandatary or contractor on the Client's premises.
10. All incidents/accidents referred to in OHSAct shall be reported by the Mandatary to the Provincial Director: Department of Labour as well as to the Client.
11. No use shall be made by the Mandatary and/or their employees and or their subcontractors of any of the Client's machinery/article/substance/plant/personal protective equipment without prior written approval.
12. The Mandatary shall ensure that work for which the issuing of permit is required shall not be performed prior to the obtaining of a duly completed approved permit.
13. The Mandatary shall ensure that no alcohol or any other intoxicating substance shall be allowed on the Client's premises. Anyone suspected to be under the influence of alcohol, or any other intoxicating substance shall not be allowed on the premises. Anyone found on the premises suspected to be under the influence of alcohol or any other intoxicating substance shall be escorted off the said premises immediately.
14. Full participation by the Mandatary shall be given to the employees of the Client if and when they inquire into Occupational Health & Safety.

FURTHER UNDERTAKING

1. Only a duly authorised representative appointed in terms of Section 16.2 of the OHS Act is eligible to sign this agreement on behalf of the Mandatary. The signing power of this representative must be designated in writing by the Chief Executive Officer of the Mandatary. A copy of this letter must be made available to the Client.
2. The Mandatary confirms that he has been informed that he must report to the Client's management, in writing anything he/she deems to be unhealthy and /or unsafe. He has versed his employees in this regard.
3. The Mandatary warrants that he/she shall not endanger the health & safety of the Client's employees and other persons in any way whilst performing work on the Client's premises.

4. The Mandatary understands that no work may commence on the Client's premises until this procedure is duly completed, signed and received by the Client.
5. Non-compliance with any of the above clauses may lead to an immediate cancellation of the contract.

ACCEPTANCE BY MANDATARY

In terms of section 37(2) of the Occupational Health & Safety Act 85 of 1993 and section 5.1(k) of the Construction Regulations 2014,

Ia duly authorised 16.2 Appointee acting for and on behalf of (company name) undertake to ensure that the requirements and the provision of the OHS Act 85 of 1993 and its regulations are complied with.

Mandatory – WCA/ Federated Employers Mutual No.....

Expiry date

SIGNATURE ON BEHALF OF MANDATARY
(Warrant his authority to sign)

DATE

SIGNATURE ON BEHALF OF THE CLIENT
AIRPORT COMPANY SOUTH AFRICA

DATE

C1.4 Forms of Securities

No performance bond or parent company guarantee is required in this contract

C1.5 Insurance Schedule

The successful bidder must source the following insurance cover, which is the deductible in the ACSA insurance cover:

- *Aviation liability insurance cover for an indemnity limit not less than R300 000 (three hundred thousand rands).*
- *Submit proof of insurance to ACSA before the work starts, and annually for the duration of the project*

C2.1 Pricing assumptions: Option A

The conditions of contract

How work is priced and assessed for payment

Clause 11 in NEC3 Term Service Contract, April 2013 (TSC3) core clauses and Option A states:

Identified and defined terms	11	
	11.2	(12) The Price List is the <i>price list</i> unless later changed in accordance with this contract.
		(17) The Price for Services Provided to Date is the total of the Price for each lump sum item in the Price List which the <i>Contractor</i> has completed and where a quantity is stated for an item in the Price List, an amount calculated by multiplying the quantity which the <i>Contractor</i> has completed by the rate.
		(19) The Prices are the amounts stated in the Price column of the Price List. Where a quantity is stated for an item in the Price List, the Price is calculated by multiplying the quantity by the rate.

This confirms that Option A is a priced contract where the Prices are derived from a list of items of service which can be priced as lump sums or as expected quantities of service multiplied by a rate or a mix of both. Where it is contemplated that the Price List represents the type of work, quantity and cost thereof which may or not be selected by the Employer, it is important to ensure that service items listed do not create liability on a daily basis if that is not the intention. For example, if the service is maintenance of an installation on an ad hoc or call-off basis which may require the Contractor to be on standby but not permanently on the Affected Property, avoid listing service items which may be treated as preliminary and general (P&Gs) items, whether fixed or time-related such as contractual requirements, establishing on site, offices, storage, ablutions, water supplies, power supply, telecommunications. The Price List should align with the intention of the contract and selection of Option X 19 should be considered. If the Contractor is required to price P&G items ensure that the tender, contract and Price List provides clearly that daily charges are applicable only as necessitated by the specific activity and authorised by the Service Manager. Particular care should be taken when utilising SANS 1200 as a guide for tenderers or for preparing templates for Price Lists in tenders. Avoid referring to the Price List as the Activity Schedule.

Function of the Price List

Clause 54.1 in Option A states: "Information in the Price List is not Service Information". This confirms that instructions to do work or how it is to be done are not included in the Price List but in the Service Information. This is further confirmed by Clause 20.1 which states, "The *Contractor* Provides the Service in accordance with the Service Information". Hence the *Contractor* does **not** Provide the Service in accordance with the Price List. The Price List is only a pricing document.

Link to the Contractor's plan

Clause 21.4 states "The *Contractor* provides information which shows how each item description on the Price List relates to the operations on each plan which he submits for acceptance". Hence when compiling the *price*

list, the tendering contractor needs to develop his first clause 21.2 plan in such a way that operations shown on it can be priced in the *price list* and result in a satisfactory cash flow in terms of clause 11.2(17).

Preparing the *price list*

It will be assumed that the tendering contractor has read Pages 14, 15 and 76 of the TSC3 Guidance Notes before preparing the *price list*. Items in the *price list* may have been inserted by the *Employer* and the tendering contractor should insert any additional items which he considers necessary. Whichever party provides the items in the *price list* the total of the Prices is assumed to be fully inclusive of everything necessary to Provide the Service as described at the time of entering into this contract.

1 As the *Contractor* has an obligation to correct Defects (core clause 42.1) and there is no compensation event for this unless the Defect was due to an *Employer's* risk, the lump sum Prices and rates must also include for the correction of Defects.

2 If the *Contractor* has decided not to identify a particular item in the *price list* at the time of tender the cost to the *Contractor* of doing the work must be included in, or spread across, the other Prices and rates in the *price list* in order to fulfil the obligation to complete the *service* for the tendered total of the Prices.

3 There is no adjustment to lump sum prices in the *price list* if the amount, or quantity, of work within that lump sum item of service later turns out to be different to that which the *Contractor* estimated at time of tender. The only basis for a change to the Prices is as a result of a compensation event. See Clause 60.1.

4 Hence the Prices and rates tendered by the *Contractor* in the *price list* are inclusive of everything necessary and incidental to Providing the Service in accordance with the Service Information, as it was at the time of tender, as well as correct any Defects not caused by an *Employer's* risk.

5 The *Contractor* does not have to allow in his Prices and rates for matters that may arise as a result of a compensation event. It should be noted that the list of compensation events includes those arising as a result of an *Employer's* risk event listed in core clause 80.1.

Format of the *price list*

(From page 76 of the TSC3 Guidance Notes)

Entries in the first four columns in the *price list* in section C2.2 are made either by the *Employer* or the tendering contractor.

If the *Contractor* is to be paid an amount for the item which is not adjusted if the quantity of work in the item changes, the tendering contractor enters the amount in the Price column only, the Unit, Expected Quantity and Rate columns being left blank.

If the *Contractor* is to be paid an amount for an item of work which is the rate for the work multiplied by the quantity completed, the tendering contractor enters the rate which is then multiplied by the Expected Quantity to produce the Price, which is also entered.

If the *Contractor* is to be paid a Price for an item proportional to the length of time for which a service is provided, a unit of time is stated in the Unit column and the expected length of time (as a quantity of the stated units of time) is stated in the Expected Quantity column.

C2.2 Price List

The following Activity Schedule is provided “as-is” for the benefit of the Bidder. ACSA (the Employer) cannot guarantee that it is complete in all respects. The Bidder is responsible for providing an Activity Schedule which is accurate, complete and in accordance with their proposal. Also, refer to C3 (Service information) for activities that need to be priced. Only items listed in this Activity Schedule may be billed to the Employer.

ACSA reserves the right to vary all the activities according to the rates given in this contract.

Table A: Activity Schedule Part 1 (A) Passenger Loading Bridges: Alpha A3 to A12

Item no.	Activity Description	Frequency	Quantity (per 12 months)	Amount (per single item) (Excluding VAT)	Total for first year Excluding VAT)
Preliminary and General					
1	Airport permits and parking fees – provisional sum	Once off	5	R3 800.00	R19 000
2	Contract Management and administration	Monthly	12		
3	Insurance (ACSA required for this contract)	Monthly	12		
4	Store supervision and Monthly reports	Monthly	12		
5	PPE and Cell phone	Monthly	12		
Total Preliminary & General					R
Maintenance & Inspections					
7	Daily Inspections over a Month	Monthly	12		
8	Quarterly Preventative Maintenance	Quarterly	4		
9	Semi-Annual Preventative Maintenance	Six Monthly	2		
10	Annual Preventative Maintenance	Yearly	1		
11	Annual Preventative Maintenance	Two Yearly	0.5		
*Other					
12	Other 1 specify:				
13	Other 2 specify:				
14	Other 3 specify:				
Total Maintenance & Inspections					
13	Incentives: <i>see section on incentives (Consistent availability of 99.5% - 100.00% over twelve consecutively months and saving cost through innovate ideas. Contractor to be paid only 10% of cost saved in the year as a result of their innovative ideas and consistently meeting target of 99.5%-100%)</i>	Yearly	5	<i>10% of cost saved in the year as a result of their innovative ideas and consistently meeting target of 99.5%-100%)</i>	
Total	Sub-total A (Total Preliminary & General + Total Maintenance & Inspections + Incentives)				R

Table A: Activity Schedule Part 1 (B) Aircraft Docking System: A3 to A17

Item number	Description	Frequency		Amount	60 Months cost
1.	Preventative Monthly maintenance	Monthly	12		
2.	Preventative Quarterly maintenance	Quarterly	4		

Incentives: <i>see section on incentives (Consistent availability of 99.5% - 100.00% over twelve consecutively months and saving cost through innovate ideas. Contractor to be paid only 10% of cost saved in the year as a result of their innovative ideas and consistently meeting target of 99.5%-100%)</i>		Yearly	5	10% of cost saved in the year as a result of their innovative ideas and consistently meeting target of 99.5%-100%)	
Total		Sub-total B (Total Preliminary & General + Total Maintenance & Inspections + Incentives)			R

The above activity schedule is minimum work required and the contractor as the subject expect matter on these services they are bidding for **shall fill in any other activity with prices for "other" activities which they deem necessary to achieve the set out comes on availability ,reliability, maintainability, MTTR, MTBF, legislative and all other targets set in this contract. **Should an alternative not be presented, the offer will be deemed as the contractor's optimal proposal for which they will be liable for.***

***All rates for all activities including diagnostic and repair shall include all required tools, software, hardware and consumables (including all applicable specialized tools and software, hardware and consumables) Onus is on the contractor to price correctly).*

****It is noted that the required labour resources and skills for this contract is not prescribed in detail. The contractor is fully responsible to ensure that labour resources remain adequate and competent in order to maintain required service levels, system performance levels and according to all applicable laws and regulations. The Tenderer shall also ensure that all required maintenance is catered for as per the Original Equipment Manufacturer in the pricing above.*

*****Incentives and Low service damages will be applicable as per the Low service damages table and Incentive table in this contract*

Labour rates and Mark-up

Any work not included under part 1 shall be deemed additional work or non-scheduled items and will be charged at the following rates:

Activity Schedule – part 2 (Labour rates and Mark-up - Breakdowns)

Any work not included under part 1 shall be deemed additional work or non-scheduled items and will be charged at the following rates:

**All rates to exclude vat. Subject to mutual agreement between ACSA and the Contractor, the number of staff allocated to the contract may be increased/decreased to cater for special needs that may arise from time to time.*

Labour rates shall include all personnel insurance, holidays with pay, incentive bonuses.

Note: No labour shall be charged for travel or travelling. Labour time shall be calculated for the time spent on site.

Call out rate must include all required travelling and the **first hour on site**.

i) LABOUR RATES: (to be filled in)

Item	Description	Normal hours(R/hour)	After hours (R/hour)	
			Saturday	Sunday/public holiday
1	Site Manager			

2	Mechanical Artisan			
3	Technician (electrical /instrument and control).			
4	Technician assistant/ Semi-skilled labour			
5..	Specialist (e.g. Engineer - Structural, Electronic, Mechanical etc.)			
6	Other specify:			

Detail requirements regarding staff

The Contractor shall continuously ensure that all staff is suitable, able and competent for the duties required of them. Staff must have experience and applicable competencies as per OEM and all legislations in the maintenance Passenger Loading Bridges and or Aircraft Docking system. The Contractor shall continuously ensure that all staff is knowledgeable on all equipment relating to the Passenger Loading Bridges and or Aircraft Docking system.

Note the following minimum below as per standardised Mechanical resources per infrastructure:

PASSENGER LOADING BRIDGES

Site supervisor	- Instrumentation and control/Electrical/Millwright Trade test - Any OHS Training certificate	- Min 3 years experience post trade test qualification 2 years supervisory Experience - Min 2 years OHS experience
Artisan Mechanical	Ftting/Millwright trade test	Min 3 years experience post trade test qualification and at least 1 year must be in the maintenance of PLBs
Technician	Electrical/Instrument and control trade test	Min 3 years experience post trade test qualification and at least 1 year must be in the maintenance of PLBs
Assistant Mechanical	N2 Mechanical	1 Year experience in maintenance of mechanical equipment
Assistant Technician	N2 Electrical/Instrument and control	1 year experience in maintenance of electrical and control systems
Lifting Machinery Inspector (Ad hoc)	Registration with ECSA as a Lifting Machinery Inspector	Minimum 1 year experience post registration with ECSA as a Lifting Machinery Inspector

AIRCRAFT DOCKING SYSTEM

Technicians	• Instrumentation and control/Electrical/Millwright Trade test	Min 3 years experience post trade test qualification and 1 year must be on maintenance of Aircraft Docking systems
Assistant	• N2 Instrumentation and control/Electrical/Millwright	Min 1 year experience in maintenance or installation of electrical or control equipment/systems

ii) CALL OUT FEE + DIAGNOSTIC AND REPAIR RATES

NOTE:

- a) All rates for all activities including diagnostic and repair shall include all required tools, software, hardware and consumables (including all applicable specialized tools and software, hardware and consumables) Onus is on the contractor to price correctly).
- b) All *call out* shall include all applicable travelling, all personnel insurance, holidays with pay, incentive bonuses etc. Labour laws and all applicable laws shall be followed by the contractor.
- c) Call outs are not chargeable during hours technician/artisan/assistants or any applicable resource are on site.
- d) Call outs are not chargeable during working hours' technician/ assistants are on site (08:00 – 17:00)
- e) The contractor will be compensated according to the contractor's repair rate provided in the below table B and it is subject to discussion with the service manager due to external factors that are beyond the contractor's control (some of the internal and external factors are listed in Annex T) .
- f) Call-out remuneration is applicable to activities falling out of preventative maintenance activities that were supposed to be done by the contractor, thus ACSA will not pay for breakdown which are due to preventative maintenance negligence by the contractor.

PASSENGER LOADING BRIDGES

Table C: Call outs+ Labour

Description	Quantity	Call out fee- (Contractor to fill in)	Total/ 60 months – (Contractor to fill in)
Call Out			
*Call out Fee which includes first hour on site and travelling fee (after hours, weekends and holidays)	90	R	R
Total			R

Diagnostic with repairs table:

(time below includes the total time to do diagnostics and repairs for each failure mode and completely resolve the issues leaving the infrastructure totally correctly functional. Note the rates must include all required tools, special tools, software and hardware require to completely resolve the failure)

Item #	Call description	Estimated time to repair/reset (hrs.) as logged in the ACSA system	Budgeted Quantity	Contractor time to repair: (Contractor to fill in)	Rate per hour (after hours): (Contractor to fill in)	Total: qty X contractor time to repair X rate (Contractor to fill in)
1	Auto Level Fault	1.2	20			
2	Damaged staircase ladder	2	5			
3	Damaged cable	720	0			
4	UPS battery fault	2	20			
8	PLB not parked	0.5	18			
9	Hoop switch fault	0.5	4			
10	Slope limit fault	0.33	10			
11	Service door not closed	0.36	10			
12	Service door window broken	2	5			
13	Swing Limit fault	1.54	5			
14	Faulty safety shoe	0.5	3			
15	Card reader faulty	1.1	4			
16	Power Related faults	2	3			
18	Glass broken	1.66	1			
19	Docking / comms	0.5	1			
20	Aircraft wrong stop	0.2	2			
21	Emergency stop activated	0.4	4			

22	Inverter fault	0.6	2			
23	Ignition switch fault	1	1			
24	Air-condition unit fault	0.4	1			
25	Canopy limit fault	0.8	1			
26	Height sensor fault	1.35	1			
27	Camera frozen	0.45	1			
28	Damaged Hydraulic cylinder	192	1			
29	Computer fault	0.5	1			
30	Damaged teel cable/rope	5	1			
31	Communication cables faulty	4	1			
32	Dirty fan	0.7	1			
33	Column faulty	0.6	0			
34	Driver guidance screen not working	2.5	2			
35	Canopy rope damaged	1.8	1			
36	Canopy ribbon damaged	3	1			
37	Loose power cables	4	1			
38	damaged cable wires	720	0			
39	Camera and network cable damage	6	1			
40	ultrasonic sensor	2.5	1			
41	circuit breaker damaged	1.5	1			
42	power supply damaged	1.2	1			
43	robot buttons broken	1.8	1			
44	control board damaged	5	1			
45	stabilizer motor damaged	2	1			
46	hydraulic fluid is low	1.2	1			
47	hydraulic power coupling damaged	2.3	1			
48	oil dirty	2.7	1			
49	Filter blocked	2	1			
50	Hose leaking	3	1			
51	No flow	6	1			
52	Check valve faulty	3	1			
53	No pressure/low pressure	5	1			
54	Damaged check valves	3	1			
55	missing floods lights	1.0	1			

56	damaged power pack	336	1			
57	pump failure	4	1			
58	Pump seals worn	3	1			
59	Pump vibration	3	1			
60	Pump over heating	3.5	1			
61	Bearings are broken	3	1			
62	pump motor trip	5	1			
63	Stuck curtain inside Rotunda	8	1			
64	Damaged collusion sensors	2	5			
65	Damaged ignition switch	1.5	1			
66	Damaged slope limit	2	1			
67	Safety shoe worn out	2.8	10			
68	broken bumper limit head spring	1.4	20			
69	safety shoe cable damaged	2	10			
70	Door lock broken	1.8	20			
71	lock nut sensor	2.4	1			
72	noisecon damaged		1			
73	Springs collapsed	2	1			
74	Castor wheels damaged	5	5			
75	Aircon temperature check	1.5	1			
76	Stuck on the aircraft or parking	2	10			
77	Card reader override	1	20			
78	Bumper limit faulty	2	20			
79	Canopy cushion faulty	3.5	1			
80	Canopy guide strap	1.5	11			
81	Canopy not extending	1.2	2			
82	Canopy not retracting	1.2	2			
83	E stop activated	0.45	3			
84	Hydraulic system fault	5	1			
85	Lights not working	0.8	2			
86	Structural damage	336	1			
87	Tunnel leaking	5	1			
88	Other: Unforeseen breakdown	2	1			

89	Other: breakdown	Unforeseen	2	1			
90	Other: breakdown	Unforeseen	2	1			
**Total Diagnostic and repairs						R	
Sub-total C (*Call out fee + **Diagnostic and repair)						R	

AIRCRAFT DOCKING SYSTEM

Table D: Call outs+ Labour

Description		Quantity	Call out fee- (Contractor to fill in)	Total/ 12 months – (Contractor to fill in)		
Call Out						
*Call out Fee which includes first hour on site and travelling fee (after hours, weekends and holidays)		5	R	R		
Total call out fee			R			
Diagnostic with repairs table: (time below includes the total time to do diagnostics and repairs for each failure mode and completely resolve the issues leaving the infrastructure totally correctly functional. Note the rates must include all required tools, special tools, software and hardware require to completely resolve the failure)						
Item #	Call description	Estimated time to repair/reset (hrs.) as logged in the ACSA system	Budgeted Quantity	Contractor time to repair: (Contractor to fill in)	Rate per hour (after hours): (Contractor to fill in)	Total: qty X contractor time to repair X rate (Contractor to fill in)
1	Network connection failures	1	5			
3	GOP screen freezing	2	0			
4	GOP faulty	2	3			
5	Aircraft over/under packed (calibration error)	0.15	10			
**Total D Diagnostic and repairs					R	

iii) SPARES and MARK -UP

*Spares will be managed using ACSA's manual inventory management system.

The manual inventory management system will include but not limited to;

- Conducting and submission of monthly and quarterly stock count to the Service Manager by the contractor,
- Keeping up-to-date inventory cards by the contractor,
- Management of spares movement by the contractor,
- Keeping an up-to-date inventory file (purchase order and request, work order, delivery note, stock count records, etc.).
- Ensure safety and security of the storeroom by the contractor as per space given to them.
- The space for spare storage shall be allocated by ACSA to the contractor and can be a shared space as per space availability.
- Management of inventory by the contractor as per ACSA inventory procedure

Spares:

Description	Total (excluding VAT)
Subtotal E- provisional sum for spares	<u>R 3 376 845.00</u>

Mark-up (third party procured items/services)

Bidder to complete

Value of Item or Services	**Mark-up (Contractor to fill in)	Spares amount for budget purposes *Z*	Total mark-up values to be budgeted- (Contractor to fill in) = (*Z*x Y)
R0 - R2,000	%	R2 000.00	
R2,001 - R5,000	%	R5 000.00	
R5,001 - R10,000	%	R10 000.00	
R10,001 - R50,000	%	R73 000.00	

^bCost shall be net cost (excluding VAT) of parts delivered to site with all discounts deducted.

*The inserted amount *Z* are for budgeting purposes. The Total mark -up amount in the table is not guaranteed, but the mark-up will be applicable on third party quotations as per requirements of the system. Thus, the contractor will be held accountable to the mark-up filled in this table.

**The mark-up will be applicable to the total of the third-party quotation not on a single line items in a quotation.

Spares and sub – contractors work will be charged at cost plus mark-up. VAT shall not form part of mark-up calculations. Cost shall be net cost (excluding VAT) of parts supplied to site with all discounts deducted.

The spares list must be prepared based on tenderers best current spares prices (excl. VAT). The actual costs of spares will be reimbursed on submission of invoices and suppliers supporting documents.

Table G: Refurbishment projects for PLBs Hydraulics .

ITEMS	QUANTITY		RATE	AMOUNT (Excluding VAT)
		UOM		
Provision for decommissioning of the lifting system/hydraulics system (includes cylinders, pumps, motor, gearbox and hydraulic oil)	8	%	R 240 000	R 240 000
Provision for supply and deliver of the new lifting system/hydraulics system components (includes cylinders, pumps, motor, gearbox and hydraulic oil)	8	sum	R 300 000	R 2 400 000
Provision for installation of the new replacement of the lifting system/hydraulics system (includes cylinders, pumps, motor, gearbox and hydraulic oil)	8	%	R360 0000	R 360 000
Testing and commissioning	8	%	R 120 000	R 120 000
SUB-TOTAL				
Contingencies (escalations, Forex cover for OEM, etc)	10	%	R312 000	R312 000
SUB-TOTAL				
SUB-TOTAL G Value	R3 432 000			

The contract will require refurbishment as and when required, which will include but not limited to the projects below:

- Upgrade of A5 to A12 Hydraulics system.

Contract value

Below, the guide that must be used in estimating the contract value. This amount must be reported as the Contract Value in the corresponding schedules. Tenderers are reminded that this amount is for illustrative purposes only and that ACSA will not be under any obligation to expend the full or any portion of this amount. Monthly contract expenditure will be strictly calculated according to the Activity Schedule as provided above.

Passenger loading bridges and ADS Sixty (60) months maintenance expenditure:

Description	Total (excluding VAT)
Sub-total A (Total Preliminary & General + Total Maintenance & Inspections + Incentives)-PLB's	R
Sub-total B (Total Preliminary & General + Total Maintenance & Inspections + Incentives)-ADS	R
Sub-total C+D (*Call out fee + **Diagnostic and repairs)	R

*Total H- Total maintenance cost for 12 Months -	R
--	---

Table I

		Totals (Excluding VAT)
Year 1	Total H-total maintenance cost	
Year 2 = Year 1 + CPI	4.5%	
Year 3 = Year 2 + CPI	4.5%	
Year 4 = Year 3 + CPI	4.5%	
Year 5 = Year 4 + CPI	4.5%	
Total of 60 Months		R

Total cost for total of year 5 from Table I	R
Estimated standby allowance (20% total fixed maintenance value over 5 years)	R
Sub-total G Refurbishment for Hydraulics A 5 – A12	R3 432 000
Sub-total E (Spares provisional sum)	R 3 376 845
Total contract value	R

Note:

***TOTAL- I (i.e. Total maintenance cost for duration of the contract) must be carried to the form of offer and acceptance.**

The values in this table/contract are not guaranteed, payment will be done as per approved work/activity done and assessments in this contract.

C3 Service Information

DESCRIPTION OF THE WORKS

Employer's objectives

The objective is to maintain the serviceability of passenger loading bridges and Aircraft Docking System at Cape Town International Airport in a sustainable manner at the lowest operating and maintenance costs while ensuring compliance to general safety and aviation related legislation.

The Contractor will maintain all passenger loading bridges and Aircraft Docking System at Cape Town International Airport as minimum described in the Overview of the works below. The Contractor will be appointed directly by the Airports Company of South Africa.

Onus is on the contractor to provide assurance that competent persons would be carrying out all tasks in accordance with all the applicable standards, OEM requirements, procedures, regulations and legislative requirements. Note there are interfaces with the PLB card reader which are maintained by the ACSA_IT contractor.

Scope of work

Equipment Life Span

- ❖ The life span of the Alpha Apron passenger Loading bridges is 20 years and for Aircraft Docking System is 10 years (refer to **Annex C** for the list and life span)
- ❖ The list of equipment commissioning year has been provided on **Annex B**.

OEM Requirements

The O.E.M recommended the below preventive maintenance for the Alpha apron passenger loading bridges:

- ❖ Monthly
- ❖ Quarterly maintenance
- ❖ Bi- annual maintenance
- ❖ Annual Maintenance
- ❖ 2 yearly Annual Maintenance

And recommended the below preventive maintenance for the Aircraft Docking System:

- ❖ Monthly maintenance
- ❖ Quarterly maintenance

ACSA: Cape Town International Airport has since implemented daily inspections for the Alpha passenger loading bridges.

Condition of the plant

The maintenance history of the equipment has been logged with ACSA Integrated maintenance centre.

- ❖ The list breakdowns and faults experienced and the estimated time for repair on both Alpha Apron PLBs and ADS are listed on **Annexure H**.
- ❖ The preventative maintenance previously performed on both Alpha Apron PLBs and ADS for the actual work orders with tasks, ACSA Integrated maintenance centre can be contacted to issue them.
- ❖ A sample of root cause analysis for the assets has been attached on **Annex G**. Also, the root cause analysis must be performed, and the Root cause analysis form completed by the contractor and handed over to ACSA service manager after each breakdown

Site Information

- ❖ The alpha A3 – A12 apron passenger loading bridges and Aircraft Docking system (A3-A17) are located at on the airside at Cape Town International Airport (refer to Annexure A for a full list of equipment).
- ❖ The airside layout and site information has been provided on **Annex D**.

Minimum work requirements and Legislations:

Maintenance of these alpha 3 to12 aprons and A3-A17 ADS units shall as minimum conform to the following Procedure and or other legislative references (Gazetted Standards or OHS Regulations):

- ❖ Maintenance of Passenger Loading Bridges - IATA AHM 922
- ❖ ACSA maintenance procedure for Passenger loading Bridges - D080 029M as provided in **Annex N**.
- ❖ ACSA maintenance procedure for Passenger loading Bridges – D080 011M as provided in **Annex N**
- ❖ The preventative maintenance previously performed on both ADS and Alpha Apron PLBs' actual work orders, ACSA Integrated maintenance centre can be contacted.

Note: above is the list of minimum regulations and legislative requirements that the contractor needs to adhere to as mandatory requirements (**work should be carried out by competent people as prescribed in the law and shall be auditable by the employer at any given time**)

Access to site

- ❖ Airside training and permit should be completed and issued before accessing airside and commencement of work.

- ❖ AVOP training and permit should be completed and issued before the commencement of work for personnel driving required to drive on airside.
- ❖ Permission must be obtained from ACSA operations and IMC before an equipment can handed over to the contractor for works and such arrangements must be done prior and timeously.

Site Restrictions

- ❖ Airside training and permit should be completed and issued before accessing airside and commencement of work.
- ❖ AVOP training and permit should be completed and issued before the commencement of work for personnel driving required to drive on airside
- ❖ The safety file should be completed and approved by the safety department before commencement of work. The safety file is a living document and must be continuously updated with all requirement as specified by law. Also, will be auditable from time to time.
- ❖ Personal Protective Equipment should be issued before the commencement of work.

Risk

Some of the risks identified but not limited to the below and to **Annex E** list.

Current Guarantees and warranties to be maintained:

- ❖ Annex W - N/A

Extent of the works

The Contractor will be fully responsible for meeting all requirements in this document regarding the Works.

For each piece of equipment, all work will be carried out to standards as required by the Original Equipment Manufacturer (OEM) as well as any applicable governing law and/or regulations. Where OEM standards differ from those required by this document the more stringent requirement shall apply. The Contractor will be fully responsible for obtaining (and keeping up to date with) said requirements.

Where, such a need is mutually agreed between the Contractor and the Employer, the Employer shall put in place a "Hotline" (i.e. 24-hour telephonic support by product specialist) agreement with the relevant OEM. In this event the Contractor shall be responsible that such Hotline services are always operational and available, but all costs in this regard shall be carried by the Employer. The Contractor shall NOT add any mark-up to any Hotline related expenses. A "Hotline" agreement shall typically ensure that problems relating to system controls are promptly rectified. It is intended that Hotline agreements will be in place with OEMs for PLC related controls and computerised control systems.

The Contractor will be responsible for providing staff which are sufficiently skilled and qualified for successful execution of the works. The Contractor shall comply with the Minimum Staffing Schedule always – as stipulated in the Annexes. This may be amended by mutual arrangement between the Employer and the Contractor from time to time.

The Contractor shall always remain responsible to ensure that the on-site staff compliment and maintenance regime is sufficient to maintain the service levels and system performance indicators as stipulated in the Annexes. Should the Contractor not be able to maintain adequate system performance indicators due to constraints caused by the Employer, it shall be timeously reported, in writing, to the Contract Manager. Refer to the Annexes for the required system performance indicators.

The Contractor will ensure that his/her staff compliment is of a sufficient quantity to allow for uninterrupted supply of labour in the event of his/her staff taking sick leave, paid leave and will allow for all staff related eventualities.

The Contractor shall continuously ensure that all staff is suitable, able and competent for the duties required of them. The Contractor shall continuously ensure that all staff is knowledgeable and dependable in

passenger loading bridges and aircraft docking system maintenance activities/procedures in the area. The Contractor shall further ensure that any staff member reasonably suspected of partaking in criminal activities is immediately removed from site and his permit returned to and/or cancelled at the ACSA Permit Office.

All work shall be performed within the required Response Times – as stipulated in the Annexes. Any breakdown impacting on operations shall be attended-to until restored to good reliable condition. No breakdown may be left unattended or incomplete for the next day or shift. All repair work shall carry a defect free be guaranteed for a period of 3 months after completion of work.

All work shall be charged according to the Activity Schedule. However, no labour shall be charged for any non-scheduled work, repair work or other work when carried out by a scheduled maintenance shift.

The Contractor will be responsible for keeping spares levels up to a sufficient quantity and standard as to comply with the requirements of this contract and will charge the Employer accordingly. All spares will be charged according to the Activity Schedule. The Contractor shall arrange for the spares room. The Contractor shall keep the spares room in a neat and clean state and an updated spares list will always be available on-site. Spares will be neatly arranged and easily locatable via an appropriate index on the spares list. Wherever practicable, a notice will be placed on the rack, next to the spare part, as to where the part is used in the installation. A resource will be dedicated to ensuring that spares are effectively managed and scrapped parts and waste removed from site. The space for spare storage shall be allocated by ACSA to the contractor and can be a shared space as per space availability.

The Contractor will be responsible for holding all tools and/or special equipment that might be required for the execution of the works, either on site or on their premises in order to comply with the Response Time requirements of this contract. Any exclusion to the above should be clearly communicated in the returnable schedules when submitting the tender.

The Contractor shall ensure that, unless a special arrangement is made with the Service Manager, all senior staff members and on-site support staff is always immediately reachable via cell phone.

The Contractor shall ensure that all maintenance staff are issued with uniforms that will comply with a minimum requirement as agreed with the Service Manager from time to time. Current airport requirements are safety shoes, track suit and a uniquely numbered reflective jacket (for easy identification via CCTV).

Location of the works

The Works are located at Cape Town International Airport at various locations – mostly in controlled areas. It is crucial for the Contractor to note that Cape Town International Airport is a National Key Point and governed as such.

PROCUREMENT

Preferential procurement procedures

Requirements

The Contractor will respect OEM warranties to the Employer always when procuring spare parts, products or 3rd party services. It will be the Contractor's sole responsibility to ensure that OEM warranty requirements are adhered to always.

Where Contractors use or quote on spare parts of a lower quality than recommended by the OEM, or parts not recommended by the OEM, this shall be clearly indicated to the Service Manager on the quotation. This also implies that the Contractor must build relationships with the various key OEM's.

The Contractor must adhere to all airport requirements regarding fire, health and safety when procuring replacement conveyor belts and/or other equipment or spares.

No casual labour (i.e. “off the street” labour) may be employed by the Contractor unless pre-arranged with the Employer. Whenever this is required, the Contractor shall come to a suitable arrangement with the Employer regarding sourcing and screening of such individuals.

Subcontracting

No part of this Contract may be subcontracted unless with written approval from the Employer. the Employer shall be under no obligation to grant such approval. Should any part of this Contract be subcontracted, the Contractor will be responsible for all Works (or failure to affect the Works) as if it was done so by the Contractor.

MANAGEMENT

Management of the works

Particular / generic specifications

All work shall conform to all relevant SANS standards, OHS ACT regulations and all other legislation that might be relevant to this Contract and the execution thereof.

All work shall be carried out in accordance with prevailing industry norms and best practice and will always comply with OEM requirements.

Planning and programming

All maintenance work shall be scheduled, and a roster presented to the Service Manager at the end of the preceding month. Work shall be scheduled in a manner as not to interfere with any normal airport operations.

Normal airport operational hours shall be **from 04:00 to 24:00** for every day of the year.

As a **minimum** requirement, the Contractor shall roster **scheduled** preventative maintenance activities.

Maintenance teams will attend to scheduled preventative maintenance, non-scheduled maintenance and breakdown maintenance. The Contractor must ensure that no scheduled maintenance work is carried over to the following week.

All Preventative Maintenance shall be scheduled, at least, to the requirements of the annexures (The Contractor must ensure that sufficient allowances for all these items are made with his/her pricing in the Activity Schedule.)

Methods and procedures

The Contractor must accept and respect the fact that the Airport is continuously undergoing construction and improvement and that a variety of stakeholders are involved in the Employer's business. Therefore, within reason and with prior arrangement with the Contractor, the Employer might require the following from time to time:

- Assisting with emergency repairs on
- Assisting with airport operations Re-scheduling of work to accommodate other contractors
- Allowing access and providing assistance to OEM suppliers to correct defects on equipment and/or systems
- Checking on other contractors in order to reduce risk to passenger loading bridges
- Pointing out services to consultants or other contractors
- Providing access to other contractors
- Attending co-ordination and planning meetings
- Removing rubble and/or equipment from site
- Training of ACSA operators and/or technicians
- Training of check-in of passenger loading bridges staff
- Providing of system data and/or statistics to ACSA
- Recommending improvements on maintenance procedures

- Recommending improvements on operational procedures
- Co-operating with ACSA Security relating to security issues
- Safe / legal disposal of used and irreparable spares

The Service Manager may instruct operational and works procedures to the Contractor as might be required from time to time. The Contractor will instruct his/her staff accordingly and implement measures to ensure that these procedures are strictly adhered to.

Quality plans and control

All work must be executed in accordance with prevailing industry norms and standards relating to quality. In this regard, the Contractor will be expected to draft quality plans for the Service Manager from time to time. Emphasis must be on improving system reliability and on ensuring that rostered maintenance work is indeed performed as and when required.

Environment

The Contractor will keep noise and dust levels to a minimum. At no time, shall his/her work result in nuisance, interference or danger to the public or any other person working at the Airport.

At no time, shall the Contractor:

- allow any pollutive or toxic substance to be released into the air or storm water systems.
- interfere with, or put at risk, the functionality of any system or service.
- cause a fire or safety hazard.

Format of communications

Work instructions, daily check sheets, monthly maintenance reports, inventory reports, breakdown reports, exception reports, etc. will all be in a format as agreed with the Service Manager.

Key personnel

A schedule of key personnel to this Contract (as per the Schedules) will be provided to the Service Manager at commencement of this Contract. This will, as a minimum, include all persons from technician level to management level. For the full duration of this Contract, none of these persons will be replaced by a person of lesser ability or qualification. All on-site staff leaves shall be reported and agreed with the Service Manager.

Management meetings

The Contractor will be expected to attend meetings relating to maintenance, operations, contract management and other issues that may arise from time to time. As far as is practicable, the Contractor will make all required persons available for these meetings. The Contractor shall not submit claims for payment for staff attending any of these meetings.

Electronic payments

The Contractor should arrange with the Employer's finance department for making all payments electronically.

Daily records

The Contractor shall keep accurate daily records of staff attendance, maintenance work, safety inspections and exception reports. Records shall be available for scrutiny by the Service Manager at any time. All records shall be in a format as agreed with the Service Manager.

Monthly reports

When invoicing, the Contractor shall ensure that all required reports for the corresponding month are attached to the monthly invoice. This will include monthly reports on but not limited to:

1. system availability (averaged per week)
2. maintenance work (including % of scheduled maintenance work completed)
3. daily checks performed.
4. maintenance plan for the next month
5. the latest spares inventory.
6. Assets register up to date including equipment data.
7. Root cause analysis records
8. Safety/Environmental or legislative issues and compliance
9. Outstanding maintenance issues
10. Spares inventory report (also to be noted on work order).

The Contractor shall keep copies of all reports and records for at least 5 years. All reports shall be in a format as agreed with the Service Manager from time to time.

Permits

The Contractor shall not be compensated for costs relating to the Employer's required permits, or for labour/time spent in obtaining it. An allowance must be made in the Activity Schedule in this regard.

The Contractor must ensure that he/she is, always, familiar with the Employer's safety and security requirements relating to permits for no work to be delayed as a result thereof. This will include the permit application process.

Note that (within reason) the Contractor will have no claim against the Employer if a permit request is refused.

The following table is not all inclusive, but is provided for illustration purposes:

Permit	Required by/for	Department
AVOP – Airside Vehicle Operator permit	All drivers of vehicles on airside	ACSA Safety
Airside Vehicle Permit	All vehicles that enter airside	ACSA Safety
Basement Parking permit	All vehicles allowed to enter the delivery basement	ACSA Parking
Personal permit	All persons employed on the airport	ACSA Security
Cell phone permit	All persons taking cell phones to airside	ACSA Security
Lap top permit	All persons taking lap top computers to airside	ACSA Security
Camera permit	All persons taking cameras or camera equipment to airside	ACSA Security
Hot Works Permit	All welding and/metal cutting work	ACSA Safety

Proof of having attended the airside induction training course is required for all personal permit applications. Persons applying for an AVOP must provide proof of having attended an AVOP course. Fees are levied for these courses. Fees are further levied for all permit renewals and refresher courses - where applicable.

Proof of compliance with the law

The Service Manager may at any time request from the Contractor reasonable proof that the Contractor is in compliance with a law or regulation.

Health and safety

Health and safety requirements and procedures

The Service Manager shall be entitled to fine the Contractor low service damages for each non-conformance to Health and Safety matters. This shall not transfer any of the Contractor's responsibilities in this regard to the Employer by any means.

The Contractor shall be fully responsible for compliance to the Occupational Health and Safety Act for all persons, equipment and installations relating to this Contract. The Contractor is expected to sign the undertaking in this regard as attached in the annexes.

It shall be the Contractor's responsibility to ensure that all relevant labour and safety legislation is adhered to in rostering staff.

All persons on company premises shall obey all health and safety rules, procedures and practices. NO SMOKING signs and the prohibition of the carrying of smoking materials in designated areas shall always be obeyed. A copy of the Safety Rules booklet is available on request from the ACSA Safety Department.

All the applicable requirements of the Occupational Health and Safety Act (1993) and Regulations and any amendments thereto, shall be met. Where the OHS Act prescribes certification of competency of persons performing certain tasks, proof of such certification shall be provided to the Service Manager.

The Contractor's Workmen's Compensation fees must be up to date. A copy of the Contractor's WCA registration shall be produced on request.

The following areas in the company are declared as "HOT WORKS PERMIT" areas:

All airside areas

All basement areas

All areas accessible to the public

All enclosed areas

The terminal building

Any process in the above-mentioned areas involving open flames, sparks, or heat shall be authorised by the issue of a permit to work - obtainable from the ACSA Safety department. Any work done under the protection of a permit to work shall be in strict compliance with every prescription regarding the permit.

Safety equipment shall be used where applicable (e.g. safety, goggles, boots, harness, etc.) The Contractor, at his/her own expense shall provide such equipment, for his/her employees. The Contractor shall apply the necessary discipline and control to ensure compliance by his workers.

All Contractors must ensure that his/her employees are familiar with the existing emergency procedures and must co-operate in any drills or exercises, which might be held. Emergency / fire equipment and extinguishers shall not be obstructed at any time

No person shall perform an unsafe / unhygienic act or operation whilst on Company premises.

No unsafe/dangerous equipment or tools may be brought onto or used on Company premises. The Company reserves the right to inspect all equipment/tools at any time and to prevent/prohibit their use, without any penalty to the Company and without affecting the terms of the Contract in any way.

The Company reserves the right to act in any way to ensure the safety/security of any persons, equipment or goods on its premises and will not be liable for any costs or loss evoked by the action. This includes the right to search all vehicles and persons entering, leaving or on the premises and to inspect any parcel, package, handbag and pockets. Persons who are not willing to permit such searches may not bring any such items or vehicles onto the premises.

The Contractor shall maintain good housekeeping standards in the area where he is working for the duration of the contract.

At no time, must the Contractor interfere with, or put at risk, the functionality of any Sprinklers and/or fire prevention system. Care must also be taken to prevent fire hazards.

The Contractor is required to issue all staff with standard uniforms. This shall as a minimum include steel-tipped safety shoes/boots, overalls (clearly marked with Contractor's company logo) and numbered reflective jackets (also clearly marked with Contractor's company logo, the team members unique personnel number in a font size to be instructed by the Service Manager). All costs relating to uniforms shall be for the Contractor's account.

Cell phones and two-way radios

Use of cell phones on airside is **not** permitted unless the user is in possession of an appropriate Airport permit for the device. Cell phone permit issuing authority lies with the ACSA Security department.

The Contractor will **not** be allowed to use two-way radios at the Airport unless these radios are of the type, model and frequency range as approved by the ACSA IT department.

Protection of the public

The Contractor shall take special care in order not to harm or endanger the public in any way. Work shall be sufficiently hoarded and guarded to safeguard children and the general public from injury relating to machinery, work or other.

Barricades and lighting

Where hoarding, barricades or lighting is required in the execution of the Works, the Contractor shall provide same at his/her own expense. Hoarding, barricades and lighting shall comply with industry accepted norms and standards and may not be used for purposes of advertising or any other purpose than safeguarding the Works.

Enterprise and Supplier Development Initiatives

It is a requirement of this project that the successful tenderer enters into a contract (either through partnership, joint ventures or sub-contractors) with Targeted Enterprise(s) as defined in the Contract Data to perform a minimum of Thirty percent (30%) of the tendered contract value.

Tenderers must state transformation deliverables that are both achievable and measurable as the successful tenderer will be required to issue comprehensive monthly reports in response to this tender requirement. The monthly report will be assessed by ACSA's Internal Transformation Committee, which is accountable for implementation of ACSA's Transformation initiatives.

C3.2.1 Definition of a Targeted Enterprise

A registered built environment professional firm contracted (either by Joint Venture, partnership or sub-contracting) by the tenderer to perform a specified percentage of work stated in the Contract Data under the guidance of the tenderer and which complies with the following:

- a) does not share equity holding with the tenderer; and
- b) is registered in terms of the Company's Act, 2008 (Act No. 71 of 2008) or Close Corporation Act, 1984 (Act No. 69 of 1984); and
- c) is registered with the South African Revenue Service; and
- d) is at least an Exempted Micro Enterprise (EME) with a B-BBEE Status of "Level One Contributor", as defined in the Amended Codes of Good Practice for measuring Broad-based Black Economic Empowerment (published in Government Gazette No. 36928 on 11 October 2013) or?
- e) is at least a Qualifying Small Enterprise (QSE) with a B-BBEE Status of "Level One Contributor", as defined in the Amended Codes of Good Practice for measuring Broad-based Black Economic Empowerment (published in Government Gazette No.36928 on 11 October 2013).
- f) has entered into a written relationship agreement of co-operation and assistance with the tenderer for the duration of the contract.

C3.2.2 Participation of Targeted Enterprise(s)

The involvement of Targeted Enterprise(s) in the project management, manufacturing and testing is a mechanism to broaden the economic share of the national spend on engineering services and a means to hasten and improve the transfer of technical skills.

The percentage specified for Targeted Enterprise shall be applicable to the management, manufacturing and testing aspects of the project.

C3.2.3 Transformation monthly reporting

The tenderer shall report monthly and provide the following documents:

- The skill development or transferred during the month in question and
- The progress of the targeted enterprises skill development.
- Proof of payment to the target enterprise

C3.2.4 Sanctions for non-compliance with the transformation proposal

In the event that the tenderer does not meet the specified target of work value to the Targeted Enterprise, ACSA shall levy a penalty. The penalty payable is 50% of the value by which the cumulative value of the payments to the Targeted Enterprise fails to meet the specified percentage. The Targeted Enterprise(s) shall not be allowed to sub-contract any work that forms part of the specified participation percentage.

ANNEXES to C3 (Service information)

Title	Annex number	Applicable or N/A
Schedule of Equipment	Annex A	Applicable
Equipment commissioning dates	Annex B	Applicable
Equipment life span	Annex C	Applicable
Site information	Annex D	Applicable
Risk assessment	Annex E	Applicable
Previous completed PMs	Annex F	Applicable
Root cause analysis	Annex G	Applicable
Estimated times for breakdowns/faults	Annex H	Applicable
Service Level Agreement	Annex I	Applicable
OHS Act Appointment by Contractor	Annex J	Applicable
Minimum Maintenance Programme	Annex K	Applicable
Environmental Terms and Conditions	Annex L	Applicable
Maintenance of Passenger loading Bridges Spares List	Annex M	Applicable
ACSA maintenance procedure for Passenger loading Bridges - D080 029M	Annex N	Applicable
Passenger loading bridges – standard operating procedure	Annex O	Applicable
Maintenance of Passenger Loading Bridges – Electrical lockout procedure	Annex P	Applicable
Cape Town International Airport – operating instruction for PLBs	Annex Q	Applicable
Passenger Loading Bridges - Fire Emergency procedure	Annex R	Applicable
IMCC procedure	Annex S	Applicable
Internal and external factors outside the contractor's control	Annex T	Applicable
ACSA Mechanical Standardised Minimum: legal requirements and minimum competency requirements	Annex U	Applicable
ACSA Inventory management procedure	Annex V	Applicable
Guarantees and warranties to be maintained	Annex W	N/A

ANNEX A**SCHEDULE OF EQUIPMENT**

Item	Item Description				Location
Passenger Loading Bridges Number		Manufacturer	Make	Model	
A3-A4	A	NKI-AEROBRIDGE	Apron Drive		Alpha Apron
	B	NKI-AEROBRIDGE	Apron Drive		Alpha Apron
A5-		CIMC	Apron Drive		Alpha Apron
A6-	A	CIMC	Apron Drive		Alpha Apron
	B	CIMC	Apron Drive		Alpha Apron
A8-12		CIMC	NOSE LOADERS		Alpha Apron

ADS

Available at request from the contract manager once the contract commences

ANNEX B

Equipment Commissioning Dates

PLB's

A3	A4	A5	A6	A7	A8	A9	A10	A11	A12
	2004								
2004									
		2009							
			2009						
				2009					
					2009				
						2009			
								2009	
									2009
						2009			
							2009		

ADS

Available at request from the contract manager once the contract commences

Equipment Life Span**PLB**

Passenger Loading Bridges Number	Location	Life Span
A3	Alpha Apron	20 years
A4	Alpha Apron	20 years
A5	Alpha Apron	20 years
A6	Alpha Apron	20 years
A7	Alpha Apron	20 years
A8	Alpha Apron	20 years
A9	Alpha Apron	20 years
A10	Alpha Apron	20 years
A11	Alpha Apron	20 years
A12	Alpha Apron	20 years

ADS

Aircraft Docking System Number	Location	Life Span
A3	Alpha Apron	10 years
A5	Alpha Apron	10 years

A6	Alpha Apron	10 years
A7	Alpha Apron	10 years
A8	Alpha Apron	10 years
A9	Alpha Apron	10 years
A10	Alpha Apron	10 years
A11	Alpha Apron	10 years
A12	Alpha Apron	10 years
A13	Alpha Apron	10 years
A14	Alpha Apron	10 years
A15	Alpha Apron	10 years
A16	Alpha Apron	10 years
A17	Alpha Apron	10 years


Site Information

Description

The *services* are situated on the airside of Cape Town International Airport the services taking place on the aprons within the boundary limits of the Cape Town International Airport.

General Site Conditions

Temperature (Min - Max)	6°C to 40°C
Relative Humidity	15% to 75%
Wind	Varies daily
Height above Sea Level	46 m
Slope (Existing/Modified)	N/A
Seismic	N/A



Risk assessment**OHS Risks**

#	Department	Tenant / Sub-department	Activity / Task / Service	Risk Name	Risk Description	Control Measure Name	Control Measure Description
1	Operations: M&E	Mechanical	Maintenance of PLBs and ADS	Occupational injuries	Working on heights	Fall protection plan	Fall arrest system (safety harness used for working on height above 2 meter).
2	Operations: M&E	Mechanical	Maintenance of PLBs	Fire hazard, fatalities	Combustion due hydraulic oil heating up	SWP	Remove all flammable material (papers, plastic etc.) around the oil tank area
3	Operations: M&E	Mechanical	Maintenance of PLBs	Injuries, fatalities.	Oil spillage	Procedure	ARFF department on standby if required. Contractor to have a spill containment kit to contain the spill, while ARFF is contacted through the IMCC.
4	Operations: M&E	Mechanical	Maintenance of PLBs and ADS	Occupational injury	Flying Objects	Procedure	Eye protection must be worn (Wear of Safety Glasses). Record of receiving PPE is to be kept on file,
5	Operations: M&E	Mechanical	Maintenance of PLBs	Fire hazard, injuries, fatalities.	Hot work conducted such as grinding, welding	Procedure	Hot work permit be issued prior commencement of work. Fire equipment to be serviceable.
6	Operations: M&E	Mechanical	Maintenance of PLBs and ADS	Occupational injury	Tripping Hazard	Procedure	Demarcate Working Area
7	Operations: M&E	Mechanical	Maintenance of PLBs and ADS	Injury due to Unsafe lifting equipment	Scissor lift not safe	Annual load test	Annual load test
8	Operations: M&E	Mechanical	Maintenance of PLBs and ADS	Hearing loss	Noise generated from the aircraft	Training	Ear protection must be worn. Record of receiving PPE is to be kept on file Airside Induction Training is mandatory prior to receiving a permit to work at the airport. Refresher training is provided every 2 years thereafter.
9	Operations: M&E	Mechanical	Maintenance of PLBs and ADS	Aircraft damage, fatalities	persons and vehicle in the airside	Training	On the job training is performed after Airside Induction Training is received.

10	Operations: M&E	Mechanical	Maintenance of PLBs and ADS	Aircraft damage, fatalities	Moving Machinery	Training, Procedure	Airside Induction Training is mandatory prior to receiving a permit to work at the airport. Refresher training is provided every 2 years thereafter.
11	Operations: M&E	Mechanical	Maintenance of PLBs and ADS	Occupational injuries	Hand Injury	Training, Procedure	Hand protection must be worn (gloves). Record of receiving PPE is to be kept on file. Airside Induction Training is mandatory prior to receiving a permit to work at the airport. Refresher training is provided every 2 years thereafter.
12	Operations: M&E	Mechanical	Maintenance of PLBs and ADS	FOD injected by aircraft, property damage, injuries	Vehicle and tools on at Aprons	Procedure	Area Demarcation during work where applicable and All tools & demarcation to be removed after work
14	Operations: M&E	Mechanical	Maintenance of PLBs and ADS	Property damage, vehicle damage, injuries	Driving of vehicles at airside	SWP	AVOP training should be done by drivers with valid driver's license. Vehicles should be deemed serviceable or roadworthy by safety department.

Administrative Risks

Risk Number	Risk Description
1	Safety File not being 100% compliant or safety/environmental infringement could lead to the contractor being taken off site
2	Expired COIDA letter; contractor will be taken off site.
3	Insufficient resources on site to perform the work required roster; contractor will be penalized accordingly
4	Failure to annually present a compliant Tax Clearance Certificate which is considered a material breach of the conditions of this Contract
5	Not meeting set availability target; contractor will be penalized and failing rehabilitation contract will be terminated as specified in this contract
6	Not meeting set MTTR target; contractor will be penalized and failing rehabilitation contract will be terminated as specified in this contract
7	Spares list not being updated could lead to extended equipment down times; contractor will be penalized and failing rehabilitation contract will be terminated as specified in this contract

8	Root cause analysis not performed could lead to repeated equipment failures; contractor will be penalized and failing rehabilitation contract will be terminated as specified in this contract
10	Failure to annually present compliant BEE certificate which is considered a material breach of the conditions of this Contract
11	Contract value being expended before contract expiry date; contract will be terminated
12	Contractor not giving documentation for work assessments and payment on time; Contractor will not be paid on time
13	Updated and compliant safety file regarding Covid 19 PPE and risk assessment, as per OHS and regulation.
14	Any change in the law that is reinforced as per clause X2(Changes in the law)

ANNEX F

Previously completed P. Ms

The list of preventative maintenance previously performed with activities on the Alpha Apron PLBs and ADS units can be requested from ACSA Integrated maintenance centre.

Root cause analysis

Root cause analysis must be done for each failure and the form is per below must be handed over after closing any works.

5 WHY	
Date:	Notification Number
Equipment/Machine Name	Reported By
Equipment Number/ACSA barcode	
1. Description of the problem / incident: (describe the end state or effect)	
2. What has caused this problem?	
What did you See; Hear; Smell; Feel??	
1	
WHY?	Evidence
➔	
2	



Just
Solve



--	--

WHY?

Evidence

3	

WHY?

Evidence

4	

WHY?

Evidence



5	

WHY?

Evidence



3. What was done to fix the problem or to get the process to continue.

Root Cause

4. Proposed preventative measures

--

Damage Code	
Dirty	
Erratic Operation	
Faulty Indication	
Flow	
Jammed	
Leaks	
Loose	
Noisy	
Out of Control Limits	
Out of Position	
Physically Damaged	
Pressure	
Temperature	
Trips	
Utility/ Service Failure	
Vibrates	
Will Not Reset	
Will Not Run	
Other	

Corrective Activity		
Adjusted		
Aligned		
Calibrated		
Cleaned		
Investigated		
Lubricated		
Temporary Mod		
Removed		
Repaired		
Replaced		
Reset		
Tightened		
Setup		

Name:

Sign:

--

--

ANNEX H

Estimated times for breakdowns/faults

PLB's

Item #	Call description	Estimated time to repair/reset (hrs.) as logged in the ACSA system
1	Auto Level Fault	1.2
2	Damaged staircase ladder	2
3	Damaged cable	720
4	UPS battery fault	2
5	Damaged GPU cable bracket	1.4
6	GPU hoist fault	0.8
7	GPU cable down	0.71
8	PLB not parked	0.5
9	Hoop switch fault	0.5
10	Slope limit fault	0.33
11	Service door not closed	0.36
12	Service door window broken	2
13	Swing Limit fault	1.54
14	Faulty safety shoe	0.5
15	Card reader faulty	1.1
16	Power Related faults	2
17	GPU power related fault	0.06
18	Glass broken	1.66
19	Docking / comms	0.5
20	Aircraft wrong stop	0.2
21	Emergency stop activated	0.4
22	Inverter fault	0.6
23	Ignition switch fault	1
24	Air-condition unit fault	0.4
25	Canopy limit fault	0.8
26	Height sensor fault	1.35
27	Camera frozen	0.45
28	Damaged Hydraulic cylinder	192
29	Computer fault	0.5
30	Damaged teel cable/rope	5

31	Communication cables faulty	4
32	Dirty fan	0.7
33	Column faulty	0.6
34	Driver guidance screen not working	2.5
35	Canopy rope damaged	1.8
36	Canopy ribbon damaged	3
37	Loose power cables	4
38	damaged cable wires	720
39	Camera and network cable damage	6
40	ultrasonic sensor	2.5
41	circuit breaker damaged	1.5
42	power supply damaged	1.2
43	robot buttons broken	1.8
44	control board damaged	5
45	stabilizer motor damaged	2
46	hydraulic fluid is low	1.2
47	hydraulic power coupling damaged	2.3
48	oil dirty	2.7
49	Filter blocked	2
50	Hose leaking	3
51	No flow	6
52	Check valve faulty	3
53	No pressure/low pressure	5
54	Damaged check valves	3
55	missing floods lights	1.0
56	damaged power pack	336
57	pump failure	4
58	Pump seals worn	3
59	Pump vibration	3
60	Pump over heating	3.5
61	Bearings are broken	3
62	pump motor trip	5
63	Stuck curtain inside Rotunda	8
64	Damaged collusion sensors	2

65	Damaged ignition switch	1.5
66	Damaged slope limit	2
67	Safety shoe worn out	2.8
68	broken bumper limit head spring	1.4
69	safety shoe cable damaged	2
70	Door lock broken	1.8
71	lock nut sensor	2.4
72	Noise con damaged	
73	Springs collapsed	2
74	Castor wheels damaged	5
75	Aircon temperature check	1.5
76	Stuck on the aircraft or parking	2
77	Card reader override	1
78	Bumper limit faulty	2
79	Canopy cushion faulty	3.5
80	Canopy guide strap	1.5
81	Canopy not extending	1.2
82	Canopy not retracting	1.2
83	E stop activated	0.45
84	Hydraulic system fault	5
85	Lights not working	0.8
86	Structural damage	336
87	Tunnel leaking	5
88	Other:	2

ADS

Call description	Estimated time to repair/reset (hrs.) as logged in the ACSA system
Network connection failures	1
GOP screen freezing	2
GOP faulty	2
Aircraft over/under packed (calibration error)	0.15
Other (specify)	3

Service Level Agreement

1. Performance objectives

Normal airport operational hours shall be **from 04:00 to 24:00** for every day of the year but will be confirmed/amended by the Service Manager from time to time. Down-time of Alpha A3 to A12 loading bridges for routine maintenance shall be arranged with the Airport Management Centre three months in advance to suit airport operations as well as for the ADS units A3 – A17. The Contractor must allow for sufficient after-hours work in order for scheduled work not to interfere with airport operations.

Minimum Staffing Schedule

The Contractor must maintain the following **minimum** staff available at all times and should price accordingly but not limited to the listed resources:

Skill	Days per week	Hours
Site Manager/Supervisor	Whenever deemed necessary	Mon-Fri (08:00-17:00) and whenever deemed necessary by the Employer
Artisan Mechanical and Assistant Mechanical	5	Monday-Friday (08:00-17:00) and whenever deemed necessary by the Employer
Technician and Assistant Technician	5	Monday - Friday (08:00-17:00) and Whenever deemed necessary by the Employer or the Artisan
Lifting Machinery Inspector (Ad hoc)	Whenever deemed necessary	Whenever deemed necessary

* The Contractor must maintain at all times the above **minimum** staff and should price accordingly but not limited to the listed resources.

The Contractor must have additional resources available to attend to lengthy breakdowns or breakdowns of a specialised nature.

It shall be the Contractor's responsibility to ensure that all relevant labour and safety legislation is adhered to in scheduling staff.

The Contractor shall schedule staff to complete the preventative maintenance schedule accordingly. The Tenderer must ensure that sufficient allowance for all these items is made for in his/her pricing in the Activity Schedule.

2. Availability, mean time before failure and mean time to repair.

The Contractor must comply with the following minimum system performance benchmarks:

*The Period of review shall be Monthly.

Item	Benchmark*
Alpha loading bridges and ADS units Overall System - Availability	Availability must be a minimum of 99.5% per month.
Alpha loading bridges Overall System - MTTR	0.517 Hrs.
Alpha loading bridges Overall System - MTBF	48 Hrs.
% of planned maintenance completed per month	100%
Closure of Planned Maintenance (PM) Work Orders (WO) (Planned by ACSA)	All PM WO shall be closed with 6 working days from date of issuing to contractor – (Issued by ACSA either by mail or manual collection)
Closure of Corrective Maintenance (CM) Work Orders (WO)	All CM WO shall be closed with 1 working day from date of issuing to contractor– (Issued by ACSA either by mail or manual collection)

3. Emergency Response time

ACSA deems an emergency as a situation caused by unforeseen circumstance. These are only instances where:

- ❖ Delaying sourcing the required goods,
- ❖ Works or services will result in Loss of life or injury,
- ❖ Reputational harm,
- ❖ Financial losses,
- ❖ Legal consequences,
- ❖ Interruption of essential or
- ❖ Business services and
- ❖ Any other relevant consideration

Below are the some of the emergencies identified but not limited to the below list

Item Description	Response Time
In a case where the passenger loading bridge is lowered, Stuck, safety emergency devices activated.	10 minutes during normal working hours
In a case where the ADS has lost network connection, safety emergency devices activated.	10 minutes during normal
In a case where the passenger loading bridge is lowered, Stuck, safety emergency devices activated.	10 minutes

4. Guarantees

The defect free period is defined as that period following completion of the work where no defect directly associated with the Contractors workmanship is detected.

Defect free liability period – preventative maintenance	The defect free period will be no less than the interval between preventative maintenance intervals.
Defect free liability period – corrective or breakdown maintenance	The defect free period will be no less than 90 days.
Defect free liability period – project work	The defect free period will be no less than 12 months.

There are no current (the time of this bid) warranties and guarantees on the infrastructure to be maintained by the contractor.

5. Assessments and Reviews

- Monthly assessment/review shall be done according to this NEC contract.
- Safety issues and file reviewed quarterly or as per Safety department frequency.
- Contract shall be Audited and Assessed the from time to time.
- The contractor will be assessed and scored quarterly also through the ACSA supplier development system or any other ACSA system.
- Quarterly contract performance evaluation on the intranet by the contract manager after quarterly assessment with the contractor

6. Low service damages

Notification of Low service damages

The Service Manager will notify the contractor in writing of any Low service damages.

The Service Manager will also notify the contractor of any claims directed and incurred by ACSA as a result of the contractor failure of duties, **this will be for the account of the Contractor.**

The sources of the information shall be all reports and Audit reports which the infrastructure is subjected to(e.g. any authorised ACSA employees and any internal and external audits).

ACSA must notify the contractor in writing of its intention to claim a Low service damages within 30 days of an event or ACSA will lose its right to claim the Low service damages. Should ACSA not claim a Low service damages for an event it shall not be interpreted that the level of performance is acceptable or that ACSA shall not be entitled to claim Low service damages for similar future events. Under no circumstances shall a Low service damages be regarded as the only action ACSA may take against the Contractor or the only amount it may claim from the Contractor.

Low service damages tables

Progressive Punitive low service agreement which are entirely the contractor's fault shall be applied as below:

Item No.	Achieved Overall System Availability per Month	Payment presentence
1	99.5%	100% Full fixed cost billed, minus any other low service damages included in this contract.
2	99.499% - 97.00%	10% reduction of monthly maintenance & inspection costs minus any other low service damages included in this contract.
3	96.99% - 95.00%	15% reduction of monthly maintenance & inspection costs minus any other low service damages included in this contract.
4	94.99% - 93.00%	20% reduction of monthly maintenance & inspection costs minus any other low service damages included in this contract.
5	92.99% - 91.00%	25% reduction of monthly maintenance & inspection costs minus any other low service damages included in this contract.

****Any availability less than 91% for six consecutive months (which is entirely the contractor's fault) will lead to contract termination.***

Not meeting system MTTR of 0.517 Hrs (i.e. MTTR >0.517 Hrs).	R10 000/month
Not meet system MTBF 48 Hrs (i.e. MTBF > 48Hrs)	R10 000/month
Not maintaining the required minimum on-site staff requirements.	R2 000.00/position/day

Occupational health and safety act 85 of 1993 (Non-compliance with the OHS Act and its associated regulations (for example: leaving moving machinery exposed)	R2 000.00/event
Less than 100% of planned maintenance (PMs) completed per month (unless the delay in repair was agreed to by the Service Manager or his/her duly authorized representative or unless the required spares are not available to complete the work). Note work is complete after the PMs have been correctly completed returned to the contract manager and the ACSA IMC to be closed out.	R4 000/month
Not turning PO into completed works / completion certificate on agreed times lines as stated in Risk register	R4 000.00 / per PO / month
Other occupational health and safety act 85 of 1993 which are criminal offences according to the OHS act	Termination
3 Months Consecutive (monthly on contract period) occupational health and safety act 85 of 1993 of the same offence/class	Termination

Discretionary annual contractor's performance review/assessment will be performed to consider the renewal of contract. Should the contractor's performance deemed below satisfactory the contract will not be renewed upon contract anniversary, therefore the contract will be terminated.

7. Incentives and Continuous improvement

Item No.	Achieved Availability per Month	Payment presentence
1	Consistent availability of 99.5% - 100.00% over twelve consecutively months and saving cost through innovate ideas.	Contractor to be paid only 10% of cost saved in the year as a result of their innovative ideas and consistently meeting target of 99.5%-100%)

Continuous Improvement Program and the Computerized Maintenance Management System

It is hereby required that the Contractor ensures that a continuous improvement program is in place. For example, the criteria below may be used but not only limited to the items mentioned below.

1. An improvement in the availability of systems
2. An improvement on the minimization of spares holding (for example by increasing Mean Time to Failure of components)
3. Etc.

As mentioned above this list is not comprehensive and it is only used for illustrative purposes. Upon implementation of the contract the Employer and the Contractor shall agree targets for the continuous improvement program.

It is important to note that continuous improvement will only apply to those items that meet minimum benchmarks. Continuous improvement initiatives shall be reviewed every quarter or when deemed necessary by the Employer or the Contractor.

The Contractor shall take all reasonable actions to ensure that they facilitate successful implementation and execution of the CMMS. The Contractor shall before each anniversary date of the Contract investigate available CMMS data and report if savings can be achieved on the Contract for the next year. This may also include savings on the Contract monthly maintenance amount.

8. Internal and external factors

A list of some of the internal and external factors which may affect equipment SLAs / availability and are beyond the contractor's control are listed in **Annex T**. In such an event the contractor will not pay for low services damages which were caused by factors which were proven to be beyond the contractor's control.

MAINTENANCE RECORD SHEETS

When maintenance is performed, record sheets must be completed and signed off by both the Technician and an ACSA representative.

These record sheets must be stored for the duration of the contract and should be available for inspection at any time. **The lack of complete history files will result in immediate cancellation of the contract.**

All record sheets, job cards, history reports etc. will stay the property of ACSA and should be available on request. At the end of the contract period a complete set of documentation must be handed over to ACSA.

The contractor shall further provide copies of these record sheets to the ACSA contract manager by the fifth day of every month. **No money will be paid out if record sheets are not handed in.**

ANNEX J

**OCCUPATIONAL HEALTH AND SAFETY AGREEMENT
IN TERMS OF SECTION 37(2) OF THE OCCUPATIONAL HEALTH & SAFETY ACT (ACT 85 Of 1993)
& CONSTRUCTION REGULATION 5.1(k)**

This form is in C1.3 in this contract and must be filled in by the contractor

ANNEX K

Minimum Maintenance Programme

The Tenderer shall include a suggested maintenance programme that must attempt to cover all requirements under this contract. The below list should be used as a minimum. The responsibility lies with the contractor in ensuring compliance to OEM instructions.

Item number	Description	Frequency
1	Daily PLB inspections (Contractor inspection sheet)	Daily (By contractor)
2	Drive the bridge to all limits to detect any operational problems	Quarterly (By contractor)
3	Manipulate the following switches by hand to ensure they are working correctly. • Rotunda rotation • Slope limits	Quarterly (By contractor)
4	Check Cab rotation • Rotate the cab full right and left, operation be smooth.	Quarterly (By contractor)
5	Check Canopy closure operation NOTE: When checking the canopy do not place the place the bridge against an aircraft • Left side raise – The motor will stop running when the canopy is full up • Right side raise – The motor will stop running when the canopy is full up • Lower the canopy either side, a few centimetres. The canopy down message will appear and the bridge will not drive forward. • Left side down - extend the curtain until the clutch is engaged (indicated by a clicking sound) • Right side down - extend the curtain until the clutch is engaged (indicated by a clicking sound)	Quarterly (By contractor)
6	Horizontal Drive • Drive the bridge full forward- the slow down circuit will activate about 1 metre before full extend position is reached, and the bridge will stop before reaching the mechanical stops • Drive the bridge in full reverse – the slow down circuit will activate about 1 metre before full retract is reached and the bridge will stop before reaching the mechanical stops • Ensure that the travel warning bell is ringing whenever the bridge is moving • Rotate the horizontal drive to drive to its left and right limits. Drive unit should stop at the present limits.	Quarterly (By contractor)
7	Vertical drive	Quarterly (By contractor)

	• Raise and lower the bridge - operation should be smooth • Raise and lower the bridge to its lower and upper limits. The bridge should stop at the present heights • Inspect vertical lift column chain coupling	
8	Vertical lift column fault limit switches NOTE: Check only one switch at a time • Remove limit switch and manually trip while a second person attempts to raise or lower the bridge. If the bridge rises or lowers, limit switch must be replaced • Repeat this procedure on the limit switch	Quarterly (By contract)
9	Inspect the operator console • Check for moisture, rust and debris • Check all printed circuit boards, wire connection and other components for secure mounting • Check for any evidence of arcing pitting signalling loose connections • Check indicator lights, meters and wiring in general	Quarterly (By contractor)
10	Check rotunda access panel and hold down clamps for secure mounting	Quarterly (By contractor)
11	Observe the cable carrier system while retracting and extending the bridge to ensure the system does not bind	Quarterly (By contractor)
12	Check rotunda access panel and hold down clamps for secure mounting	Quarterly (By contractor)
13	Check cab side curtains for tightness and adjust if necessary	Quarterly (By contractor)
14	Check the following electrical cables for deteriorating and general condition • Exposed cables under tunnels • Exposed cables under cab • Cables from Rotunda to tunnel A	Quarterly (By contractor)
15	Check equalising cable and adjust if necessary • Check cable clamps on clamping ring make sure clamps and cables are secured	Quarterly (By contractor)
16	Auto level • Check set screws holding the wheel to limit switch they should tight • Check wheel for wear, flat spots, shiny spots and deterioration. Replace if necessary • Turn the wheel by hand in both directions ensuring freedom of operating and positive return to neutral • Check locknut on auto level arm are tight NOTE: turning the wheel approximately 15 degrees in either direction will engage the limit switch	Quarterly (By contractor)
17	• Check the arm, it should move freely in both directions	Quarterly (By contractor)

	• Check the auto level travel limits with the arm extended and the bridge in “AUTO LEVEL” mode • Turn and hold the wheel by hand by hand stimulate the aircraft rising, about 4 seconds will pass before the warning light and bell come on. • Reset the auto-levelling system and check the down travel by turning and holding the wheel in the opposite direction. About 4 seconds will pass before the warning light and bell come on.	
18	Lubrication Vertical column ball screw assembly through the oil	Quarterly (By Contractor)
19	Thoroughly wash bridge exterior	Quarterly (By contractor)
20	Check tyre for general condition	Quarterly (By contractor)
21	Raise and lower the bridge – operation should be smooth Raise and lower the bridge to upper and lower limits. The bridge should stop at the present heights	Quarterly (By contractor)
22	Remove the limit switch and manually tip while a second person attempts to raise or lower the bridge. If the bridge lowers and raises. The limit switch must be replaced Repeat procedure on the other hand.	Quarterly (By contractor)
23	Check fire extinguisher is in place and serviced	Quarterly (By contractor)
24	Controls • PLC health checks and checking that activities are logged accordingly to happen at least once a month. • IMC interface health check to happen at least once a month with the BMS contractor • Permit reader health check to be done once a month	Monthly (By contractor with other interface contractors)
25	Electrical • Test for back-up power once a month • Inspect all Lights • Cameras (Inspect and Test all cameras pertaining to the operation of the Bridge)	Monthly (ACSA Electrical)
26	General • Cleaning of the bridge especially where the rollers of the telescopic sections move. • Cleaning of glazing must also be part of scope as may require scaffolding on the outside or skyjack. • Ceiling panels also tend to come off and should be checked at least once a month.	Quarterly

Item	Description	Frequency
1	Drive the bridge to all limits to detect any operational problems	Semi-annually (By contractor)
2	Manipulate the following switches by hand to ensure they are working correctly. • Rotunda rotation • Slope limits	Semi-annually (By contractor)
3	Check Cab rotation • Check the tie rods on top of the bubble for cracks in the threads • With an observer on the roof, watch the pivot bracket as the cab rotates, making sure that the rods do not bend near the pivot bracket. Pivot bracket must rotate freely. • Rotate the cab full right and left, operation be smooth.	Semi-annually (By contractor)
4	Check Canopy closure operation NOTE: When checking the canopy do not place the place the bridge against an aircraft • Left side raise – The motor will stop running when the canopy is full up • Right side raise – The motor will stop running when the canopy is full up • Lower the canopy either side, a few centimetres. The canopy down message will appear and the bridge will not drive forward. • Left side down - extend the curtain until the clutch is engaged (indicated by a clicking sound) • Right side down - extend the curtain until the clutch is engaged (indicated by a clicking sound)	Semi-annually (By contractor)
5	Horizontal Drive • Drive the bridge full forward- the slow down circuit will activate about 1 metre before full extend position is reached, and the bridge will stop before reaching the mechanical stops • Drive the bridge in full reverse – the slow down circuit will activate about 1 metre before full retract is reached and the bridge will stop before reaching the mechanical stops • Ensure that the travel warning bell is ringing whenever the bridge is moving • Rotate the horizontal drive to drive to its left and right limits. Drive unit should stop at the present limits.	Semi-annually (By contractor)
6	Vertical drive • Raise and lower the bridge - operation should be smooth	Semi-annually (By contractor)

	• Raise and lower the bridge to its lower and upper limits. The bridge should stop at the present heights • Inspect vertical lift column chain coupling	
7	Vertical lift column fault limit switches NOTE: Check only one switch at a time • Remove limit switch and manually trip while a second person attempts to raise or lower the bridge. If the bridge rises or lowers, limit switch must be replaced • Repeat this procedure on the limit switch	Semi-annually (By contractor)
8	Inspect the operator console • Check for moisture, rust and debris • Check all printed circuit boards, wire connection and other components for secure mounting • Check for any evidence of arcing pitting signalling loose connections • Check indicator lights, meters and wiring in general	Semi-annually (By contractor)
9	Check rotunda access panel and hold down clamps for secure mounting	Semi-annually (By contractor)
10	Observe the cable carrier system while retracting and extending the bridge to ensure the system does not bind	Semi-annually (By contractor)
11	Check rotunda side curtains for tightness and adjust if necessary	Semi-annually (By contractor)
12	Check cab side curtains for tightness and adjust if necessary	Semi-annually (By contractor)
13	Check the following electrical cables for deteriorating and general condition • Exposed cables under tunnels • Exposed cables under cab • Cables from Rotunda to tunnel A	Semi-annually (By contractor)
14	Check equalising cable and adjust if necessary Check cable clamps on clamping ring make sure clamps and cables are secured	Semi-annually (By contractor)
15	Auto level • Check set screws holding the wheel to limit switch they should tight • Check wheel for wear, flat spots, shiny spots and deterioration. Replace if necessary • Turn the wheel by hand in both directions ensuring freedom of operating and positive return to neutral • Check locknut on auto level arm are tight NOTE: turning the wheel approximately 15 degrees in either direction will engage the limit switch	Semi-annually (By contractor)
16	• Check the arm, it should move freely in both directions • Check the auto level travel limits with the arm extended and the bridge in "AUTO LEVEL" mode	Semi-annually (By contractor)

	• Turn and hold the wheel by hand by hand stimulate the aircraft rising, about 4 seconds will pass before the warning light and bell come on. • Reset the auto-levelling system and check the down travel by turning and holding the wheel in the opposite direction. About 4 seconds will pass before the warning light and bell come on.	
17	Lubrication • Vertical column ball screw assembly through the oil • Rotunda column and flange and sleeve bearing with lube • Bearing lift column with lube • Cab canopy mechanical parts with lube ○ Actuator pivot point ○ Lower actuator arm pivot point ○ Lower actuator arm bushings ○ Pivot block ○ Lower hinges • Wheel Carriage and swivel column ○ Drive chains with lube ○ Turret bearing with lube ○ Bushings and trunnion pin with lube • Cable lift arm hinges with lube • Cab rotation parts with lube spec ○ Drive chain ○ Sprocket shafts	Semi-annually (By contractor)
18	After lubrication operate the bridge to all limits to distribute lubrication	Semi-annually (By contractor)
19	Check rotunda floor alignment	Semi-annually (By contractor)
20	Check drain sprouts in tunnel floor gutters. Make certain they are not clogged with debris.	Semi-annually (By contractor)
21	Check general conditions of tyres	Semi-annually (By contractor)
22	Check the following weather seals for general condition • Rotunda to building • Splice seals if necessary	Semi-annually (By contractor)
23	Thoroughly wash the bridge exterior	Semi-annually (By contractor)
24	Inspect the exterior paint for chips, cracks and rust. Touch up if necessary.	Semi-annually (By contractor)
25	Check tunnel roller tracking and adjust if necessary	Semi-annually (By contractor)
26	Check all tunnel roller adjusting bolts for tightness	Semi-annually (By contractor)
27	Check the following mounting bolts for tightness • Horizontal drive • Vertical lift column • Landing	Semi-annually (By contractor)

ADS

Monthly Maintenance tasks

1. Visual Check of Terminal Display, Operator's panel for any crack or dirt, clean if required.
2. Visual check of Fluorescent Lighting and replace if required.
3. Visual check of cabling for any damage or bad wiring
4. Visual Check of Alphanumeric Display Modules report to ACSA representative if damaged.
5. Perform test walk and check measuring zone.
6. Check the weather and sun protection guards for the operator's panel, display unit and Ladar unit if is intact and tightened, tightened up if required and report if there is any item missing or damaged.
7. Check and confirm that pilot and co-pilot azimuth is 50cm from the centre line and adjust if its out of tolerance. Check and tighten up the brackets if required.
8. Check Date and time and confirm synchronization with AMS.

3 Monthly Maintenance tasks

1. Visual Check of Terminal Display, Operator's panel for any crack or dirt, clean if required.
2. Visual check of Fluorescent Lighting and replace if required.
3. Visual check of cabling for any damage or bad wiring
4. Activate system test and check.
5. Visual Check of Alphanumeric Display Modules report to ACSA representative if damaged.
6. Perform test walk and check measuring zone.
7. Cable terminates is checked and tightened.
8. Check the weather and sun protection guards for the operator's panel, display unit and Ladar unit if is intact and tightened, tightened up if required and report if there is any item missing or damaged.
9. Check all the units are still online.
10. Check and confirm that pilot and co-pilot azimuth is 50cm from the centre line and adjust if its out of tolerance. Check and tighten up the brackets if required.
11. Check Date and time and confirm synchronization with AMS.
12. Check if Ladar Protection Glass is clean for damage.
13. Check heater functionality.
14. Check filters are clean and damaged when they are dirty.
15. Check operator panel and report any damage or sign of aging of the panel keys.
16. Check any signs of rust/galvanised coating peeling of on the whole unit.
17. Reporting any signs of Ladar aging by sampling each Ladar unit performance over six months period.
18. Update ACSA on any software updates and the whole system.

ANNEX L (Contractor to fill in)

**ACSA SERVICE & MAINTENANCE CONTRACTORS
ENVIRONMENTAL TERMS AND CONDITIONS TO COMMENCE WORK - EMS 048**

The following Environmental Terms and Conditions shall be strictly adhered to by all contractors when conducting works for the Employer. The Employer shall audit Contractor activities, products and services on an ad hoc basis to ensure compliance to these environmental conditions. Any pollution clean-up costs shall be borne by the Contractor.

ISSUE	REQUIREMENT
Environmental Policy	ACSA's (the Employer's) Environmental Policy shall be communicated, comprehended and implemented by all appointed Contractor staff.
Storm water, Soil and Groundwater Pollution	• No solid or liquid material may be permitted to contaminate or potentially contaminate storm water, soil or groundwater resources. • Any pollution that risks contamination of these resources must be cleaned-up immediately. Spills must be reported to the Employer immediately. Contractors shall supply their own suitable clean-up materials where required. • Washing, maintenance and refuelling of equipment shall only be allowed in designated service areas on the Employer property. It is the Contractor's responsibility to determine the location of these areas. • No leaking equipment or vehicles shall be permitted on the airport.
Air Pollution	• Dust: Dust resulting from work activities that could cause a nuisance to employees or the public shall be kept to a minimum. • Odours and emissions: All practical measures shall be taken to reduce unpleasant odours and emissions generated from work related activities. • Fires: No open fires shall be permitted on site.
Noise Pollution	• All reasonable measures shall be taken to minimize noise generated on site due to work operations. • The Contractor shall comply with the applicable regulations regarding noise.
Waste Management	• Waste shall be separated as general or hazardous waste. • General and hazardous waste shall be disposed of appropriately at a permitted landfill site should recycling or re-use of waste not be feasible. • Under no circumstances shall solid or liquid waste be dumped, buried or burnt. • Contractors shall maintain a tidy, litter free environment always in their work area. • Contractors must keep on file: 1. The name of the contracting waste company 2. Waste disposal site used 3. Monthly reports on quantities – separated into general, hazardous and

	recycled 4. Maintained file of all Waste Manifest Documents and Certificates of Safe Disposal 5. Copy of waste permit for disposal site This information must be available during audits and inspections.
Handling & Storage of Hazardous Chemical Substances (HCS)	• All HCS shall be clearly labelled, stored and handled in accordance to Materials Safety Data Sheets. • Materials Safety Data Sheets shall be stored with all HCS. • All spillages of HCS must be cleaned-up immediately and disposed of as hazardous waste. (HCS spillages must be reported to the Employer immediately). • All contractors shall be adequately informed with regards to the handling and storage of hazardous substances. • Contractors shall comply with all relevant national, regional and local legislation regarding the transport, storage, use and disposal of hazardous substances.
Water and Energy Consumption	the Employer promotes the conservation of water and energy resources. The Contractor shall identify and manage those work activities that may result in water and energy wastage.
Training & Awareness	The conditions outlined in this permit shall be communicated to all contractors and their employees prior to commencing works at the airport.

Low Service Damages

Low service damages shall be imposed by the Employer on Contractors who are found to be infringing these requirements and/or legislation. The Contractor shall be advised in writing of the nature of the infringement and the amount of the low service damages to be imposed. The Contractor shall take the necessary steps (e.g. training/remediation) to prevent a recurrence of the infringement and shall advise the Employer accordingly. The Contractor is also advised that the imposition of low service damages does not replace any legal proceedings the Council, authorities, landowners and/or members of the public may institute against the Contractor.

Low service damages shall be between R 200.00 and R 20,000.00, depending upon the severity of the infringement. The decision on how much low service damages to impose will be made by ACSA's (the Employer) Airport Environmental Management Representative in consultation with the Airport Manager or his/her designate and will be final. In addition to the low service damages, the Contractor shall be required to make good any damage caused due to the infringement at his/her own expense.

I, _____ (name & surname) of _____

_____ (company) agree to the above conditions and acknowledge the Employer's right to impose low service damages should I or any of my employees or sub-contractors fail to comply with these conditions.

Signed: _____ on this date: _____ (dd/mm/yyyy)

at: _____ (airport name).

ANNEX M

Maintenance of Passenger loading Bridges Spares Lis

Item	Item Description
MSP000006006	A FRAME FOR EMERGENCY TOW BACK
MSP000006911	A frame for Nose loading Bridge support frame
MSP000006941	A frame for emergency tow back
MSP000006942	A frame for emergency tow back
MSP000002267	Airbridge - 7" Screen Apron View
MSP000002268	Airbridge - 7" Screen Apron View NSL
MSP000002178	Airbridge - Aircon Remote Controller
MSP000002177	Airbridge - Aircon Remote Controller - P/No. Y512
MSP000002180	Airbridge - Aluminium Ceiling Panel 1500
MSP000002181	Airbridge - Aluminium Ceiling Panel 1850
MSP000002264	Airbridge - CIMC Safety Shoe
MSP000002179	Airbridge - Cable Canopy Rope 3.5m X 6mm
MSP000002184	Airbridge - Connector Multi Plug Body - P/No. HDC 04A KOLU 1M20G
MSP000002185	Airbridge - Connector Multi Plug Female Block - P/No. HDC HQ5 FC
MSP000002186	Airbridge - Connector Multi Plug Female Pins - P/No. HDC-C-HE-BMO.75-1.0C
MSP000002187	Airbridge - Connector Multi Plug Male Block - P/No. HDC HQ5 MC
MSP000002188	Airbridge - Connector Multi Plug Male Pins - P/No. HDC-C-HE-SMO.75-1.0C
MSP000002189	Airbridge - Contact Block NO - P/No. ZBE101
MSP000002190	Airbridge - Contactor - P/No. LC1K0910 E17
MSP000002191	Airbridge - Contactor 3 Pole 22kW 400V DC 24V - P/No. LC1D50 LP1D5011
MSP000002192	Airbridge - Contactor 3 Pole NC - P/No. LC1D09 C
MSP000002193	Airbridge - Contactor 3 Pole NC - P/No. LC1D18 C
MSP000002194	Airbridge - Contactor 3 Pole NC - P/No. LC1D25 C
MSP000002195	Airbridge - Contactor 3 Pole NO - P/No. LC1D25M7C
MSP000002198	Airbridge - Contactor 3 Pole No 24V Coil - P/No. LC1D09BD
MSP000002196	Airbridge - Contactor 3 Pole No 24V Coil - P/No. LC1D1801
MSP000002197	Airbridge - Contactor 3 Pole No 24V Coil - P/No. LC1D1810
MSP000002199	Airbridge - Contact or Star / Delta Timers - P/No. LADT2
MSP000002182	Airbridge - Correl Fibre Ceiling Panel 1520 X 600
MSP000002183	Airbridge - Correl Fibre Ceiling Panel 1830 X 600
MSP000002204	Airbridge - Door Closer for Regular Door Up to 80kg - P/No. QS680/1
MSP000002202	Airbridge - Door Lock Latch Unit
MSP000002203	Airbridge - Door Lock Mag Front Door
MSP000002205	Airbridge - Door Lock Panel Key Operated
MSP000002206	Airbridge - Door Lock Service Door
MSP000002208	Airbridge - Emergency Stop Button - P/No. ZP2BS54
MSP000002265	Airbridge - FMC Safety Shoe

MSP000002209	Airbridge - Fan Panel Vent 224V AC 0.13A - P/No. KA 1238HA2
MSP000002210	Airbridge - Filters High Pressure 10 Micron - P/No. 1250491 024D01BN4
MSP000002226	Airbridge - Flood Lamp Light - P/No. PAR30
MSP000002225	Airbridge - Flood Lamp Light 18 W Energy Saver
MSP000002219	Airbridge - Flood Lamp Light Complete Holder
MSP000002220	Airbridge - Flood Lamp Light Glass Lense 225X150X4mm
MSP000002212	Airbridge - Glass Fuse 1A 5X20
MSP000002214	Airbridge - Glass Fuse 2A 5X20
MSP000002213	Airbridge - Glass Fuse 3A 5X20
MSP000002211	Airbridge - Glass Fuse 5A 5X20
MSP000002215	Airbridge - Glass Fuse 8A 5X20
MSP000002216	Airbridge - Hinges Aluminium Service / Emergency Door - P/No. ALUFAB PAT 74/1192
MSP000002217	Airbridge - Hinges Panel Door C1 & C2
CSP000000006	Airbridge - Hydraulic Oil - P/No. 46 CST at 40DEG
MSP000002200	Airbridge - Joystick Controller NLB - P/No. PD550-5KO/5KO S233
MSP000002201	Airbridge - Joystick Controller PLB - P/No. XKBE34229SP
MSP000002218	Airbridge - Key Switch - P/No. ZB2BG5
MSP000002224	Airbridge - Lamp 24/30 V BA9 2W/1W - P/No. B-1028-024-2.0
MSP000002221	Airbridge - Lamp Indicating Green - P/No. APW299G
MSP000002222	Airbridge - Lamp Push Button LED - P/No. 800F-N3G Ser A
MSP000002223	Airbridge - Lamp Warning Yellow - P/No. BM 230V AC YE
MSP000002227	Airbridge - Lamp indicating Red Obstacle - P/No. BM 230V AC RD
MSP000002228	Airbridge - Length Sensor - P/No. SLO30VB6YQ
MSP000002230	Airbridge - Light Tube 8W
MSP000002229	Airbridge - Light Tube PL9 Type 18W Cool White
MSP000002231	Airbridge - Light Tube Starter - P/No. St151
MSP000002232	Airbridge - Limit Switch - P/No. LSM6D
MSP000002233	Airbridge - Limit Switch Arm - P/No. ZCK Y13
MSP000002235	Airbridge - Limit Switch Body Contact Block - P/No. XE2 SP2151
MSP000002236	Airbridge - Limit Switch Bumper Long Curve Whisker Slow Down - P/No. LSA1A
MSP000002237	Airbridge - Limit Switch Bumper Stop - P/No. LSYKB4L-8C
MSP000002238	Airbridge - Limit Switch Bumper Stop Estop Old Units - P/No. LSK1A-8C
MSP000002239	Airbridge - Limit Switch Canopy Retract - P/No. XCE-145
MSP000002240	Airbridge - Limit Switch Head - P/No. ZCK EO5
MSP000002241	Airbridge - Limit Switch Head - P/No. ZCK EO8
MSP000002242	Airbridge - Limit Switch Proximity - P/No. XS7C40PC440
MSP000002244	Airbridge - Limit Switch Proximity Bumper Slow Down - P/No. UB2000-30GM-E5-V15
MSP000002243	Airbridge - Limit Switch Proximity Bumper Stop - P/No. XS1M30MB230T
MSP000002245	Airbridge - Limit Switch Proximity Door Lock - P/No. NBN15-F11-E2
MSP000002246	Airbridge - Limit Switch Wheel Estop Unit - P/No. XCKM+ZCKM1H29

MSP000002247	Airbridge - Motor Autoleveling 8"Stroke - P/No. 9200-191-072
MSP000002248	Airbridge - Motor Cabin Rotation 24"Stroke - P/No. 9200-191-075
MSP000002250	Airbridge - Motor Canopy & Floor NKB-9210-103-058 - P/No. LR-51515/A22-10B5-24
MSP000002249	Airbridge - Motor Canopy PLB 9210-103-072 18"Stroke - P/No. 9200-191-074
MSP000002251	Airbridge - O-ring 42 OD 3.4 DIA
MSP000002252	Airbridge - O-ring 50 OD 3.4 DIA
MSP000002253	Airbridge - O-ring 55 OD 3.4 DIA
MSP000002254	Airbridge - Over Load Relay - P/No. 3RU1116-1KBO
MSP000002255	Airbridge - Over Load Relay Terminal Support 3 Pole - P/No. 3RU1916-3AA01
MSP000002257	Airbridge - Push Button 2 Way Green - P/No. 800FP-LU2F3F3
MSP000002259	Airbridge - Push Button Green Preposition & Bogie Rest 50mm DIA + Contact Block
MSP000002258	Airbridge - Push Button Lamp Unit 24V - P/No. ALM6-M 24V
MSP000002260	Airbridge - Push Button Turn Release Unit - P/No. ALVW39912R
MSP000002261	Airbridge - Relay 11 Pin - P/No. 31A22BD
MSP000002262	Airbridge - Relay 11 Pin 24V - P/No. 0749B
MSP000002263	Airbridge - Relay 11 Pin 24V - P/No. 24X8YU
MSP000002266	Airbridge - Screen Apron View
MSP000002269	Airbridge - Screen Data Display Apron Drive - P/No. XBTGT6330
MSP000002270	Airbridge - Screen Data Display CF Card Apron Drive 1GB
MSP000002271	Airbridge - Screen Data Display CF Card NSL 1GB
MSP000002272	Airbridge - Screen Data Display NSL - P/No. XBTGT5330
MSP000002273	Airbridge - Screen Height - P/No. UC6000-300GM-IUR2-V
MSP000002274	Airbridge - Screen Levelling - P/No. SCA114T-DO2FA
MSP000002276	Airbridge - Screen Sonar Slow Down - P/No. 3RG6015-3AC00
MSP000002275	Airbridge - Screen Sonar Slow Down - P/No. UC2000-30GM-E6R2-V1
MSP000002277	Airbridge - Soft Starter - P/No. 3RW3025-1AB04
MSP000002278	Airbridge - Sounder 140.920.68 IP 65
MSP000002207	Airbridge - Stainless Steel Door Retaining Hooks
MSP000002279	Airbridge - Switch Key On/Off - P/No. ASW3K3SB-243
MSP000002280	Airbridge - Switch Key Override No+NC - P/No. XB4BG
MSP000002281	Airbridge - Tunnel Bearing Roller
MSP000002256	Airbridge - Universal Potentiometer WX72-2 +/- 5%
MSP000002282	Airbridge - Valve Hydraulic 24V DC - P/No. R900589988
MSP000002283	Airbridge - Veri-speed Drive Keypad - P/No. VW3A1101
MSP000002284	Airbridge - Wheel Castor Service Stair Case
MSP000002285	Airbridge - Wheel Gearbox O&K
MSP000002286	Airbridge - Wheel Indicator - P/No. SHT03710079
MSP000002287	Airbridge - Window Big Tunnel 1500X2200
MSP000002288	Airbridge - Window Small Tunnel 1500X1900
MSP000006912	Ceiling panels T section
MSP000006913	Connector multi plug body Female

MSP000006914	Contact block NC
MSP000006915	Contact block NO
MSP000006916	Filters panel Fan
MSP000006917	Hydraulic - Valve KTS GM4000 47/06 24VDC 0.67A 35 OHM
MSP000006919	Hydraulic Valve - 24VDC
MSP000006918	Hydraulic oil Sample Bottles set of 10
MSP000006920	Hydraulic pump with filter 380 VAC
MSP000005997	LIMIT - SWITCH - ARM – LONG
MSP000005998	LIMIT - SWITCH – BODY
MSP000005999	LIMIT - SWITCH - BUMPER - WITH - LONG - WHEEL - ARM
MSP000006000	LIMIT - SWITCH - BUMPER - WITH - LONG - WHISKER
MSP000006940	Lamps / globe (for red obstacle) 7 watt
MSP000006921	Lamps indicating warning Yellow
MSP000006922	Lights Unit T5 8W 4000K for control panel
MSP000006923	Limit switch arm
MSP000006924	Limit switch bumper with long whisker
MSP000006925	Limit switch bumper with long whisker with plastic probe
MSP000006926	Limit switch double action (Auto level)
MSP000006927	Motor assy - brake kit units
MSP000006928	Motor assy - canopy & floor NL- (12" Stroke)
MSP000006929	Motor assy auto levelling (4" stroke) use brake coil for A7
MSP000006930	Motor assy auto levelling complete with arm & wheel
MSP000006001	O - RING - KIT - IMPERIAL - 70 - NITRILE - SHORE
MSP000006931	Relay 11 Pin
MSP000006002	SWITCH - KEY - OVERRIDE - (DISCONTINUE) - NO/NC
MSP000006003	SWITCH KEY OPERATED 3 WAY - (C/R) - ZB4-BG3
MSP000006932	Tunnel bearing frame L/H bottom
MSP000006933	Tunnel bearing frame R/H bottom
MSP000006934	Tunnel bearings vertical
MSP000006935	Tunnel bearings cam follower type horizontal / vertical
MSP000006936	Tunnel bearings cam follower type vertical
MSP000006004	UPS - 220/AC - BIG – UNIT
MSP000006939	UPS 220 AC 1.1 KVA for A3&A4
MSP000006005	WHEELS - CABLE GUIDE SYSTEM
MSP000006937	Wheel complete old units
MSP000006938	Wheels cable guide system

ADS Spares list

Description Article	Article Number
Control Computer complete, new	MU800 -A101
Control Computer <u>exchange</u> unit complete	MU800 -A101
AEC black excluding MODBUS unit	AEC black -A101
AEC blue <u>exchange</u> excluding MODBUS unit	X-AEC blue -A101
Flashmemory to AEC preprogrammed	
MODBUS Coupler complete	Modbus complete -A103
Relay 24VDC single	Relay -K103/K106/K201
Relay socket single	Relay Socket -K103/K106/K201
Miniature Circuit Breaker 2A	MCB -F104
Miniature Circuit Breaker 4A	MCB -F101, -F102, -F103
Miniature Circuit Breaker 6A for LED	MCB -F102
Master ON/OFF switch	Main switch -Q101
Fluorescent tube closing-rate thermometer	Fluorescent tube 14W -H108, -H111
Fluorescent tube display rows	Fluorescent tube 21W -H109, -H110
Compact fluorescent tube azimuth	Fluorescent tube 36W -H101 to -H107
Ballast 1x36W single 220-240V AC	Ballast 1x36W -L104
Ballast 2x36W double 220-240V AC	Ballast 2x36W -L101 to -L103
Ballast 14W /21W 220-240VAC (not for LED)	Ballast 14/21W -L105, -L106, -L107, -L108, -L109
Transformer unit 24VDC/±16VDC	Transformer 24V/±16V -G101
Transformer unit phoenix 24V	Transformer phoenix 24V -G101
Transformer unit for traffic lights	Transformer 230/160V -T201
Power supply unit UPS (only for AEC)	Transformer UPS phoenix 24V -G101
Battery (only for AEC)	Battery phoenix -G102
Used Drive board alphanumeric dot displays	X-Drive board -A200/A210/A220

Used Alphanumeric dotdisplay	Alphanumeric module -A201 to -A203, - A211 to -A214, - A221 to -A224
New Alphanumeric dotdisplay	Alphanumeric module -A201 to -A203, - A211 to -A214, - A221 to -A224
Bracket with coil for alphanumeric display	Spool for alphanumerics 309418-01
Yellow dots for alphanumerical display	Yellow dots
Fan 230VAC (-M182 used in new LED displays)	Fan 230VAC - M181/M182
Extended cable for fan -M182	Extended cable for fan - M182
Filter mat VDGS	Filter mat VDGS
Heating element with fan 230V	Heating element 230V with fan -E182
Heating element 100W	Heating element -E181
Thermostat fan	Thermostat fan -B181
Thermostat heater	Thermostat heater -B182
Light relay 110-230V (two units for LED displays)	Light relay 230V -K181
Ladar glass with frame	Ladar glass with frame
Ladar glass without frame	Ladar glass without frame
Ladar ADS5500 new including power and Ethernet cables	ADS5500 -A102
Ladar ADS550 <u>repair</u> unit	LADAR ADS5500
Cable adapter between 9-pin and 15-pin Ladar	Cable adapter between 9-pin and 15-pin Ladar
Canbus converter	Canbus converter
Ladar ADS5500 <u>TRADE IN</u> unit	ADS5500 TRADE IN unit
Ladar hood high	Ladar hood high

ANNEX N

ACSA maintenance procedure for Passenger loading Bridges - D080 029M and ACSA maintenance procedure for Aircraft Docking System - D080 011M

- Available upon request from the ACSA service manager

ANNEX O

Passenger loading bridges – standard operating procedure

Available upon Request from the ACSA service manager

ANNEX P

Maintenance of Passenger Loading Bridges – Electrical lockout procedure

Available upon Request from the ACSA service manager

ANNEX Q

Cape Town International Airport – operating instruction for PLBs

Available upon Request from the ACSA service manager

ANNEX R

Passenger Loading Bridges - Fire Emergency procedure

Available upon Request from the ACSA service manager

ANNEX S

ACSA IMC procedure for call out and work orders

Available upon Request from the ACSA service manager

ANNEX T

Internal and external factors

Below is a list of internal and external factors which may affect equipment availability and are beyond the contractor's control:

	Type	Comment
External resources	Utilities •Water •Electricity •Gas •IT Support and other interfaces outside the contractor battery limit	-No impact to reliability/Maintainability. -It Impact on availability from operations view
External causes	•Outside Operating conditions/parameters •Operator fault/incorrect operation, consider shifting the risk to the Service provider by giving him responsibility to support Operations/Operators •Damage by others(users and Third parties) i.e. Elevator doors •Incorrect use •Foreign material is system	-No impact to reliability/Maintainability. -Impact on availability from operations view This are some of the occurrences that may not be considered the Normal Operating conditions
Other	•Lack of information/Drawings •Lack of access due to no fault of the contractor after they have requested access timeously •Equipment's under Projects •Other factors that can be proven that was beyond the contractor's fault	
Spares	Availability of spares (if the spares are not under the control of the Service provider to the limit of the budget)	-Affect Maintainability

	Typically: It is the responsibility of the Client to ensure adequate administration and re-order spares timely, It is the responsibility of the service provider to ensure that the stores administration is done and minimum stock levels are adhered to, the request to buy spare are replenished are done on time intime	No impact on service provider. The Risk is not sitting with a single owner
--	--	--

ANNEX U

ACSA Mechanical Standardised Minimum: legal requirements and minimum competency requirements

PLB-charlie	Key	- Maintenance of Passenger Loading Bridges - IATA AHM 922	D080 029M	06 March 2013	Maintenance reports as per procedure	D/W/6M/Y/2Y/4Y	Site supervisor	- Instrumentation and control/Electrical/Millwright Trade test - Any OHS Training certificate	- Min 3 years experience post trade test qualification 2 years supervisory Experience - Min 2 years OHS experience	- CIDB registration in category ME - Entity performing any electrical works to be registered with Department of Labour as an Electrical Contractor - Entity performing load testing of PLB Hoists to be registered with Department of Labour as a Lifting Machinery Entity
					IATA AHM 922 Compliance records	Monthly	Artisan Mechanical	Fitting/Millwright trade test	Min 3 years experience post trade test qualification and at least 1 year must be in the maintenance of PLBs	
					Certificate of Compliance for an Electrical Installation	- Before bridge is used for first time - After Modifications	Technician	Electrical/Instrument and control trade test	Min 3 years experience post trade test qualification and at least 1 year must be in the maintenance of PLBs	
							Assistant Mechanical	N2 Mechanical	1 Year experience in maintenance of mechanical equipment	
							Assistant Technician	N2 Electrical/Instrument and control	1 year experience in maintenance of electrical and control systems	
PLB-Alpha							Lifting Machinery Inspector (Ad hoc)	Registration with ECSA as a Lifting Machinery Inspector	Minimum 1 year experience post registration with ECSA as a Lifting Machinery Inspector	
PLB - Echo										

Technicians	• Instrumentation and control/Electrical/Millwright Trade test	Min 3 years experience post trade test qualification and 1 year must be on maintenance of Aircraft Docking systems
Assistant	• N2 Instrumentation and control/Electrical/Millwright	Min 1 year experience in maintenance or installation of electrical or control equipment/systems

ANNEX V

ACSA Inventory procedure

Available upon Request from the ACSA service manager

ANNEX W

Current Guarantee and Warrantee

N/A